PERFECTION PERFECTION PLUS

Perfection is the finest word processor available for any computer. We have received dozens of letters from happy users saying just this... and all of these letters were unsolicited. "Superb" was used most often.

Perfection manages to achieve all the sophistication of most complex PC word processors while still using a user interface as friendly as Quill's. Perfection has a dual system of user control: menus while you are familiarising yourself with the program, and direct commands for the time when you feel ready for more adventurous things. The two systems can be used interchangeably and even simultaneously. Even more exciting - both systems are iterative. In case you don't understand what this means, let us give you an example: suppose you wished to move a block of text using the menus. You would choose Block Move (yes, it is right in the first menu) and the screen would then tell you to move your cursor to the start of the block. On most word processors you would have to navigate manually to this position: indeed, on many of them (Quill included) only a subset of the normal navigation commands would be available. On Perfection, not only can you use all the manual navigation commands (viz all 28 permutations of CTRL, ALT, SHIFT and the arrow keys!) but in addition you can use direct commands like GoTo Line or Page or any of eight markers. Even more amazingly, you can use Search (either as a direct command or from the menus) even though you are already 'within' a menu option.

Perfection has about 200 commands, but the layout of menus and the choice of keys for the direct commands makes it very easy to master. Though a 100+ page manual is provided (with all the important bits right at the front), you should only need to consult it for specialised operations like macros.

Even if speed is not particularly important to you, we assure you that Perfection's lightning performance will enable you to use the word processor in sensible ways that you would not have dreamed possible before. For example, scrolling 100 pages or so is accomplished so quickly using the normal navigation commands that you do not need to bother using a menu option to do the move. Spellchecking, assuming you have Perfection Plus, Is accomplished virtually instantly: to spellcheck this whole ad (all the pages) would take under 1.5 seconds... Searching (you can switch case sensitivity, as well as equivalences between tabs, soft spaces and hard spaces) is at the rate of about 100 A4 pages per second.

Moving from one word processor to another is usually very traumatic. With Perfection, this will not be the case. Not only can Perfection read in Quill _doc and _exp files directly (you do not even need to tell it they are Quill files!) but it can make direct and immediate use of your existing Quill printer driver. File re-export is also possible.

Perfection is truly WYSIWYG: this means that bold appears bold on screen, Italics appear as Italics, underlined as underlined, and so on. Of course, your printer may have functions we do not know about (upside down?). To deal with these, Perfection provides a number of on-screen shaded strips: these can be attached to any printer function you wish, and will not upset justification as a translate would. Of course, translates are provided as well!

A variety of statistics on the document being processed are available: some of them are on view all the time, the rest can be toggled to instantly. Not only is there a word count, but also page, line, character and special character (like Superscript Off) counts. There are also a dozen status indicators, letting you know whether you are in insert or Overwrite mode, whether a block is defined, whether interactive spellchecking is enabled etc. Current line (from top as well as within page) and column positions and character codes are also available.

A terrific feature of Perfection is the dual screen mode. You can view one part of the document while editing another. The sizes of the two windows are themselves adjustable, both in real-time or via the configurator. We should devote more space to the configurator: however, it must suffice to say that everything that could be dynamically set within Perfection may also be preset with the configurator. The configurator can, for example, allow you to select any of 256 colours for any of a dozen parameters (like paper colour, border colour, status window ink and paper colour etc).

Perfection is fully multitasking without need for any external accessory: however, if you already use QPAC or Taskmaster or similar and are happy, you may go on doing so.

There is absolutely no way that we can prepare you for the quality 'feel' of Perfection. We have a great deal of experience using PC word processors costing many hundreds of pounds: with absolutely no exception, Perfection is far easier to use and master.

So if you thought Perfection was unattainable, you have a very pleasant surprise coming to you!

LIGHTNING SPECIAL EDITION LIGHTNING

celerate QL operation by up to 10x (2x -4x is typical) without having any adverse effect whatsoever on compatibility or anything else. Lightning SE is typically 40% faster than the standard version. This acceleration is totally independent of, and in addition to, any speed-up obtained by hardware means. So if you have Gold Card, your need for Lightning SE is just the same as if you had only an unexpanded QL – Lightning SE will accelerate both by the same ratio.

The Lightning programs achieve their acceleration by automatically paging out sections of the QL's operating system and replacing these with optimal, concise code written by us.

Lightning installation is a completely automatic and oneoff: no knowledge of computing or programming is required. Once installed, Lightning can be completely forgotten about – you will soon get used to the superb speed! Knob twiddlers are catered for too.

Lightning technology is not built in to any of our other programs. Perfection users (as well as users of all other QL software) should therefore use Lightning all the time.

In summary: if you do not have Lightning, you are wrong. Buy this one FIRST OF ALL!

PROFESSIONAL PUBLISHER

Professional in Professional Publisher refers to the quality of as easy to use as this one:

Justificat is by pixel, not character. This give much smoother effect it is pointler. output from that program,

out using

a manual! Professional Publisher is by far the best DTP program for the QL. It is fully com-patible with Perfection, Editor, Quill, Eye-Q & the ASCII editors. It allows you to both create and import both text and graphics. Text can be 'poured' into boxes of any shape, size and number, automatically maintaining justification and hyphenation settings. So flowing text around graphics is a doddle.

Professional Publisher is supplied with a generous selection of fonts of various sizes, as well as clip

Justification is by pixel, not by character. This gives a It is pointless for us to try to list all of Professional

Publisher's features - we would end up filling half the magazine! We will concentrate on just a few 'points': Professional 'points': Publisher is extremely pre-cise, performing all its computations accurate to a small fraction of a millimetre. All its features can be preset by you using its configurator, ruling out the need for repetitive key strokes.

The program is extraordinarily versatile while remaining intuitive in its user interface. Buy it!

SOLUTION

PC CONQUEROR

PC Conqueror makes your QL into a PC-compatible machine, automatically. It does this by software means only, so there are no screws to undo or wires to fiddle with. Your QL stays a QL too.

EYE-Q

ULTRAPRINT

Eye-Q is the finest graphics program for the QL. While

there may be other graphics programs with a few more

features, no other program comes anywhere close to Eye-Q in sheer enjoyability. Eye-Q develops a pleasurable tactile relationship with you, and makes you feel like an

artist (even if you aren't). Eye-Q graphics can be read in

by Professional Publisher, and the latter's pages can be exported to Eye-Q (using Toolbox I). Everything in Eye-Q

While Eve-O has its own printer driver, Ultraprint allows

you 22 distinct styles/sizes of printer output. The

reasoning is that the scale of gradation suitable for

pictures is probably unsuitable for text or line drawings.

is menu-driven and there is context-sensitive help.

Why, might you ask, should you wish to make your QL into a PC-compatible? The reason is simple: you may wish to run the same programs at home as you do at work. Alternatively, you may wish to tap into the vast storehouse of PC software of every type and description you could imagine.

Using PC Conqueror could not be easier. Just boot up your machine with the PC Conqueror disk in floopy 1 and within 10 seconds your QL will be transformed into a PC that is just waiting to be switched on. From this point on you will do exactly the same as you would if you were running a 'real' PC – this means putting a DOS disk (any version) into one of your drives and pressing a key. If you do not already have legal access to a copy of DOS, we can provide you with one at reasonable cost (see our price list).

PC Conqueror runs as fast as it is possible for a PC emulator to run: we have used all our skills to make it work quickly. Of course, you can make the emulation must faster by using Gold Card and Lightning SE. With this combination, you should get speed noticeably better than that of a PC XT...

PC Conqueror allows you to fine-tune the operating environment of the PC in order to improve performance. If you get a hard disk or other high capacity floppy system, you can utilise part or all of it as a PC hard disk.

PC Conqueror occupies under 80K and leaves 667K free for DOS when run on a Trump Card. This is more than you will get on a 'real' PC.

Solution does what Conqueror does but is about half as fast and is not quite as compatible.

PROFESSIONAL PUBLISHER **TOOLBOXES**

Toolbox I is an excellent collection of high definition fonts, clip art and utility programs for Professional Publisher. While the fonts supplied with Professional Publisher are excellent, many users will feel the need for a wider range of typefaces and styles.

Toolbox II starts where Toolbox I leaves off, providing an even better - and different - font collection

The two Toolboxes complement each other and are

FONT ENLARGER GRAFIX

Font Enlarger does exactly what you would expect it to from its name. While Professional Publisher is also capable of enlarging fonts, it does them 'on the fly' and consequently is not able to remove the jaggedness caused by magnification. Font Enlarger is much cleverer, and enhances detail without any step effect.

While the built-in printer driver for Professional Publisher is excellent with 9-pin printers, it is not optimal with 24-pin or laser printers. Grafix is.



SPELLCHECKER MEGA DICTIONARY

Spellchecker is what makes Perfection into Perfection Plus. We have made it available as a separate item for two reasons: (a) to allow Perfection owners to add it later (b) to allow users of other word processors to benefit from the very best in spellchecking technology.

elichecker is supplied complete with three dictionaries of differing sizes as well as a system for building, reviewing and maintaining user dictionaries.

Spellchecker's ultimate accessory is the Mega Dictionary, which gives the user a vocabulary of over 350,000 words!

3D PRECISION CAD SYSTEM

This program allows you to manipulate shapes and figures in 2D and 3D at a speed that will leave you breathless. Irrespective of whether your interest is in CAD, in animation or in just having fun, this program should not be missed. You can output to plotters directly from it, or alternatively create graphics screens to be manipulated and output by Eye-Q, Ultraprint or Professional Publisher.

SUPER SPRITE GENERATOR

SSG moves things about the screen very fast and very smoothly, without flicker. Sprites can have up to 16 frames.



Editor Helen Armstrong

Publisher Mark Kasprowicz

Advertising Manager Jim Peskett

Creative Director
John Stanley

Designer
Steve Billington

Magazine Services
Pauline Wakeling
Frances Maxwell
Linda Miller

Sinclair QL World, Published By Arcwind Ltd. The Coach House, Tackley, Oxon. OX5 3AH Tel: 086 983 677 Fax: 086 983 733 ISSN 026806X

If you have any comments or difficulties please write to the Editor and we will do our best to deal with your problem in the magazine, though we cannot guarantee individual replies.

Back issues are available from the publisher price £2.00 UK, £2.75 Europe. Overseas rates on request.

Subscriptions from: Arcwind
Subscription Department, Lazahold Ltd,
PO Box 10, Roper Street, Pallion Ind.
Estate, Sunderand. SR4 4SN.
Tel: 091 510 2290
UK: £21.00
Europe: £32.00
Rest of World: £38.00
Please include your subscription number with any queries
Reprographic Services
Lithospeed, Scrutton Street, London.
Printed and Bound by William Gibbons,
Planetry road, Willenhall, West Midlands

© 1992 Arcwind Ltd, Sinclair QL world is published 12 times a year. All rights reserved. Reproduction in whole or in part without written permission is strictly prohibited. We welcome contributions but can not be responsible for any unsolicited contributions, all material must be supplied with a SAE.

CONTENTS

AUGUST 1992

- TROUBLESHOOTER Upgrades on the QL scene
 - 11 QL SCENE Merz releases Q-Spread
- 13 QL SCENE Hermz IPC from TF
- 14 OPEN CHANNEL Assembler + C compiler
- MEETINGS AND BIRTHDAYS The spectrum is 10

years old

18 INTO THE 90's • text87 Plus4 comes of age

SOFT WARE FILE OCICKet Secretary


- 24 CLUB ACCESS AND BINDER OFFER
- 26 THE NEW USER GUIDE INPUTS to LRUN
- 29 INSTANT ACCESS Instant addresses
- 30 BOOK REVIEW Another selection of old and new
- 32 SOFTWARE FILE MicroEmacs
- 34 DIY TOOL KIT Windows for Qdos, part 2
- 37 SUBSCRIPTIONS TO QL
- 40 SOFTWARE FILE Qmenu
- 43 SYSTEMATIC MACHINE CODE PROGRAMMING

Part 9

50 NEW QL's SPECIAL READER OFFER



Controller, and an Infra-red controlled Ser-mouse from Germany in the reviews box. Plus belated reviews of QDesign and Open World. Archive Answers looks at bibliography





L

A

D

R

0

B

L

E

is just as well that there are some contributors who use *Archive*, *Ea sel* and *Abacus*, as it is very easy for those of us who do a fair amount of writing to think only in terms of wordprocessors. I use a spreadsheet or database only occasionally, whereas it is a rare day when I don't use one or more wordprocessors. No doubt the statistics show that the majority of office and home micros excepting those designed solely for games-playing - are employed only for text work, like glorified typewriters. Nevertheless, integrated software packages always include modules for the other functions.

The trouble with Archive and, to a lesser extent, Abacus, is that they are harder for the average user to get to grips with than Quill is. The same can be said of similar programs. You may want only to create a name and address list, but are put off by the formalities you have to go through to get the job done. FlashBack made such jobs much easier, but it was effectively abandoned before it had been developed fully. Trying to explain to someone who has never used a computer before why it is necessary to have Fields, Records, Variables and so on is no easy task. In attempting to do this recently, I had to make it clear that what was being explained was the conventional view of constructing a database, not my own way of handling a list of addresses.

Using Ascii

Mainly because there seemed no other straightforward way of doing it, the transfer of my two FlashBack databases from QL to PC was done as a simple Ascii text file to a wordprocessor. No structure to bother about - just a bunch of fields within records, which ended up as individual paragraphs in the wordprocessor program. That was a year or two back, and the files still sit in the same wordprocessor program; there has been nothing to convince me that they ought to be re-created as 'proper' databases.

The only reason this approach can be successful is speed. The wordprocessor has to work fast enough to allow scanning through the databases at a pace which does not cause annoyance. My files are not large ones (about 60 and 120 KB). At the time the transfer was made, my PC was effectively much faster than the QL, but things have changed drastically since then. The Gold Card and Perfection have made the same exercise sensible on the QL. Digital Precision

In a world where upgrades are normal, we can always think of something else, says Bryan Davies.

keep records as Perfection files, not because they won't use programs from other suppliers but because it is the simplest and fastest way of handling the data. Nevertheless, some of us will still hanker for a program with the flexibility of wordprocessor but with part of the formal structure possessed by database programs. What this may mean is a combination of FlashBack features with those of Perfection or text87.

Taking a look at software for other computers, we can see database programs which allow data from the same file to be presented in several, visually-different forms, including those normally associated with spreadsheet and business graphics programs. One such that I have used for some years allows the screen to be split into four areas, one showing individual records in a top-to-bottom layout, as in Archive, another presenting groups of records in a linear, side-to-side fashion, a third displaying X and Y axes and several graphs plotted from the same data, and the fourth giving a boxed display somewhat like a spreadsheet, with cross-tabulated data. That last is a bit esoteric, maybe, although it can present a guite new perspective on sets of figures. Note that the discussion has gone from alpha to numeric data; there is no real reason why the same program cannot handle normal alphanumeric records, such as names and addresses, as well as doing calculations on the numeric data from the records. You can use Abacus for text preparation as well as for figure work.

Having got all the data, and the capability of manipulating it, why not permit reports to be printed out in a really presentable manner? 'Presentation Graphics' has an air of flash about it, but there are advantages to be gained from printed matter that uses some graphics (maybe only a logo).

We have had some very comprehensive and good developments in wordprocessor for the QL recently. What I am asking is 'can we now have some nonwordprocessor functions added?' A little bit of FlashBack's ease of handling records, some of *Professional Publisher*'s graphics-import capability, simple formulae as in Abacus, the typestyle handling of text87, and the general manipulative ability of Perfection. All rolled into one. Not much to ask, is it? Yes, we do need improved graphics to display it all, but the hardware stalwarts Up North are already working on that...

What is speed?

A recent article and advert may have led to some confusion, and amusement, among wordprocessor buffs. Is it really sensible to make speed comparisons between wordprocessor programs? Many people would want to see a straight 'no' answer to that question, but it really isn't that simple, is it? How accurate and valid can such comparisons be? Quill is so slow performing certain operations that any would-be competitor has to be able to show that it is very much faster. It wouldn't do to say a Copy operation takes half a day instead of a whole one - users want something better. With the current standards, any normal wordprocessor operation that takes minutes is too slow.

For instance, *The Editor* is quite a speedy program - until you use it in Document Mode, when it becomes much slower. Where possible, any documents used during comparison checking need to be typical of what significant numbers of users generate, and in the native format of the program under test. If quoting times taken to load Quill files into other programs, remember that this is generally an infrequent one-shot operation and, from there on, the imported file will be used in the format of the new program, so any speed checks should be made in that format.

We all have a threshold, below which improvements don't get noticed. My own, in connection with program functions, seems to be around 25%, but only when the time taken is appreciable. A block operation that takes 15 seconds instead of 20 is likely to seem faster to me. Whether or not one that takes 7.5 seconds as opposed to 10 will be noticed is another matter, and the chances of noticing 3 seconds rather than 4 are not good. At levels of less than 10 seconds, it is unlikely that most users will be impressed, unless an improvement is, say, 50% or more. We

are going to be pleased if a 60-second operation becomes a 40-second one. Something that takes two minutes will not be lauded, even if the previous best was three minutes, simply because it is still stretching our patience. Money permitting, get a Gold Card first; anything that seems slow then will stick out like a sore thumb. If you want more speed - and many more functions - have a good look at Text87 Plus-4 and Perfection Special Edition.

M

You may think you don't need anything but Quill, but you are quite likely to change your mind after seeing a demonstration of one of these two wordprocessors.

Price tumbles

It may have seemed a bit pointless to mention in the April issue that it was (then) possible to buy a colour copying machine for under £2,000, but that was to emphasise how fast prices come down in the computer world. Would you believe you can now (less than six months later) get a colour copier for under £900 (plus VAT)? Don't get too excited, though. Just look at

the prices in the Miracle Systems advert and buy a Gold Card and ED drives instead; they'll be much more use to you. Leave the colour machines for another year or so (in case you are interested, both of the quoted prices are for Brother machines).

L


Always wanting more!

The pace of development of Perfection Special Edition and Text87 Plus-4 seems to have got faster rather than slower. All the changes that have been passed to me are worthwhile ones, adding significant extra functionality or convenience to the use of the programs. Watch the adverts for details of new features. A full review of the latest Plus-4 should appear this month. If, like me, you are not satisfied with just one wordprocessor, you can now have several, and have more than one document loaded into each, and have your favourite database on-screen at the same time too. Check the illustration - one Perfection document at the top, a FlashBack record overlaid onto that, and one Text87 Plus-4 document at the bottom; Ctrl-C then takes

you to other documents or programs which are loaded. All three programs displayed allow you to move and resize their screens. The ever-faithful Q_Switch provides the indicators at the top of the screen; this is one program that looks set to remain on my QL 'for ever', in the same form as it was configured years ago; it has been great value, but is presumably unavailable now.

And now hardware

Rumours floating around suggest several hardware wonders may appear before the end of 1992. A fast-graphics board, lower- and higher specification Gold Cards, a go-faster QL (a replacement rather than an add-on board), a QL emulator to fit in a PC, an improved hard disk interface, etc. As with all such rumours, they should be taken with a pinch of salt, but it does seem likely that at least one unit fitting one of those descriptions will see the light of day before long. It is established that the 68020 cpu chip can be used in association with the existing QL, but we can expect any serious new development to be based on the 68040 (the 68030 is a starter, but looks



less-and-less suitable as time goes by).

Still one up

Having had occasion recently to ask for a quotation on a high-end PC, I found with surprise that there do not appear to be any floppy disk controllers available which can support ED (2.88 MB) drives on PCs. Can it be that Miracle Systems are the only buyers of these drives in the UK? If so, all the more credit to them for bringing them to us, at a good price. It seems incredible that one can get hard disk drives with GB (gigabyte) capacity, CD-rom disks with 500-plus MB capacity, and 50 MHz processors, yet have to settle for 1.44 MB floppy drives as a maximum on the PC.

Readers' letters

Dilwyn Jones Software have written to reply in advance to possible criticism. As of early June, the update to the Page Designer V 2 Plus - had not been completed, and there is no firm date for the necessary work to be finished. Money that has been sent in is being held, and not banked, until copies of the program are ready to be shipped. The hope is that this will be by mid-July. The reasons given for the delay are pressure of other work and underestimation of the time needed for the program changes. (All the usual!) It is

refreshing to have a reply from a supplier before a complaint is received!

Digital Precision have asked that another warning be published about sending blank cheques through the mail. While DP is happy that customers place such trust in them, they are worried about the possible consequences of a letter containing a blank cheque going astray and getting in the wrong hands. It is quite possible for cheques to be cashed by people for whom they were not intended. If you must send a blank cheque to anybody, mark it 'A/C PAYEE ONLY'. This warning is made for users' own good; it must be stressed that nobody has complained to me about any cheque being cashed by the wrong person.

Brian Wray wrote to complain that Digital Precision had not refunded the purchase price of a copy of the Payroll program, although they had returned his master disk after checking it. DP replied that Wray's problem with the program had been caused by not observing the written instructions, and that there was nothing wrong with the program disk. The section of the program which deals with National Insurance contributions had to be updated by the user whenever the contribution rate was changed. However, they are contacting Mr Wray again

and will supply him with an updated version of *Payroll*; the delay was due to a problem over payment for the program. Other users who bought Payroll from DP (not from PDQL) should contact DP for details of the upgrade, if they require it.

PH Tanner wrote again - an evenlonger letter than before. Long enough to fill this issue, in fact! Among many other comments, he said that "One of my machines runs 24 hours a day, all I/O taking place via NET". My own machines run 10-15 hours per day, but virtually never overnight, mainly because everything done on them requires my input, whereas Mr Tanner sets his QLs to calculating and lets them get on with it. Note the use of the network, and not with the aid of Toolkit II either. It is always heartening to hear of someone who has had a business lifetime working with better-known, and bigger, computers, but prefers to use the QL during retirement. In this case, the QLs certainly work for a living, too. Can anyone give an up-to-date report on the GST Assembler? In particular, has further de-bugging been done on it?

No reply has been received to the various complaints passed to **TK Computerware** in the past month or so.

A Quantum Leap in QL Wordprocessing

Our new state-of-the-art wordprocessor, text87plus4 is now available in version 3. MILES ahead of any QL application!

text⁸⁷ plus4

+ 1 USER FRIENDLY TO THE EXTREME

 New well-written manual
 Automatic setup and installation
 Context-sensitive help
 File selector boxes
 Commands and key-presses highly compatible with Quill.

+2 THE MOST POWERFUL QL WP

• Extensive navigation and editing • Fast block and search / replace operations • Reformats as you edit • Remembers paragraph formats between sessions • Extensive file commands • Spell Checker with browse and replace • Multi-Window Multi-Document • Page-Preview and Pagination save a lot of time and effort.

+3 UNRIVALLED PRINT QUALITY

 Nothing else can compete in text and character formatting
 Fully supports proportional spacing and justifies correctly
 Multiple paragraph formats with different margins and line-spacing for each
 Right, centre and decimal tabs
 Multiple columns plus headers and footers • Desktop publishing with several different page layouts in the same document

+4 FASTEST QL WORDPROCESSOR

Amazing timings on QL (much faster with Gold Card) and Atari ST with QL emulator. A 70 page text (24,000 words, 141,000 characters) was used • Load: 25s (STQL 17s) • Save: 37s (STQL 32s) • Search / replace (with autoreformat) 580 instances: 43s (STQL 14s) • Change justification: less than 2s (STQL 1s) • Change right margin and reformat 65s (STQL 17s) • Move 10 pages from top to bottom (With manual marking and positions): 35s (STQL 15s) • Scroll screen 100 lines: 19s (STQL 5s)

Fully compatible with all QL ROMs, Gold Card, ST QL, Thor. Requires disk drive and 256K memory.

Prices (inclusive of Air Mail to overseas)

text87plus4	£ 79.00
2488 drivers for 24pin and Bubblejet printers	£ 19.00
typeset90-deskjet drivers for all HP Deskjets	£ 19.00
typeset90-Epson GQ5000, EPL4100 /7100 lasers	£ 39.00
fountext88 + founted89	£ 39.00
Graphic driver for 0 & 24 pin printers with ever 30	fount

Graphic driver for 9 & 24-pin printers with over 30 founts Ask for our free, comprehensive leaflets.

SPECIAL OFFER! If you have paid over £59 for any other QL wordprocessor you can upgrade to **text87plus4** for only £59. The manual from the other software is required as proof of purchase (It will be punched and returned). Offer expires end of August 1992. Send cheque, Eurocheque, to: **Software87**, **33 Savernake Road**, **London NW3 2JU**

MEDIA MANAGER SPECIAL EDITION MEDIA MANAGER

Media Manager Special Edition (MMSE) is a program to be used both when things have gone wrong as well as when things are perfectly OK. It allows for automatic, semi-automatic and manual correction of a huge variety of disk and tape problems. It allows you to explore disks and tapes to your heart's content, producing all sorts of different diagnostic reports. MMSE is very simple to operate, being menu-driven and assuming no degree of computer knowledge whatsoever.

MMSE also allows you to tidy, catalogue, sort and order your disks and cartridges.

The standard Media Manager is both less powerful and less user-friendly, but manages to work on an unexpanded QL.

Both programs allow for data transfer between PC and QL. With MMSE, this transfer is at file and directory level, is bi-directional and is completely automatic.

SPECIAL DESKTOP PUBLISHER DESKTOP PUBLISHER

These programs are quite primitive compared to Professional Publisher. However, if you have not experienced that program as yet, you will find both of these very competent. Both are capable of producing excellent results. The cheaper one has fewer features but is able to run on smaller systems.

EDITOR SPECIAL EDITION THE EDITOR

With the sole exception of Perfection, this is the best word handling system on the QL. Editor's features include an unrivalled degree of programmability and the ability to cope with the entire 256 character ASCII set. The Special Edition has enhanced document-type facilities, including column blocks and on-screen page break displays. Neither program is suitable for computing novices. Until Perfection, Editor Special Edition would have been our 'Desert Island Program'.

Editor SE can do a few things that Perfection can't, so the ideal combination is to have both (they are compatible at file level and can multitask). If you order Editor SE at the same time as Perfection, you can have Editor SE at half price.

PROFESSIONAL ASTROLOGER PROFESSIONAL ASTRONOMER

The Astrologer program teaches you Astrology from scratch and enables you to automatically produce text narrative on personality delineation, year-to-year and minute-to-minute life predictions, compatibility interpretations and so on. Whether or not you believe in astrology – indeed, especially if you do not – this program is one that you cannot afford to have. You can tailor the readouts (both in terms of quantity and what is said) to your own particular requirements. The amount of fun you can have with this program is endless. Do not blame us if you start believing in astrology, though!

Astronomer is an extremely fast and accurate solar system calculator, with planetarium views, planet faces, eclipses, cinerama display etc..

TURBO BASIC COMPILER

Turbo is the finest BASIC compiler for the QL and arguably the finest BASIC compiler for any computer!

Turbo automatically converts working BASIC programs into optimised machine code, usually with no need for human intervention. The benefits of this conversion are vastly enhanced running speed (as well as much faster loading, encryption and automatic bug fixing for a variety of QL interpreter oddities). Typical speed-up is 40x - 100x.

Turbo is provided with a 200 command toolkit, adding many useful commands to BASIC. Most of these commands will be of immediate use to the programmer, whether he is a novice or an expert. There are commands to load strings and floats into RAM, and to extract them automatically; to search memory and to move its contents; to control jobs and change their priorities, manage pipes, allocate and deallocate memory, to control both rubber and virtual arrays, to present INPUT with an editable default, to have random access to files and much more.

TOOLKIT III

Toolkit III starts where Toolkit II stopped, adding about 60 new commands and enhancing many existing dual functions. Toolkit III is available either on disk or on ROM, and works whether or not you have Toolkit II.

Toolkit III commands can, with only a couple of exceptions, be compiled using Turbo.

QFLICK CARD INDEX

All QL owners have a copy of Archive, supplied free with the QL. While Archive is competent, it is very hard to get to grips with and is not particularly fast. Offick presents a very convenient alternative – a snappy, simple-to-use, pointer-controlled card file database. You can move data between Offick and Archive in either direction.

QFlick is not itself programmable but we document its data structure and give guidance on how to program it using Turbo.

ARCHDEV + RTM DATABASE ANALYSER ARCHIVE TUTORIAL NAMES + ADDRESSES MAILMERGE DAT-APPOINT SEDIT SCREENPRINT

This suite of utilities will greatly enhance your use of the Archive database system.

RECOVER

Archdev + RTM is a straight replacement for Archive: it gives enhanced speed, greater workspace and a much cleaner boot-up. All your existing applications will work.

Database Analyser provides very fast and comprehensive statistics about your Archive databases.

Archive Tutorial proceeds systematically through the whole philosophy and grammar of Archive, providing you with expert and patient guidance.

Names + addresses, Mailmerge and Dat-Appoint are ready-to-run, off-the-shelf Archive applications, providing an address database, mailmerging and appointment diary respectively. You now have no excuse not to use Archive.

SEdit allows you to create and edit screen format files in Archive. Screenprint allows you to print them out.

Recover allows you to get back lost Archive databases, created when you switched off the computer without properly exiting from Archive.

XREF SUPERBASIC MONITOR BETTERBASIC EXPERT SYSTEM

XRef analyses the structure of a BASIC program, providing detailed reports on things like variable usage, what calls what, dynamic call hierarchy of procedures and functions, and so on.

SuperBasic monitor actually monitors and reports on the performance of BASIC programs as they run under the interpreter.

BetterBasic analyses and automatically corrects structural flaws in your programs and allows you to customise things like indentation, number of statements per line, filtering out of noise words, etc.

The three programs together provide a matchless diagnostic and auto-correcting facility for BASIC programs.

TRANSFER UTILITY

This program copies files at high speed between devices, performing translates as it goes along. Ideal for all sorts of applications, including transfers from microdrive to disk.

OMATHS SYSTEM

This is an incredible mathematical compendium for the QL. Pride of place goes to the symbolic problem solver: this can solve equations, simplify expressions, factorise, expand, etc, all symbolically. If you could sneak this one into a maths examination, you would have a formidable ally. QMaths knows about all the algebraic operators, powers, roots, brackets, trigonometry, matrices, determinants, vectors, factorials, permutations, combinations, binomials, exponentials, logarithms, hyperbolics, inverse functions, infinite series including Taylor & Maclaurin expansions, complex numbers, conversions, Fourier series, and lots of calculus: both differential and integral, including integration by parts and definite integrals. QMaths optionally displays its workings and comes with a superb interactive tutorial.

The package also contains an interpretive, fractal, imagegenerating language with loads of beautiful fractal programs supplied for you to use and edit – no programming skill is required.

There is also a multiple precision floating point maths package, giving calculations at precisions up to over 600 decimal digits of accuracy.

There is even more to this system, but we think we have told you enough.

OMON MACHINE CODE MONITOR

The latest version of Tony Tebby's superb monitor: an absolute must for those who really want to know what is going on in the QL. No other machine code monitor even comes close.

Do not confuse this program with SuperBasic monitor, which monitors SuperBasic, not machine code.

COMPARE

This program compares files – data or program – at colossal speed. Where a mismatch is detected, the relevant areas are highlighted and you can shuffle, displace and align very easily.

CASH TRADER WITH ANALYSER PAYROLL

Cash trader with Analyser is an accounts system designed by businessmen and not by wretched accountants! Consequently, it has excellent reporting and management facilities, and is very flexible. It is aimed primarily at the layman, probably a sole trader running a small or medium sized business. All the features you would expect – including audit trail – are present.

Payroll is a reasonably flexible system designed to automate the payroll function in small businesses.

Both programs are configurable, with editable defaults letting you adapt the programs from year to year.

HARDBACK WITH FINDER

This is the ultimate hard disk backup and management utility, with all the sophisticated features you could want. User dialogue is via overlapping pop-up windows – the whole program just feels right. It is possible to scan the disk at great speed, too.

DISKTOOL WITH QUICKDISK

This permits you to add password protection to disks, to optionally increase disk storage capacity on DSDD drives by 36K and to increase speed of access by as much as 30%. All this is done while maintaining full compatibility. Automatic file management is also provided.

DIGITAL C SPECIAL EDITION DIGITAL C

These are extremely fast and efficient C compilers, complying with and surpassing the Small C definition. The Special Edition goes much further, including support for structures, pointers, long pointers, >64K code size, direct access to QDOS traps, etc. The Special Edition C generates code that runs about twice as fast as the other.

THE INFORMATION PAGE

PREFECTION SPECIAL EDITION WORD PROCESSOR

The most versatile, friendly and powerful word-processor of all - PC users, eat your hearts out! Another year's work on PERFECTION has produced PERFECTION SPECIAL EDITION, with all the features of the previous version plus much much more (yes, we have been listening):

* Improved user-friendliness and even better feel.

* Stores and recalls upto six "environment" settings (each setting including all tab, margin, justification etc positions for very easy document manipulation) at the touch of a key. This transforms the use of the program!

* Now eight strips (previously 4) to support greater variety of printer functions such as changes of fonts and sizes.

* Now allows 64 other translates (of up to 63 characters each), for those with sophisticated printing needs - an improvement of sixteen times. Also a new print terminate option, allowing a reset of printer controls and flushing of the print buffer. Improved printer driver now supports all PERFECTION string editing commands (F5, up, down too).

* Totally compatible with all document files (own, standard PERFECTION, Quill doc, Editor and SE, ASCII, Archive/Abacus/Quill/text87 export, non-ASCII, machine code, compressed data etc) and with printer data files (own, standard PERFECTION, Quill

printer dat) - no re-entering!

* Greatly accelerated reformatting speed - typically five times faster than standard PERFECTION. No longer any need to wait around if you wished to change (say) margin and/or justification settings of all or most of your document.

* Greatly accelerated global search and replace - typically four times faster than standard PERFECTION.

* Numerous other speed enhancements too.

* Numerous other speed enhancements too.

* Improved and enlarged Configurator, Dictionary Utility and Stripsort.

* Greatly improved piping of output to the Professional Publisher system, giving thousands of fonts, full pixel-proportional spacing with auto-everything, even down to the choosing of the allocation of % of space added "between characters" and "between words" to an accuracy of four thousandths of an inch, you can auto- prevent ugly hyphenation (too few letters in front or behind) and word-wrap (words too spread out) effects, superb output quality and undreamed of flexibility. Nothing else on the QL gives you anything like this level of flexibility and quality of printed output (many superlative of fonts, hundreds of sizes, wrap-around (contour) graphics and pictures.

* Improved cursor navigation.

* Merging now works for both PERFECTION saved and exported files as well as for ASCII

* Merging now works for both PERFECTION saved and exported files as well as for ASCII non-PERFECTION files.

* Much more besides.

* Much more besides...

* PERFECTION SPECIAL EDITION costs £99.95, or £139.95 with Spellchecker and three dictionaries (i.e. PERFECTION PLUS SPECIAL EDITION). The price of standard PERFECTION has been reduced to £59.95, or £99.95 with Spellchecker and three dictionaries.

* Existing PERFECTION users can upgrade to PERFECTION SPECIAL for the difference in current price plus £10 (so £50 to upgrade from either PERFECTION to PERFECTION SPECIAL EDITION, OR PERFECTION PLUS to PERFECTION PLUS SPECIAL EDITION - return all disks but no manuals). Please upgrade now as the upgrade price is liable to be increased soon.

LIGHTNING SPECIAL EDITION GOLD CARD VERSION For Gold card users only, we are supplying a version of LIGHTNING SPECIAL EDITION identical to the current version of the other one but without the ROM (which is redundant if you have Gold Card) at the reduced price of just £39.95, or as a £25 upgrade from standard LIGHTNING (return everything). Gold Card owners who have the LIGHTNING SPECIAL EDITION with ROM can send DP their ROM cartridge for a £5 credit towards future orders. Alternatively, you can upgrade from the "full" SPECIAL EDITION to the Gold Card version for free (return your disk and ROM, not the manual) as you will benefit from the updating, accelerating and refining that has gone into LIGHTNING SPECIAL EDITION since you purchased your's (our latest update was on 15th May 1992).

DESKJET/LASKRJET DRIVER FOR PROFESSIONAL PUBLISHER

If you have one of these Hewlett Packard printers, this addition to the Professional Publisher range is an absolute must at £19.95 - output quality is superb.

COPY DTILITY FOR BACKING UP
TRANSFRR UTILITY SPECIAL ROITION
COPY gives you a full-function interactive backup (no more fiddling around with WCOPY!)
with plenty of options. TRANSFER UTILITY SPECIAL EDITION can back-up, transfer, make
translates and now even sorts (on a variety of options, including filename, creation
date and size) before creating an optimised (for speed of access) copy - and all this at
lightning speed, faster than WCOPY or similar! MANY NEW PRODUCTS ANNOUNCED HERE MANY NEW PRODUCTS ANNOUNCED HERE

AND ON THE STOP PERSS PAGE!! CHRAP MICROCARTRIDGES £50 for 50, £80 for 100, all inclusive. Why pay more?

STOP PRESS/PRODUCT INFO

PC CONQUEROR GOLD SPECIAL EDITION

PC CONQUEROR GOLD SPECIAL RDITION

A fantastic all—new software system making your QL into a PC and enabling it to run PC software. PC CONQUEROR GOLD SPECIAL EDITION will operate only with GOLD CARD (or other QL hardware giving 1.5 Mb RAM or more). It has (of course) all the features of standard PC CONQUEROR, and in addition:

*Full and automatic support for expanded standards). On a Gold Card, for example, the user will get 736K base memory (vs only 640K on "real" PCs, and 667K on standard PC CONQUEROR) PLUS expanded memory variable between OK and 944K (could be higher if you have even more RAM on your QL). The presence of expanded memory improves the performance of most PC software, and is essential for the operation of some of the more modern and/or advanced PC programs. Further, no separate "driver" needs to be installed from the DOS, saving even more RAM over conventional PCs and operating systems (where a difference of as little as 4K is considered worth mentioning as a substantial advantage). Part or all of the expanded memory can be allocated to ramdisk(s) and/or disk cache(s).

*Full support for high density (HD) disks (though the PC CONQUEROR GOLD SPECIAL EDITION works perfectly well on single or double density drives too, if that is what you have), giving you 2880 sectors per disk. You can now read, write and format PC HD disks (provided of course that you have HD or ED drives on your QL), and the disks you use will be completely interchangeable with (in both directions) and indistinguishable from DD and HD disks produced on a "real" PC! Disk access speed for HD is better than twice the speed of double density (which was all that standard PC CONQUEROR could handle). Of course you can still read, write and format PC DD disks too, if you wish.

*You can now easily create a PC "hard disk" on any QL device (including floppy disk) and boot up from it if you wish. From within the PC, that drive will look and behave just like a hard disk (and a very fast one too if you use RAM as the QL device). From QDOS t

with manual override!

* Upto just over 50% faster operation than standard PC CONQUEROR on most Gold Cards (PC CONQUEROR GOLD SPECIAL EDITION automatically determines whether your Gold Card can run the software at accelerated speed. Even if it cannot, you will still get faster

operation than with the standard PC CONQUEROR.

* You can design, if you wish, your own colour map so that all screen colours are configured to your liking - tailor PC programs so that they look the way you want them to (of course, no PC can do this).

to (of course, no PC can do this).

* Many other optimisations and features, enlarged configurator and supervisor mode.

* Fully compatible with all versions of MS-DOS, DR-DOS and PC-DOS from v1.0 to v6.0 (latest) inclusive.

* PC CONQUEROR GOLD SPECIAL EDITION package includes a copy of the standard PC CONQUEROR too, in case you have other QL setups with less than 1.5 Mb RAM.

* PC CONQUEROR GOLD SPECIAL EDITION costs £99.95 including VAT and delivery. Standard PC CONQUEROR has been reduced to just £59.95 inclusive - excellent value - and SOLUTION PC Emulator to just £29.95 inclusive. Existing Digital Precision emulator owners can upgrade for just the difference in current advertised price, plus £10 (so the upgrade from PC CONQUEROR to PC CONQUEROR GOLD SPECIAL EDITION is just £50, for example - return only the disk and not the manual. The upgrade from SOLUTION is £80: send back everything). Please upgrade now as the upgrade price is liable to be increased soon.

DOS v5.0 has now been superseded by DR-DOS v6.0 with many new features, probably the most useful of which is disk compression "on the fly" (i.e. data is automatically compressed before it is written to the disk and automatically decompressed as soon as it is read off the disk - so everything works as before). Compressions range from 2x - 8x depending on the type of file: imagine how huge your storage devices will become! There many other enhancements over v5.0, including an on-line DOS tutorial, built in disk cache, many diagnostic and backup utilities and much more. DR-DOS v6.0 will work with all our PC emulators. The price including all documentation (two large manuals), ready reference guide and our pre-configured QL/DR-DOS v6.0 disk (ready to run) is £80, or a concessional £70 if you have purchased an earlier DOS from us (this is not an upgrade - you keep the old DOS too). If bought at the same time as PC CONQUEROR GOLD SPECIAL EDITION, the combined price is £179.95, or £139.95 with the standard CONQUEROR, or £109.95 with SOLUTION. DR-DOS v6.0

CMATHS MATHEMATICAL SYSTEM PART TWO A follow-up program to complement QMATHS, giving excellent and optimally speeded Mandelbrot and Julia set visuals, enhanced statistical functions, terrain plotting, function evaluation and much more. The price is £59.95, or just £99.95 for the pair (QMATHS Parts 1 and 2) - a saving of almost £30!

SPECIAL DEALS

5% off total if you buy 2 programs/upgrades; 10% off 3; 15% off 4; 20% off 5; 25% off 6+ Upgrades cost difference in price + £10 Non-UK Europe add 5%, rest of world 10% or full terms and conditions, please refer to any of our QL World add from Jan-Nov 1990, or write in including a SAI

CPORT BASIC TO C CONVERTER

This program translates SuperBasic programs directly into C source code, automatically. This C source code may then be edited or compiled. If you want to move programs to C for migration to other hardware, or want to accelerate your programs, or just want to learn C the easy way (chuck BASIC in one end and examine the C that spews out of the other), CPort is the system for you.

CPort is friendly and tolerant of poorly written BASIC. There is even a method of dealing with unusual BASIC keywords. The generated C, which can be switched between the ANSI and Lattice industry standards, is very readable and is often optimal. CPort's user interface is extremely friendly. CPort is available with or without the C68 compiler.

SUPERFORTH COMPILER WITH REVERSI

Forth is the most logical computer language. This compiler produces multitasking code. The manual teaches you Forth-83 from scratch.

IDIS SPECIAL EDITION IDIS

These intelligent disassemblers make the otherwise terrifyingly complex task of understanding other people's machine code programs absurdly easy. The SE version, which has a higher hardware requirement, sorts out some routines, replaces addresses with names, untangles data from code and much more.

QKICK FRONT END SYSTEM

This is a simple, easy-to-master, pull-down menu controlled multitasking front end, QKick runs in the background and can be called up at any time. It provides you with notepads, sophisticated file/sector/RAM handling, backing up facilities, a clock, diary, calculator, mini-database and so on.

ADVENTURE CREATION TOOL SPECIAL EDITION

ACT is a must for every programmer. The name of the program is misleading, insofar as it has capabilities far beyond the 'mere' creation of adventures. ACT has utilities providing animated graphics, data compression, language design, parsing, maps, object-oriented control etc. If all you want to do is generate adventures, though, you do not need to be a programmer to use it. This is a purchase you will never regret.

PEDIT

A fast, modern and capable printer driver for the programs bundled with the QL.

MICROBRIDGE

Superb contract bridge bidder (ACOL etc) and player, using millions of random but reconstructable hands. Microbridge also includes a state of the art interactive bidding tutor and a clear instruction manual. There is nothing like this anywhere else!

SUPER ASTROLOGER

A very cut-down version of Professional Astrologer – still great fun, though!

SUCCESS CP/M EMULATOR

Allows your QL to run CP/M programs at great speed.

3-D PRECISION CAD SYSTEM	f 49.95 d
ADVENTURE CREATION TOOL SPECIAL EDITION	1 49.95 e
ARCADIA GAME	9.95 f
ARCHIVE DEVELOPMENT SYS + RUN-TIME MODULE	29.95 a
ARCHIVE TUTORIAL	19.95 a
BETTER BASIC EXPERT SYSTEM	24.95 a
BLOCKLANDS GAME	9.95 f
CASH TRADER v3.3 + ANALYSER COMPARE FILE UTILITY	99.95 c 19.95 a
COPY UTILITY FOR BACKING UP	19.95 a 9.95 a
CPORT BASIC TO C TRANSLATOR WITH C68K COMPILER	99.95 c
CPORT BASIC TO C TRANSLATOR	89.95 c
DATABASE ANALYSER FOR ARCHIVE	19.95 a
DAT-APPOINT APPOINTMENT DATABASE SYSTEM	19.95 d
DESKJET/LASERJET DRIVER FOR PRO PUBLISHER	19.95 c
DESKTOP PUBLISHER SPECIAL EDITION	39.95 c
DESKTOP PUBLISHER	24.95 d
DIGITAL C COMPILER	29.95 a
DIGITAL C SPECIAL EDITION	49.95 a
DISKTOOL WITH QUICKDISK	19.95 b
DROIDZONE GAME	9.95 f
DR-DOS v6.0 STATE OF THE ART PC OPERATING SYSTEM	79.95 e
EDITOR SPECIAL EDITION	49.95 d
EDITOR	29.95 a
EYE-Q GRAPHICS SYSTEM FONT ENLARGER	39.95 a
GAMES COMPENDIUM (ALL FIVE GAMES)	19.95 e 29.95 a
GRAFIX 24-PIN UNIVERSAL PRINTER DRIVER	14.95 e
HARDBACK + FINDER HARD DISK MANAGER	49.95 c
IDIS INTELLIGENT DISASSEMBLER	24.95 a
IDIS SPECIAL EDITION	39.95 d
LIGHTNING ACCELERATOR	24.95 a
LIGHTNING SPECIAL EDITION ACCELERATOR	49.95 h
LIGHTNING SPECIAL EDITION FOR GOLD CARD	39.95 a
MAILMERGE DATABASE SYSTEM	19.95 a
MEDIA MANAGER SPECIAL EDITION	49.95 d
MEDIA MANAGER	24.95 a
MEGA DICTIONARY	29.95 g 39.95 d
MICROBRIDGE NAMES AND ADDRESSES DATABASE SYSTEM	19.95 d
PAYROLL SYSTEM	49.95 c
PC CONQUEROR GOLD SPECIAL EDITION WITH DR-DOS v6.	
PC CONQUEROR GOLD SPECIAL EDITION	99.95 g
PC CONQUEROR WITH DR-DOS v6.0	139.95 e
PC CONOUEROR	59.95 e
PEDIT PRINTER DRIVER FOR XCHANGE	19.95 a
PERFECTION PLUS SPECIAL EDITION WITH SPELLCHECKER	139.95 c
PERFECTION PLUS WITH SPELLCHECKER	99.95 e
PERFECTION SPECIAL EDITION WORD PROCESSOR	99.95 c
PERFECTION WORD PROCESSOR	59.95 d
PERFECT POINTER TOOLS	29.95 a
PROFESSIONAL ASTROLOGER WITH ASTRONOMER PROFESSIONAL ASTROLOGER	69.95 a 59.95 a
PROFESSIONAL ASTROLOGER PROFESSIONAL ASTRONOMER	59.95 a 29.95 f
PROFESSIONAL PUBLISHER TOOLBOXES (PARTS ONE & TWO	9.95 e
PROFESSIONAL PUBLISHER TOOLBOX PART ONE	29.95 e
PROFESSIONAL PUBLISHER TOOLBOX PART TWO	29.95 e
PROFESSIONAL PUBLISHER	89.95 c
OFLICK CARD INDEX SYSTEM	29.95 a
OKICK FRONT END SYSTEM	24.95 a
QMATHS MATHEMATICAL SYSTEM PART ONE	69.95 c
OMATHS MATHEMATICAL SYSTEM PART TWO OMATHS MATHEMATICAL SYSTEM (PARTS ONE & TWO)	59.95 c
QMATHS MATHEMATICAL SYSTEM (PARTS ONE & TWO)	99.95 c
OMON MACHINE CODE MONITOR v2.05	39.95 a
RECOVER ARCHIVE UTILITY	19.95 a
REVERSI GAME SEDIT + SCREENPRINT ARCHIVE UTILITIES	9.95 f 39.95 a
SOLUTION PC EMULATOR WITH DR-DOS v6.0	109.95 e
SOLUTION PC EMULATOR	29.95 e
SPELLCHECKER WITH DICTIONARIES	49.95 d
SPELLCHECKER WITH DICTIONARIES SUCCESS CP/M EMULATOR	49.95 b
SUPERBASIC MONITOR	24.95 a
SUPERFORTH COMPILER WITH REVERSI	39.95 a
SUPER ASTROLOGER	24.95 f
SUPER BACKGAMMON GAME	9.95 f 29.95 a
SUPER SPRITE GENERATOR	
TOOLKIT III WITH ROM	49.95 h
TOOLKIT III TRANSFER UTILITY SPECIAL EDITION	29.95 a 29.95 b
TRANSFER UTILITY	9.95 b
TURBO BASIC COMPILER + TOOLKIT	79.95 a
ULTRAPRINT SCREEN DUMP UTILITY	19.95 a
XREF SUPERBASIC PROGRAM ANALYSER	29.95 a
KEY>>>>> Available either on cartridge or disk	a
Available only on disk	, b
Minimum 512K exp:only available on dis Minimum 256K exp:either cartridge or d	k c
Minimum 256K exp:either cartridge or d	lisk d
Minimum 256K exp: only available on dis	sk e f
Available only on cartridge Minimum 1.5Mb RAM:only available on di	
VISA As well as cartridge or disk, you get	
no note as cartification, jour get	
THE STREET WAS DEED TO BE STREET STREET	LELGIBI

Send to: DIGITAL PRECISION LTD, 2 Please rush me:	222 THE AVENUE, CHINGFORD, LON	NDON E4 9SE or phone 081-527 5493
Name:	Address:	
	Postcode:	CHAPTER MATERIAL TOWN
Encl: CHEQUE/VISA/ACCESS/MASTERC	CARD/PO/MO/CASH for £	ADIGITAL PRECISION LTD ADIGITAL PRECISION LTD
Card No:	Expiry: Signed:	
Delete as appropriate: (QL/THOR/STQL)(MDV/		ors; nb 1 sector=0.5K)(If 720 sectors: SSDD/DSSD)

OLS CENE

Fax rolls for printers

Reader P J Hudson has followed up his comments in Bryan Davies' column (page 4 of the April 1992 QL World) on the use of fax paper with the **Serial 8056** printer, by contacting supplier Office World (full name Globus Office World Plc) of Reading. Their Summer (May to August) catalogue ('We guarantee that our prices are absolutely rock bottom!') lists various sizes of fax roll paper, used by some QL World readers as a convenient source of printer-paper for reel-fed machines. The relevant price list can be found on page 107 of the catalogue under Fax Rolls.

Mr Hudson points out that the 30m rolls have the correctly-sized core for use with the Serial 8056, and his custom of re-winding the 100m rolls is simply to take advantage of economies of scale. Office World deliver.

Office World has stores in Leicester (0533 516222), London (081 961 8244), Northampton (0604 34456), Nottingham (0602 599499), Reading (0734 568865), and Slough (0753 551234). Enquire there for up-to-date prices and catalogues.

Clarification by Software 87

At the time of placing their advertisement in the June 1992 issue of Sinclair QL World, Software 87 (the producer of text87) was unaware of the existence of the Digital Precision program Perfection Special Edition. The benchmarks quoted by Software87 in that advertisement hence definitely did not refer to the Special Edition of Perfection, which is understood to be much faster than the standard version of Perfection. In addition, Software 87 would like to point out that the benchmark for Search and Replace quoted by Software 87 in the same advertisement may have been unfair to the program actually referred to. Software apologises to Digital Precision for any inconvenience caused.

Speccy Emulators in Italy

Ergon Development is bringing to light two **Spectrum emulators** for the QL. The ZM-2 and ZM-3 ZX Spectrum 48K emulators emulate all standard Spectrum features (keyboard, tape reading and saving on Qdos devices) except sound. The two versions give a choice of facilities: the ZM-2 runs more slowly than the ZM-3, but has a higher compatibility rating. For instance, on a 16 MHz Gold Card games run on the ZM-2 from 35% to 70% of normal Spectrum speeds, while on the ZM-3 they run from 50% to 90% of normal speed. Speed, of course, depends on various factors, such as screen redrawing, screen mode, instruction type executed, and so on).

As for compatibility, some of the games quoted as running 'exceptionally well' on both emulators are Jetpac, Pssst, Sabre Wulf, The Hobbit (*kill Thorin*), Atic Atac, Manic Miner, UnderWorld and Knight Lore. The emulators are controlled by the 'Supervisor', which allows users to manage Spectrum files on QL devices, to disassemble/dump or poke the Spectrum memory, to redirect Spectrum keys to QL cursor keys, and more.

The complete ZM-X (ZM2 and 3) system costs £35 and is supplied with QL programs (on disk) and Spectrum programs (on tape) for transfer to the QL through the network or the serial port, for example, with the Interface 1). Ergon have also developed a full working public domain version, the ZM-1.

Prices quoted do not include carriage (£5 airmail postage), Please send cheques or (preferably) Eurocheques in Italian lire (£1 - 2200 lire), OR add £4 to cover conversion fees if sending any currency cheque other than lire.

Ergon also offer discounts on total orders: £3 off for two programs, £6 off the three programs, and so on. Please make payments to **Davide Santachiara**.

Orders and enquiries to Ergon Developments, Via Emilio de Marchi n ", 42100 Reggio Emilia, Italia. Tel (Italy) (+39) 0522 70409.

Ergon have also just released **Open World** 2.1, to allow QL users to convert graphic screens created with other computers into standard QL screens. It can import IFF (Amiga), CUT, TIF (PC and Mac) and GIF files (mainly from bulletin boards). Images can be converted into four colours, eight colours, or monochrome (with a very powerful dithering algorithm) screens. The monochromes are ready to be loaded into QL desktop publishing programs. Open World (OWR) costs £25 and comes with a supervisor program, and two 720 K disks full of GIF, IFF and TIF images.

Merz releases QSpread

Merz Software's QSpread spreadsheet for the QL, running under the QJump Pointer Environment, is now ready for market. The early news from Jochen is that the program is fully pointer- and keyboarddriven, can split windows three times vertically and horizontally, giving a total of nine working windows; is formula-oriented, so that formulas can always be retrieved, even after numerical input has taken place (unlike Abacus); allows function macros; allows a total of 32,767 cells, laid out in whatever horizontal and vertical configuration the user chooses. Block handling and number value entry has been made 'a lot easier' than in Aba-

As usual, all necessary pointer environment and menus material is included in the package. Qspread will cost £49 from Jochen Merz Software, im stillen Winkel 12, D-4100 Duisberg 11, Germany. Tel. 101 49 203 501 274.

Further news from Merz: the SerMouse driver is now in version 2.00, with smoother mouse movement and other improvements. The QL Emulator for the Mega STE is in prototype, and is expected to be ready by August. More news when that arrives. QDesign 2, the upgrade to QDesign, improves on the original Qdesign in a number of ways, but the incompatibility with early QL rom versions (according to our report, this includes early Minervas) remains.

Im stillen Winkel 12 - D-4100 Duisburg 11 Germany - Telephone & Fax 0203 501274

QD 4 - Editor using the Pointer Environment, with many new options: GOTO BASIC Procedure/Function, Label, improved parameter string, print, search/replace, and MenuConfig (the same as Config, but menu-driven). £38 Upgrade from V3 £10

QSpread - Spreadsheet for the pointer Env. More than 32000 NEW cells. Completely pointer-driven, up to 3 horizontal and vertical splits at the same time. Formulate-orientated, 22 scientific funct-

ions, macro functions, help, scrap, etc. £49

QMenu - Menu Extension V3 QMenu is a very easy to use interface with predefined menus (e.g. file select, simple choice boxes, select from lists). These menus may be used by super BASIC, machine code and other languages. Fileselect, dir-select and list-select all re-written with more options, multi-columns

select, this select and its select an its with more options, muti-columns etc. £12.90 Update from previous version with new manual £5 FiFi-the FileFinder. FiFi is easy to use and extremely useful: it scans devices or directory trees and searches files or filenames for strings. Combinations are possible, e.g. String 1 AND string 2 BUT NOT string 3 etc. £13 DISA - Intelligent Disassembler. Generates ASCII-output which may be

QDOS Reference Manual - This book is a must for all machine-code programmers. It explains how to use QDOS, all traps and vectors, the Thing System, the HOTKEY Syst.11 and much more. It shows which features work on a QL, an Emulator, how to write compatible for future operating systems. 170

opages. £27
QPTR - The Pointer Environment Toolkit. Revised manual which describes how to use the Pointer Interface and the Window Manager for Super BASIC and machine code. Examples on disc, keys, macros and extensions for SuperBASIC. £27

FLP/RAM Level 2 now with ATR!!! Replacement EPROM for Qboards (V1.17 onwards, with & without mouse) or TrumpCard (please specify!). Real sub-directories! About twice as fast, with improved slave-block-handling! (not on JM-ROMs) £18

EASYPTRII - Create your own Pointer-Env. menus & sprites, use them in your SuperBASIC or machine-code programs. Supports all the PE facilities, even split application sub-windows and uses the Menu Extension! Many examples! £49

SYSTEM - System Tools for QDOS: real file - attributes are added, e.g. write-only, hidden or for selected users only. Works even over net and on winchester. New TRAP#3. New devices (equiv. to QL-Emu.): named pipes, MEM, NUL. 80 new procs & features, e.g. WSET_FATTR, WSET_FTYPE,WSET,FVERS, ADIR, ASTAT £27.50

QDESIGN II - more features, improved and more printer drivers (incl.) laser, QSnap which scans text from screen and puts it into scrap, virtual drawing mode

on Emulator and Minerva etc. £48. Upgrade from version 1 £13

VECEDIT Vector-Font-Editor for QDesign £19

NEW: SER MOUSE V2 -- Software driver which allows you to connect a serial (e.g.) IBM-style) mouse to one of the SER ports of the QL, which then mimics the QIMI interface. On a 3-button mouse, you have ESC, Wake and

Sleep in addition. £14

The Lonely Joker - three patience card games, very addictive and playable with many options. With PE etc. Needs Toolkit II £14.90

Diamonds £11 - BrainSmasher £12 - Arcanoid £10 - Firebirds £10 - SuperGamesPack £25 - QShang £14 - QSUP System Utility Pack £26 - Thing & Eprom Manager £18.50

New QL-Emulator - the VME card for the Mega STE should be ready

when you read this ad. Please call or write for more info.

Floppy adaptor to connect QL diskdrives to the ST £9

VERY SPECIAL OFFER; Harddisk unit for the ATARI ST (without harddisk): case for Syquest changeable drive AND 5.25" or 3.5" drive, PSU, host-adaptor (100% QDOS compatible), cables, driver, thermo-controlled ventilator etc. £120

QDOS on a 68030 (in every Mega ST) running at 32MHz: incredible speed (approx. 8 times faster than a ST, 20 times a QL) together with new E-Driver-Software. Write for more details! Price: 32MHz Version £600, 25MHz

NEW: E-Driver software with new initialisition: faster, needs less memory, boots from harddisk without EPROM etc. With new manual £17

Technical Printer Manuals: EPSON ESC-P/2 for all EPSON 9/24/48 pin printers. 500 pages £27 HP DESKJET for the Deskjet family (including 500C) £15

We are the German distributor for Software 87 products (German & English versions available!).

Please add £4.50 for p & p (Europe) or £4.50 for one item and £2.50 for every further item (Overseas). All prices excl. V.A.T. E&OE.













Falkenberg Hard Disk Drives

32MB Hard Disk

Hard Disk Kit £300

Complete Set, boxed with PSU

20MB Hard Disk £258


The Hard Disk Kit comes without Box and PSU. If used with a gold card and bus expander the access time is greatly improved. (On a QL with Gold Card, approx 350,000 Kilobytes/second) 20MB Hard Disk The Hard Disk Kit com

The QL Hard Disk Interface and Hard Disk controller boards can be mounted in various config as required. The following items are normally carried in stock and can be selected as required.

BUS Expander, 2 slots, (eg, for disk interface/gold card and hard disk controller) Horizontal/ Vertical Connector £ 22.00 Flexible cable Connector

Into QL (eg. Gold Card) faces Û 리다 Into QL

BUFFERED BUS Expander, 5 slots, (For expansion other than Trump/Gold Card)



BUS Redirector, 1 slot, helps to reduce the width of extended QLs

£ 17.00

RAM/ROM Battery Backed Memory Card (Ram to 896K, Eprom to 256K) From £ 79.00 For Option Details on any product send S.A.E.

Serial 3 Button Mouse

Remote Infra Red Mouse

£55

£45

Externally fitted into SER2, comes complete with interface and software. No

Internal fitting required, 3 button mouse gives 5 more functions than the QIMI.

We still have lots of QLs, 1 & 2 Mb disk drives, peripherals and components. See previous adverts or contact us for details.



EEC 18-21 MISBOURNE HOUSE CHILTERN HILL CHALFONT ST.PETER

TEL: 0753 888866

Payment terms: CWO, Access, VISA et cetera Chaues - allow 10 days Delivery: Carriage - £9 Postage - £4

FAX: 0753 887149



12.

The ULTIMATE operating system upgrade

THEIT MINEPUA now with battery for 256 bytes ram, CRASHPROOF clock & interface (1°C) for robots etc. Can autoboot from battery ram. Other features (common to MKI/MKII):

Autoboot on reset/ Multiple Basic/ Faster scheduler-graphics(18% of Lightning)-string handling etc/ WHEN ERROR/ Second screen/TRACE Foreign kybd drivers/ "Warm" fast reset etc

MKI to MKI UPGRADES: up to 1.79 -£5. Rest FREE (send rom (PROTECT LEGS!) and disk or 2 mdvs)

Original MKI..... £40 MKII......£65 ALL VERSIONS FULLY GOLD CARD COMPATIBLE

BULLETIN BOARD

QBBS - The first UK QL scrolling bulletin board. Now even larger with international ECHOmail and 10mb of files (including the WHOLE King James' bible!

071-706 2379 | V21/23/22/22bis 24hrs

UuaLsoft

Viewdata/VT52/VT100 QL TERMINAL EMULATOR

Multitasking for electronic mail, PRESTEL etc, CET dountoad. Compatible with Tandata Reconnect QL modem/modaptor. Use Reconnect RS232C to driv unbuffered modems. Comprehensive A5 manual.

Software (3.5" or mdv) & manual [30

FILE TRANSFER - to transfer text AND programs error free (XMODEM) between computers ailable for IBM compats, ATARI ST & Sinclair QL

Connects to Psion range with RS232C comms link Software £7.50 per m/c. Cable £10 (name 2 m/cs

All prices include UAT and postage in the UK

A replacement QL co-processor (IC 8049 IPC)

Do you get keyboard bounce? Do you find fast serial input unreliable? Do you want to run an MSI 14400 bps modem?

If you can say YES to any one of these, then this is a product you have been waiting for

Gives up to 19200 bps RELIABLE serial input

overs up to 19200 bps RELIABLE serial input Independent boud rates Stops keyboard 'bounce' (unuanted repeat chrs) Improves 'fuzzy' and 'random' sound Provides extra input and output lines Key click

Key click Reset/INT7 invoked more safely

FITTING is a simple job. Simply remove the QL top (8 screus) and replace the chip marked '8049' next to microdrive 1.

PRICE (including manual & software) £25

Faulty GL boards (excl plug in ICs)....£9
Keyboard membrane...£8 Circuit diags...£2
65080 cpu....£8 1377 PRL....£3
JH rom set....£10 Power supply...£12
8302 ULR....£10 8301 ULR...£10
8404.9.68 MIDU III.6 £12 8049.....£8 MDV ULA Other components (sockets etc) ... plse PHONE

.REPAIRS

QLs tested with Thorn EMI test rig and ROM software

(MDV hardware extra if required)

= 6 month guarantee



12 Bouverie Place, London W2 1RB (tel: 071-724 9053)



OLS CENE

EEC Drives a Bargain

EEC Ltd. are continuing to produce their improved MGT Lifetime Disk Drive, which is now sold as the **EEC Universal Disk Drive**. A 1 MB version is available at the reduced price of £70 (VAT-inclusive), and the 2 MB version at £90, which is half the original MGT price. The price includes an instruction book, a free 3.5 in disk, and a connecting lead for any one of the following computers: Sinclair Spectrum, QL, IBM PC or compatible, BBC, Amstrad, Atari, and Amiga computers. Extra leads are £12 each.

A kit of parts can be bought, consisting of a case, a transformer, DIP switches, and a data socket, for £23 plus £5 postage. This is for users wishing to make their own drives or customised units. EEC can also supply 1 MB and 2 MB drives at £29 and £49 respectively, and power supply units for 5V drives at £6.

The 1 MB version will format up to 720 K with

double-density disks. The 2 MB version (which also reads double density) will format up to 1.44 MB, providing the system will support it.

EEC are still supplying QL and Spectrum computers and hardware including microdrive expansion kits, microdrives and parts, as well as cartridges, although these are no longer manufactured. All prices include 17.5% VAT.

Bill Richardson is also stocking the Serial 3-Button Mouse at £45, and the Infra-red Remote Mouse at £55. These fit externally into Ser2 with no internal fitting required. They come complete with interface and software. According to advance publicity, the 3-Button mouse offers five more functions than the Qimi.

Orders and information from

W N Richardson & Co., 18-21 Misbourne House, Chiltern Hill, Chalfont St. Peter, Bucks SL9 9UE. Tel. 0753 888866.

Hermes steps in where the 8049 leaves off

Hermes is a replacement Intelligent Peripheral Controller (ipc) chip developed for the QL by Minerva's Laurence Reeves, and marketed by Minerva's regular agent, TF Services.

Hermes is designed to replace the QL's own ipc, the IPC 8049, which has presented users with certain problems since the QL was invented. Among the best-known problems with the original IPC 8049 are poor handshaking on serial input (sometimes requiring a full reset); keybounce, especially with early PC add-on keyboards; lack of independent baud rates; inaccurate sound functions.

These are among the problems which Hermes cures. The literature lists more precisely: two-key rollover, even with Shift; fully reliable serial input up to 19200 baud with one stop bit, assuming that the IC25 output buffer is working correctly and handshaking is enabled at both ends, and connected (check your serial cable and make sure the ports are open); differ-

ent baud rates for each ser1 and ser2 input lines, and separate from output (can be used to drive a serial mouse and a printer from ser1 simultaneously. Open/closed status of serial ports can be read; code to handle three spare I/O lines (one is used by the Qview capsled kit) Three other input lines can be read; keyclick toggled on and off; Reset/INT77 invoked more safely; function to return ipc version number.

Fitting involves removing the top of the QL and replacing the IPC chip. full instructions are included. Also included is a small extensions file to be loaded with RESPR.

The Hermes package costs £25 inclusive of chip, disk, VAT and UK postage, from TF Services, 12 Bouverie Place, London W2 1RB. Tel. 071 724 9053. Personally, we would wrap up our old chip and keep it in a safe place, rather than filing it where Laurence recommends - why contribute to a landfill when you can clutter your cupboards?

OPEN CHANNEL

Open Channel is where you have the opportunity to voice your opinions in *Sinclair QL World*. Whether you want to ask for help with a technical problem, provide somebody with the answer, or

just sound off about something which bothers you, write to:

Open Channel, Sinclair QL World, The Blue Barn, Tew Lane, Wootton, Woodstock Oxon. OX7 1HA

Assembler

Earlier this year you asked about an assembler and a C compiler for an unexpanded QL. The only assembler I have ever used on the QL is the Assembler Workbench, published originally by Talent. It is well adapted for the unexpanded QL. Not only that, but it comes with excellent on-line help, and a good range of monitor and debugging facilities. It also has a great little text editor with it, for writing programs. I use this to write Forth programs as well as assembler listings. It lacks some of the facilities of bigger and more expensive packages. The most important

factor is lack of macros. However, you only really need these if you are writing big programs which would require memory expansion, and so you would not use them on an unexpanded QL anyway. Assembler Workbench has never lacked in any facility I found any need for, and as it seems to be cheaper than any other assembler, it is almost certainly the best buy for someone who has an unexpanded QL.

As for C compilers, I have dabbled in C for a couple of years now, both on the QL and on IBM compatibles. But I have not written any serious program in it. It clearly is a very good language for those involved with large programming projects, if only because

of the enormous libraries of routines available to start you off. But for small programs (less than, say, 32K) it is much too complicated a process to go from source code to final program. It is so much quicker and easier to program in assembler, or Forth, or even Basic, and then compile the Basic.

To use almost any C compiler will require memory expansion, and even if it works with an unexpanded QL, it is unlikely to be very useful. However, if I were going to start experimenting with C on the QL, I think I would get the public domain C68 C compiler from Qubbesoft. It's good, it's continually getting better, and it's free (apart from copying charges). It's the only one I have actually tried on the QL, although I have tried several C compilers for IBM compatibles.

Alan Bridewell Swindon

Racket

Are you a QL criminal? In you live in that little island north of France, and have a personal computer then, undoubtedly, you are. David Drysdale must have difficulty speaking with his tongue firmly in his cheek.

I bought my QL in March 1985, and used it for writing letters. The first thing I did was to produce a cartridge with names and addresses, so that I could print envelopes and merge addresses for business letters, without having to type them. I now have 600 addresses on three disks, duplicated, of course.

I can openly state the above, because in Andorra we do not have such an act as the Data Protection Act of 1984. For the last two months, doubtless in all innocence, there have been articles in Quanta specifically trying to teach users how to enter addresses and telephone numbers using Archive.

The greatly-increasing use of electronic diaries and notepads

means that people other than computer users are doing the same, with the addition of telephone numbers, what the person or company is or does, their partners' names, etc., etc. PC programs are commercially available for this purpose.

The act was made law for very good reasons, but at the time the use of personal computers had not taken off as it has since. The act is certainly still needed, but it must be amended so that you are not all criminals in future.

I think that computer magazines, computer manufacturers, and others concerned should write letters to the newspapers, the Government, lobby their MPs, and generally highlight the absurdity of the particular section of the act.

This is intended to start the ball rolling, instead of everyone behaving 'criminally' and doing nothing to get the situation changed.

Gil Lamb La Massana Andorra

E-mail

Some news that might interest QL World readers. Any QLer who has access to the worldwide network that links many mainframes should get in touch with Giuseppe Zanetti who is collecting the names of QL users. His e-mail address is 'beppe@alessia.dei.unipd.it'. He will supply a list of names and email address on request. There are only about 30 so far, short of the 100 required to set up a news group devoted exclusively to the QL, so we have decided to post QL-renews lated items 'comp.os.misc'. Professor Timo Salmi in Finland has also made his QL programs available on an anonymous FTP server. 'garbo.uwasa.fi', these can be downloaded over the net, and he will also accept files from others to add to the collection.

I haven't attempted to explain the details of how to access the net

Editor's notebook

Summertime, and the living is rainy. But not as quiet as we normally expect in July-going-on-August. This is no doubt a side-effect of our many moves with letters arriving thick and fast, either wanting to know what is going on, or congratulating us, or both. PaulinE and Fran are correcting the Subscribers list by hand, which may mean more rational overseas addressing in the future.

The hardware and software community is also hard at work. In particular we have new software news from Jochen Merz in Germany and Ergon Developments in Italy. We also have (slightly delayed) news of the Hermes replacements IPC chip for the QL, produced by Minerva's Laurence Reeves, and marketed by TF Services.

I won't pretend that we've entirely caught up. We're behind with reviews and the open Channel proofs are emerging in a funny order - but we're getting there. readers who have the facility will already know how to do it - and from machine to machine.

What rom?

In Sinclair OL World in April 1992, on page 12 under the heading 'Byron' I read for the first time in my life - of the existence of a JSU rom in a QL. At the moment I also know of a JM rom, a JS rom and an AH rom.

Which rom is the best? Which rom is the worst? How many types are greatly appreciated. of rom exist in total? Can somebody give me an answer to these questions?

remain:

The Netherlands

Comment: If anyone can compose and rather personal question, we will print it in Open Channel. Meanwhile, we will consider the to see further opinions. possibility of publishing the long nel.

Slashed

Calloo, callay, oh frabjous day, and all that. It is great to have you all back in circulation. Long may you continue so.

The QL remains so exactly difficult to believe that anyone wasn't so much of it.' else could find a use for it. I live in terror that the bubble will burst and I will wake up one morning to find myself the lone surviving user.

matters, less important but which should nevertheless be brought to your attention.

The fount used for the listings in Open Channel is not wholly suitable. The minus signs are almost invisible; the distinction very fine; and the zeros really ought to be slashed.

since I imagine those of your on page 15. Sadly there is a transliteration error. A double vertical line (), signifying a bitwise OR, has anyway, the procedure varies become a double underscore in line 1040. It may have been my fault: Howard Clase my printer prints a vertical line as a St John's broken vertical line, and it is my Canada usual habit to fill in the gap by hand. It is possible that I omitted to do so.

If anyone should need a listing straight from the source, I would be happy to supply it.

Funny to see your comments on the colour of the fields. In my prewar East Anglia youth they were bright yellow too, but a much 'cleaner' colour: they were growing mustard for the Colman mills in Norwich.

Please keep going. Your efforts

P H Tanner Glasgow

Thanking you in advance, I Comment: Having had another look, I am going to vote a disagreement M L Huppe with you on the clarity of the listings Lauwerecht 201 print: I find the colons and semico-515 GR Utrecht lons are distinct, and the minus signs quite clear, if a bit small. The 0 and the O are among the most distinct I have seen in any typeface. the short answer to this broad However, this is the first comment on this subject I have had from a reader, and I would be very pleased

I may have read the missing veranswer, but not in Open Chan-tical lines as broken lines, but the underscore is a translation error it was in order last time I looked at it. I think this is one of the few characters which is going to go on giving us trouble.

It's a bit sad that oilseed pollen upsets so many people, especially as it's a close cousin of mustard, and surely no more non-organic Only one thing clouds my view: than hay (as in 'hay fever', of course). A friend from Norwich matched to my needs that I find it says: 'I'd appreciate it more if there

Entitled

But I am not writing only to Having recently purchased a Sony congratulate: there are two other camcorder (from Comet, with a subsequent refund of over £50, because of the price of a competitor), I thought it might be possible to do titling with the QL. I contacted Jonathan Oakely, who explained that as far as he knew, it was not possible for the QL to run a Genlock between colon and semicolon is system (which is necessary if you want to merge two video signals).

I then tried using Page Designer Which brings me to the second 2 to make titles and photograph problem which concerns me. You them from the monitor, not very printed a scrap of my own code successfully due to reflections. With 100 WMON

110 WINDOW #0:512,256,0,0

120 CLS #0: REMark BLANK SCREEN

130 WINDOW #0;512,10,0,246:PAPER #0,0:INK #0,2

140 WINDOW #1;448,60,32,0:PAPER #1,0:INK #1,7: REMark INPUT WINDOW 150 WINDOW #2;448,186,32,60:PAPER #2,0:INK #2,7:REMark DISPLAY WINDOW 160 CSIZE #1.3.1

170 CSIZE #2,3,1

180 DEFine PROCedure RULE

190 PRINT #1,"'/"'!"'/""??"''/"!""/""

200 END DEFine

210 DEFine PROCedure CLSALL

220 CLS #1:CLS #2:CLS #0

230 END DEFine

240 ERT HOT_REMV (C)

250 ERT HOT CMD ('C', 'CLS #1'): REMark CLEARS THE INPUT WINDOW

260 ERT HOT_CMD ('I', 'input'"';prg\$', 'print #2,prg\$')

Toolkit 2 users should lose line 140 and replace 250 and 260 with:

250 ALTKEY 'C', 'CLS #1',"": REMark CLEARS THE INPUT WINDOW 260 ALTKEY 'I', 'input'""; prg\$', 'print #2, prg\$', ""

a monochrome signal could be used linking the monitor lead to the 8mm video recorder via the edit unit not unwanted rubbish on the screen.

It became apparent that what was needed was a completely blank screen which was the full 512 by 256 pixels. The nearest I could achieve was to have a one-line (512 by 10 pixel) window 0. Paper 0, Ink 7, Csize 3,1: a nine-line (448 by the remaining 186 pixels) window 2. With no borders, this gives a blank screen and the red ink on black in window 0 makes any typed-in commands almost un-noticeable on the video screen. The 448 width of windows was arrived at by experiment in order to keep the characters away from the edge of the screen, which however led to another small problem, which was easily solved. A strip each side of the windows remained uncleared. To remove this, I decided to first define window 0 to the full 512 by 256 pixels, CLS #0 and then redefine the windows.

Input into window 1 is transferred to window 2, and then CLS #1 clears window 1 (Alt-C). Two procedures are used: Rule is a rule which appears in window 1 to facilitate spacing and Clsall clears all windows. Although limited to the QL's character set, this is a very cheap option for titling (character generators start at £150). If you think a VAT-inclusive amount, if C2 computer equipment is expensive, try video: camera £395 to £1999, video recorder £220 to £1799, and an editor with mixer and fader/en-

further thought, it was obvious that hancer facilities £59 to a full editor system including character generaas it was the required composite tor with memory £4999. Of course, video signal, but experiments in my equipment costs the lowest of these prices. I hope the listings will be of use to those who can only only gave the title, but also all the afford the older type of cameras with no built-in titling facility.

Peter Rowell Quanta and Cambridge Archimedes and 68 Group (Case)

Abacus

Referring to Peter Tomlin's letter (), Abacus 2.00 accepts the dollar sign \$. What this does is to make cell references absolute. For example, if cell A1 contains 10, cell B1 contains 20, and cell C1 contains \$A1 + B1, cell C1 will show on screen the value 30. Echo cell C1 (use F3:E:C1 across range C2:C4) and cells C2 to C6 will now contain the value 10. If you move the cursor onto cell C2 (for example), in the bottom left of the screen the formula \$A1 + B2 will appear - A1 is an absolute reference, whereas B1 was taken as a relative reference

To use the dollar sign, type it in as part of the formula, for example: B1 + B1 * \$C2/100, entered into cell D1, could be used to calculate contained the current rate of VAT.

Rich Mellor Walsall W Midlands

Lively in

Dilwyn Jones reports from the recent Quanta workshop in London

The recent workshop on the 30th of May 1992 in a church hall in North Kensington was organised by the London group affiliated to Quanta, the UK QL User Group. The venue was easily accessible both by car and by public transport.

Quanta workshops are minishows where members (and often other users) can come along and meet other QL users, meet QL traders to buy items for their QLs, ask questions, get help with their problems and attend informal lectures and discussions organised on a wide variety of subjects.

Non-members can come along too - admission is usually free and there is no obligation to join Quanta, although you may want to do so when you see all the activity and benefits which can be obtained from membership of the group.

traders came along to set up shop. including Digital Precision, Miracle Systems, DJC, EEC, Qubbesoft, QBits, Liberation Software, CGH Services, CL Systems and Software 87.

Freddy Vachha of Digital Precision gave an all-day demonstration of his company's software for the QL and talked at length on a number of subjects. Miracle Systems showed their range of hardware for the QL. The Gold Card is now apparently selling very well following the recent price reduction to £225. Miracle were displaying what I think was the smallest QL serialto-parallel printer port converter I have ever seen - the circuitry was small enough to fit into the cover of the printer connector. The device I saw was only the prototype unit, but we believe it will be on sale soon.

Trump swap

year, so we eagerly await them. Their well known Expanderam card and Trump Card will now be produced and sold by Qubbesoft - Ron Dunnett told me that the good news is that there will be a modest price reduction on these two items. See this month's QL Scene for more details.

Fred Toussi of Software87 demonstrated and sold the Plus4version of the word processor text87. This is a remarkable program, well worthy of a demonstration the next time you see Fred at a QL show.

CL Systems exhibited their CQV1 QL Video Digitiser, now available in a version compatible with the Gold Card. Mr Lang sampled pictures onto disk for customers, using a video camera. TF Services were selling a new device called Hermes. This is a direct replacement chip for the 8049 IPC unit in the QL, providing a number of im-Most of the well-known QL provements. It helps to solve the serial input problems on the OL, giving split-input baud rates on both serial ports, and much improved keyboard de-bounce. It can provide three input/output lines and many more features. The price was £25.00. Contact TF Services for further details. Tony Firshman said that both the standard Minerva eprom and the MKII version are still sell-

CGH Services' stand had a number of leisure programs for the QL and a selection of QL magazines such as the QL Technical Review, QL Leisure Review and the International QL Report, an informative magazine originating in the USA, but with subscribers all over the world

Second users

Several traders were selling a number of second-user bits and pieces for the QL. QBits and Oubbesoft, for example, both sold various items of software, hardware, Miracle may be launching a spares and old books and maganumber of new QL products this zines - several visitors said it was worth the trip just to browse through the contents of such stands.


able from the QLEA stand. QLEA is excellent public domain C-68 C the East Anglia Quanta sub-group. language compiler for the QL and The QL ROM Switching Board is a Chris Boutal's talk on the fascinatsmall PCB which fits inside the QL and allows you to have two QL roms best-selling QL Genealogist propresent, including a Minerva, which gram. Fred Toussi also gave a talk can be selected at the flick of a switch on text87 Plus4. and a reset. A two-colour led indicator tells you which rom is in use. The benefit of this to users and software writers is that software testing is simplified-there is no need to dismantle ways great fun to attend. Quanta your QL to change roms to test a workshops are planned for Newcasprogram, or run a program which tle-upon-Tyne, Nottingham and will not run with a Minerva installed, Thetford later this year and possibly, for example. The device is modestly by the time you read this, more venpriced at £25.00 plus a fitting charge ues will have been added. Why not (unless you fit it yourself).

Various talks took place on the stage area during the day, including An interesting device was avail- Dave Walker's discussion of his ing subjects of Genealogy and his

> Due to the bad weather all over the country during the week before, this was not the best attended of Quanta workshops, although they are algo along and join in the fun?

The Spectrum's **Birthday**

Simon Goodwin held a birthday party for the Sinclair ZX Spectrum - 10 years old this May.



Britain's best-selling computer, the Sinclair ZX Spectrum, celebrated its tenth birthday this May, at a party organised by ZX enthusiasts in Cambridge, the Spectrum's birthplace.

The Spectrum followed Sinclair's ZX 80 and ZX 81 computers, and was known internally as the ZX 82. A decade on, after some seven million sales of Spectrum variants, ZX 92 was the obvious name for the anniversary re-union.

Spectrums, emulators, clones and eager users gathered at the Boat House pub, beside the river Cam. Star guests included John Mathieson, who joined Sinclair Research in 1981, wrote the original Spectrum brochure and tested the ZX rom before its release a decade ago. MGT founder Bruce Gordon brought old prototypes of his SAM micro, the true successor to the Spectrum, and new hardware under development.

Party music

The party featured a soundtrack of Spectrum-generated music, including Prokofiev's March of the Capulets rendered for 128K sound chip by muso Jon Bates, and Overture for Toad, an atmospheric MIDI sequence in the style of Philip Glass.

Cheetah's excellent Specdrum was used on many tracks, as were the RAM Music Machine and home-brewed software for effects and digital delays. Coventry band Relevant POS contributed catchy pop via their home-made interface for Wasp synthesisers, making a personal appearance with fans in tow.

Jamaican reggae and ska were represented by Norman Hall, plus guitar polemic from T1/T0, with former Crash and Sinclair User minion Garth Sumpter on vocals. Blues songs from Mel Croucher of Automata recalled the spirit of ZX Microfairs. Even Doctor Who made a contribution, in the shape of an out-take from Automata's classic Deus Ex Machina, narrated by Jon Pertwee!

John Mathieson brought two rare variants of the Spectrum: a white 48K model, produced to celebrate the millionth machine produced, and a unique Spectrum Plus, also moulded in white plastic as an experiment when Sinclair considered changing the case colour for the new model.

The original 'Issue One' Spectrum made an appearance, with the last-minute 'dead cockroach'



modification exposed - an extra chip soldered upside down beside the main logic array, needed to make early production keyboards

Downstairs in the bar another Spectrum development was earning its living. Delegates spotted the Treble Top pub game, a common arcade machine built around the Flare One circuit board. This super-Spectrum was invented in 1987 by three former Sinclair designers. It uses the same Z80B processor as the SAM Coupe, plus custom graphics and sound hardware.

naries from the Spectrum sub-culture, with a great spread of backgrounds and ages. The youngest delegate was no older than the computer, while the oldest had retired before the ZX range was born.

Fanzine writers included John Wase and Nev Young of Format, David Ledbury of ZAT, veteran adventurer Margot Porteus and Commercial competition was forgotten, as Glen Cook and Andy Wright discussed contrasting apand Glenco.

Sinclair. Awards of software, nections disk 1). publications and hardware were valuable Currah Microspeech technically impressive demon-

voice synthesiser, donated by Betasoft.

Spectrum CD

Codemaster's Spectrum Compact Disk package attracted attention. This reads games from a normal CD player, linking the headphone socket to the Spectrum joystick port. You get 30 machinecode games, including several big hits, for £20 including the interface, ably demonstrating the size and economies of scale of the Spectrum market.

The range and quality of Spec-The party attracted many lumi- trum software has encouraged micro users to develop 'emulation' packages that let them run ZX programs on other computers. William James' excellent Spectrum emulator for the Sinclair QL was on display, running ZX BASIC and popular games from OL disk. This emulator should reach the public domain once documentation and software to transfer ZX memory Fractal guru Ettrick Thomson. snapshots from disk have been finalised.

Already, Dave Barker's publicdomain QSPEC software is capaproaches in their SAM Game De- ble of reading ZX cassette files sign suites, due soon from Betasoft and screens into memory, via the OL network port. QSPEC is avail-ZX 92 was arranged by able from CGH Services and other Sinclairphile and one-time Crash PD libraries. Spectrum file contipster Simon N Goodwin (me), version programs are also availand recorded for posterity by local able from Quanta (disk Comms media and Jon Pillar of Your Xfer 2) and CGH Services (Con-

The Commodore Amiga has ZX shared in a Spectrum-moderated emulators of its own, developed draw. Top prize was a rare and by Digimail of Milan, but the most

stration at ZX 92 was a doubleemulation, with the OL Spectrum emulator running sweetly under the Public Domain Qdos emulator for the Amiga! The Odos emulator was developed by Rainer Kowalik of Berlin; it lacks sound and supports only four colours, so some of the Spectrum hues appeared as stipples, but otherwise the doubleemulation seemed perfect.

ZX on the PC

Andy Wright's ZX emulator for the Amstrad CPC range made a showing, alongside similar programs for the SAM Coupe, which was designed to run 48K Spectrum programs from the start. Bruce Gordon brought the original SAM prototype, handbuilt on four circuit boards, with hundreds of TTL chips standing in for the custom ASIC in production models. He also displayed the latest model, shorn of MIDI and TV circuits to fit a paperback-sized board, and intended for process-control applications.

No less than three emulators for IBM PCs turned up at the party, via Germany, Spain and Holland, along with hardware emulators for minority British designs like the Memotech MTX and Tatung Einstein. It is still early days for emulation software, and you need a fast processor to match the speed of the original micro, but the future looks rosy as programs proliferate and chips rise to the challenge.

Text 87 Into the 90s

Bryan Davies at last investigates text87 Plus-4 in depth - delayed, but thoroughly stripped down and cleaned up. He likes it.

INFORMATION

Program: Text87 Plus-4

Price: £79

Supplier: Software87 33 Savernake Road London NW3 2JU.

peed is a good selling point and has been much emphasised in connec tion with wordprocessors. This review was written on the basis of experience running text87 Plus-4 on a JS QL with a Mark 2 Gold Card and ED disk drives. There was also another 'tweak' in the system, in the form of the latest version of the Lightning display-enhancer program. These things smarten up the behaviour of almost any program, and it is easy to forget that life isn't quite so much 'in the fast lane' when your system doesn't have them. It is safe to say that lack of speed should not seriously trouble any user of Plus-4, though; it gets on with the job without painful pauses, in a way that Quill cannot manage.

The basic requirements for text87 Plus4 are a QL (or Thor or Atari ST with QL emulator) having at least 256 KB of expansion memory in addition to the original 128 KB, one disk drive, and a display which can handle Mode4 text. The program version referred to here is labelled 'text87p4E3' ('T87' from here on), the final digit indicating release 3 of the Plus-4 program, current in early July 1992. This version has several enhancements, compared to the initial release version.

Not cosmetic

It is clear as soon as you start this program that it is no mere cosmetic face-lift of version 3. There is similarity in the menu structure and options, but a lot of changes have been made. That should not put off users of the existing versions, though, as they will find the style is essentially the same. There are simply more facilities available, and some of the existing ones have been made more usable.

There were problems with the initial releases (several different versions were received during the period of this review), but the complaints of users were heeded and the faults quickly rectified. No serious bugs were noticed in the final review copy. Files saved with very early copies have to be loaded into the current version as Ascii text, and certain random characters at beginning and end of the text need to be deleted, to ensure compatibility.

The basic formula is still the same. A 'real life' screen, with dimensions in millimetres or inches rather than in terms of fixed-pitch characters, different display founts to show both sizes and attributes such as italics, automatic reformatting when changes are made to text or to ruler parameters, ready-made printer-driver files to relieve the user of any fiddling, proper display of different justification modes and of proportionally-spaced characters, and on-line spelling checking. The new features include multiple windows, for 1 view of up to eight documents, or eight views of one document, or any combination. The windows are quite independent and spelling can be checked in all of them.

Getting started

Getting started is straightforward. A routine is provided to enable creation of a working copy of T87, setting the default devices, and selecting a printer-driver. The default Layout, Ruler and Typestyle settings can be altered by the user. Allowance is made in printer-drivers for non-printing areas on the paper; you need to bear this in mind when setting margins.

There is a fairly comprehensive onscreen Help feature, which should meet with general approval. The help text is initially loaded from disk, but then remains in memory (unless deliberately unloaded to release memory) and further use doesn't entail disk activity. F1 brings up the help, which is paged-through by means of the Shift-Up/Down cursor keyings. There are over 40 screens of help information, with eight lines on each, and the first screen you get is related to the commands menu you are currently using. Answers to most obvious questions should be obtainable from here.

T87 instruction booklets have met with complaint in the past and, in my experience, the best approach was to read all through the booklet - several times - before getting stuck into using the program. Some of the terms used were (and still are) unfamiliar, and the general style of the program was quite a bit different from Quill (which

was all most of us had met previously). The new booklet is well laid-out and clear to read. There is a Contents list at the front, but no Index (one is likely to be added, though); even in a relatively small publication, much time can be wasted looking for references to a particular word in the absence of an index.

Two menu structures

As a sign of understanding to those users who found the menu structure of previous versions too complex to work with, two menu modes have been provided. One causes all menu options to be displayed, in the appropriate groups, whereas the other deletes any options which are thought to be unwanted by users who are looking for only Quill-like commands. Thus, the File menu group - displayed when F3-F is pressed - shows Save / Load / Room / Close / New / Merge / Export / Import / Zap, in its full form, or Save / Load / Room / Close in its short-menu form. The mode is set as a configuration default which remains in force until reset, allowing the user to work with the short set-up for a few weeks, while getting the hang of using the program, then switch to the full menus as confidence builds up.

To a large extent, the special features of the program can be ignored; you can just start typing once the working copy has been made. To do this is a sad waste of useful features, but you still have the greater speed and reliability, and the availability of a spell-checking function, when compared to Quill.

Users of existing versions, and particularly those who have tried T87 and put it on one side, will ask whether or not functions are easier to use. Subjectively, my feeling is that there often tends to be one more keypress than is necessary to get the job done, but this is because of the effort that has been made to provide the maximum flexibility. The command names are mostly obvious ones, selection is generally by pressing the key for the first letter of the command, the Esc key takes you back one menu step (as it sensibly should do), you can restrict the number of menu choices and simplify matters by setting the 'short menus' default, the menu displays are clear and include some descriptive text.

For those who do not use a program every day - most of us? - the present structure is a sensible one, as you don't have to remember obscure key combinations; the 12-hours-per-day user will wish for some shortcut keyings, that can be memorised, and you can use the toolkit ALTKEY command for this.

Key combinations

Comparison with *Perfection* is inevitable, but generalisation on the relative merits of the menu systems is dangerous; what I will say is that - for me - T87 makes life easier by avoiding the necessity for remembering masses of key combinations, but more difficult by making access to commands less direct. How the individual user reacts depends to a fair extent upon his/her memory (or, indeed, the frequency with which the program is used).

One drawback to earlier versions was the inability to have more than one page layout in a document. You can now set up to 64 layouts per document; this ought to satisfy most users. All Layouts within one document must use the same page size and orientation, though, so you can't mix portrait and landscape pages. In addition, there can be several Frames per Layout, and there can be odd and even Layout pairs for facing pages. There can be different numbers of Columns in different Frames. The maximum number of col-

umns is 4; the gap between columns can be set.

The use of frames is similar to that in DTP programs, and will facilitate the creation of fancy newsletters and such. Text normally flows from frame to frame, as it does with linked DTP frames. Another new feature is a page preview. While this is far from being exactly what some PC users have got used to in recent years, it is comparable to that provided by Microsoft Word, for instance. The text is shown as solid blocks and is unreadable, whatever the size, but it allows you to get a reasonable feel for how the page will look when printed. The function is surprisingly fast. The lack of readability is presumably a result of the low resolution of the QL screen and should not be taken as a deficiency in the program.

Many windows

The availability of several windows makes life much easier, when your WP operations are less than straightforward. The first requirement was to be able to look at two different sections of the same, large document simultaneously, and that has now been fully satisfied; you can have as many as eight windows onto the same document. For anyone who tends to grass-hop (that definitely includes me when at the keyboard), an even more important requirement is to be able to have several different


documents loaded at the same time, and be able to switch quickly between them for editing.

It is not an oddball need; for example, my current documents include this review, separate comments on T87 for the programmer, comments on a beta-test version of another program, and a letter to a computer nut in Germany. There was a further document containing replies to readers' letters a few days ago. All this is now possible, with T87. The windows can be sized and moved around. The ability to have a few words of many documents visible simultaneously does not cut much ice with me, as you get little enough text visible on a full 14 in screen as it is, but being able to switch quickly, and simply, between full-screen documents is very useful.

It is a pity that you cannot cut-and-paste directly from one document to another, but each document is unrelated to any others and you have to Export the desired block to (ram) disk, then Merge it into another document. But this does not apply to different windows onto the same document - you can mark a Block in one, then switch to another one and Move or Copy the Block.

Frame happy

The message 'margins too wide for frame' may be painfully familiar to many T87 users, but is presumably no more now, as the



TEXT 87

program will carry on and print even if you have set the Ruler margins wider than the Frame width. You are warned that the results may not be too satisfactory, though. There is a change in terminology for the Ruler, as Indent is now First Line Margin. Normal indented or 'hanging' paragraphs are no problem; the First Line setting specifies the indent of the first character of the paragraph from the start of the Ruler, and the Paragraph Margin sets the indentation of all successive lines, again from the start of the Ruler. The Ruler is now panned to the left to accommodate markers when they are placed beyond A4 width, making it easier to see what you are doing with wide layouts.

We were all brought up on Quill, and came to expect to be able to look at a list of our document files, provided by Quill if the Load command was used. On 'graduation' to other programs, we found this facility absent, and we were forced to use Ctrl-C to go to SuperBasic to get a listing of files (displayed in a rather primitive fashion). It is good to see that Plus-4 has given us this important facility back again, in a very usable form. To obtain a listing of the files on the default drive; all you need do after selecting Load is press the up or down cursor key. The list contains only _T87 and _T91 (Plus-4) document files if you select Load, but all files are listed for other options. Moving the highlight to the one required, then pressing Enter twice, causes the selected file to be loaded. To check other devices, it is necessary to type in the device name (eg ram1_), then press the up/down cursor key.

Among the features which will be praised or cursed, depending upon the outlook of the user, are retention of the last cursor position when a document is reloaded. To my mind, this is a very desirable feature, as there are few things more annoying than always being taken to the start of a document after an editing session has been interrupted. When you Save a file, you are not asked whether or not you wish an existing file of the same name to be overwritten.

This certainly makes the save process faster, but can lead to heartburn. The current file name is displayed in the menu area when you request a Save, so you can't say you haven't been warned. It is not unusual to load a file of one name, modify it, then wish to save it under another name, and this is possible. In this case, you are asked if you really want to overwrite any existing file of the same name. The chosen name then becomes the default for future saves. The programmer can't win here, as it appears impossible to satisfy both types of user, without complicating life for all.

Block commands

Returning to the matter of speed, one area where Quill lets the user down badly is the copying or deleting of blocks of text.

T87 has no trouble with these operations, performing them quickly. The macro cursor movement command Go To has been made available within Block operations; although simply holding the cursor down gets you to another place quickly, it is helpful in long documents to be able to specify the page you wish to go to, when making a Copy or Move. The Search, and Replace, commands are performed similarly fast. Large documents do not appear to slow these commands down enough to bother about.

The spell-checking function utilises a version of the Q_Typ checker written by Tony Tebby. Although this is a separate function, the user is only aware of this initially, when the word list is loaded. Checking is called from the editing screen and behaves as an integral part of T87. The method of operation is that generally used on PCs, with the current document being checked as in a Search operation, each unknown word causing a halt and presenting the user with a list of options, one of which has to be chosen to set the process going again. The checker stops at anything which is not matched by an entry in its own word list.

The options are Ignore, Browse, Edit and Add To Word List. Choosing Ignore causes the checker to pass on to the next unknown word, without doing anything with the current one. Browse produces a list of words which begin with the same three characters as the unknown one; if one of those words happens to be what you actually need in place of the unknown one, you move the highlight (a red box, as in the other T87 functions) to the word and press Enter, whereupon the unknown is replaced by your selection. You are then taken back to the edit screen, and you can make further changes if required (such as if the replacement word needs an ending adding to it). Esc starts the checking process going again. Edit puts you in the same position as after Browse, to allow you to make your own changes to text.

Free movement

There doesn't appear to be any limitation on editing; you can move the cursor off the current line and go up or down the document, which can occasionally be desirable (maybe you've just noticed something which needs changing a few lines back).

'Add' does what would be expected, putting the current unknown word into a list which is supplementary to the main word list. The supplementary list as well as the main word list is checked for unknowns during the remainder of the current session, but the supplementary list is not saved automatically unfortunately. You must use the Save option of the F3-Config-Spelling menu to have your words recorded for future use; you must also use the Load option from the same menu - or the initial menu shown when spell-checking is selected - to have the supplementary list

available during the next checking session. This seems unwieldy, but is perhaps preferable to using the separate editor program to incorporate word lists into the main word list file, which is the recommended method of dealing with supplementary word lists. It was this latter operation which put me off using the spell-checker with the earlier version of T87, so things are better now.

There is no concurrent spell-checking function, but that shouldn't be missed by many users. As with many spell-checkers, upper case is inadequately deal with but, even so, it was surprising to find 'germany' accepted as correct, once 'Germany' had been added. One should bear in mind that the spell-checker is included in what would be a very reasonable price for the WP program alone; the checking performance is good enough to justify a much higher price, especially now the larger of the two word lists supplied is said to contain over 200,000 words, and there are German and French lists as well as English, at no extra charge.

The end of the Page

The coming of hard disk, then the 3.2 MB floppy drive, brought with it the possibility of using sub-directories, a development for which most QL software was unprepared. Plus-4 supports the basic devices MDV, FLP, DEV, NET, RAM and WIN and interprets these letters followed by one digit and an underscore at the start of a file name as being a device name; that is, you can use DEV8_QUILL_ or such as a default storage device.

A seemingly small thing like the end of a page can cause a surprising amount of discussion. The earlier T87 didn't show the ends of pages unless you used the Go To Page command to force the display of red lines. Plus-4 is much more helpful, with three types of red line, for soft page breaks (where the program ends pages on the basis of the set page length), hard page breaks (where the user opts to end a page, regardless of length), and Section breaks; all are displayed automatically. The Section is a new concept for the QL, but is fundamental to the creation of many reference documents. Books are frequently divided into sections which may well have their individual page-numbering sequences. The simplest example is the first few pages - introduction, contents, acknowledgements, etc. They are not part of the main stream of the written text and should be numbered separately - i, ii, iii or similar. Page numbers can be printed automatically, anywhere within a frame; a marker code is used to tell the program the desired position for the numbers.

It is desirable to have all your 'working conditions' constant, and to have the current formats saved with a document. If the Ruler is displayed and the menu is at the bottom of the screen while you are editing

a document on one occasion, there is a fair chance that is how you will want the screen to appear the next time you load that document. More importantly, the positions of margins and tabs, the type of justification, text founts and attributes, and such should be preserved, along with the cursor position. The F3-Config-Save option allows you to set your defaults for having the Ruler display on or off, having the menu displayed at top or bottom of the screen, the amount of Room allocated to the next document, and the Ruler settings (margins and tabs), but you must use the F3-Config-Driver-Save option to preserve settings which are related to the printer, such as the default Typestyle.

View screens

In the gap between the introduction of versions 3 and Plus-4, much has happened in the PC world, and it is no longer sensible to say that T87 is far better at the business of WYSIWYG. The pseudo-operating system Windows on the PC has spawned a collection of wordprocessors which make a fair job of displaying founts in the correct sizes and shapes, and making it easy to select them (trouble-free these are not, however.) There is also good agreement between screen and paper appearance of text.

You may feel the need to do some ex-

perimenting, to get the on-screen founts to match those which are printed, reasonably well. When your printer is a laser or ink-jet type, the wide range of point sizes can be only approximately represented on the screen. Matching is much easier to do when you have a simple 9-pin DMP printer, with few founts. Apart from the screen appearance though, you don't have to worry about the effects of changing typestyle, because the program knows what you have requested, and takes care of the changes at print time.

The main area in which the screen does not mirror the printout, and can cause you to mess-up printouts, is in line spacing. There is an option which allows you to switch on or off representative spacing on the screen, but this does not affect what is sent to the printer; that is set manually, on the Ruler. If you switch from, say, 10-point to 18-point, you'd better change the Line Spacing setting to match, or you'll have lines printing over each other.

Running a test

To provide a general check on capability, a test document was created, with another program and on another type of computer. The size of the file was close to 300 KB, and it consisted of nearly 50 pages of text. There was no point in trying to retain formatting information, such as founts and

attributes, so the file was saved in 'Generic WP' format, which is similar to Ascii text (a blessing on its little head - Ed.). The file was then transferred to the QL by means of the XOver file-transfer program. Attempts to load it with earlier versions of Plus-4, using the File-Import-Ascii command were met with refusal, and no indication of why.

From previous experience, it looked likely the problem was lack of working memory space, and possible confirmation of this was given when the Merge command was tried, a 'short of memory' message being displayed. The old memory size command has been replaced by the Room command, which is not the same thing; it specifies the amount of extra editing space available for the next document, not the total memory for the document. However, the program was quickly modified to fix this problem and Import of such documents is now both simple and fast. The way the text appeared on the screen was a real pleasure - nothing funny about it, no non-printing codes, everything formatted as per the current Layout and Ruler settings, and it took only a few seconds.

Many users will want to load Quill files and/or old _T87 ones. The Quill _DOC file chosen for checking was an old standby, nearly 300 KB in size with over 40,000 words of text. It loaded with no bother, from the F3-File-Import-Quill command. The text attributes - bold, superscript, etc. - and tab

TEXT87 PLUS-4 NEWS

TEXT87 PLUS-4 NEWS

This page is A4 Landscape, split into 4 columns. You could use a similar layout to produce a newsletter in A5 size, with 2 pages of 2 columns each printed across A4 sheets. By giving a little careful thought to page numbering, and turning the paper over to print on both sides, you can create a booklet by folding & stapling the sheets down the middle.

The edit screen shows only 1 column; successive columns are displayed one below the other. The new Print Preview function does show the columns correctly, though; it also shows the justification of the text, which is not always apparent in the edit view.

There is a Gap function within contained the Columns option of Layout which allows you to put space at the middle of the page. As the gap has to be the same between every pair of columns, you can't set a decent space where the page will be folded without at the same time making the spacing between the pair of columns on each side rather

too large. It's a pity 5 columns aren't allowed, as that would enable the middle one to be left blank, but you could use 3 columns and settle for just 1 column on each A5 page, using the middle one for separating the pages.

There is another way of achieving the same result -- using Frames. The A4 Landscape Layout could be used, but divided into 4 thin vertical frames. As frames can be placed where you want them, the spacing between one pair can be different from that between another pair. This approach should produce the better result, at the expense of taking longer.

Even if you opt to use the Column option rather than Frame, you can still use the latter for any headers or footers you require. As the whole of the landscape A4 sheet of paper is 1 page, as far as Text87 is concerned, but 2 in the context of the newsletter, you may have to create, say, 4 frames to take separate headers and

footers for each of the 2 A5 pages on one side of a sheet

Don't hesitate to use the Print Preview, frequently. It is quick to produce a display of the "cameo" pages (PC programs tend to be very

of paper.

programs tend to be very slow at displaying previews). Whilst you cannot read any of the text, you can certainly see whether or not the general form of it is going to look sensible when printed.

If you want to be a bit fancier, draw some lines to separate the columns. Text87 doesn't have a linedraw function -- particularly not in the vertical direction but what about using the underline style with the Space Bar and printing lines across the page in Portrait mode? This could be done before or after printing the text. regular For a publication. а master document with the necessary divider lines on it could be and re-used as required. A master could be set up for the column settings, too. Although Plus-4 you have several Layouts in a document, you can't do that in this case, because the page size & orientation have to remain the same. You must reset the printer after the first runthrough of the paper; it will have to be set to Portrait to print the lines, then Landscape to print the text, or vice versa.

The preceding point brings up another, in connection with founts. Text87 does not itself have both portrait and landscape founts and your printer may not have the same range in landscape orientation that it has in portrait. You might have to settle for a choice of just 2 founts in landscape mode.

A way round this particular problem is to use the Fountext88 graphics printer-driver, which sends text to a printer as a graphics image, making it irrelevant what founts the printer has or doesn't have. The founts printed this way are by no means as smooth as those that are built-into printers such as the Hewlett-Packard Deskylet or LaserJet, though.

OL World -- PAGE 1

QL World -- PAGE 2

markers are preserved, but the actual tab positions change if the Tabs set on the current Ruler differ from those set in the _DOC file. The _T87 file selected was about three years old, and a mere 14 KB in size; this seemed less than a serious test, so four other _T87 files of roughly the same size each were appended to the first one, using the F3-File-Merge-Ascii command. Again, the earlier version gave a problem here, but that was promptly sorted out and all went well, and speedily, with the current version.

Ascii loading

The file format for _T87 and _T91 (the new type) files is not the same, and this is why the test files had to be treated as being Ascii. Formatting information and text attributes are preserved with files LOADed as _T87 files (but not with those subsequently MERGEd as Ascii files). A SuperBasic boot file was loaded with F3-File-Import-Ascii also; the only things to note here are that the default Ruler setting is for full justification, which is unlikely to be suitable for program files (or indeed for many users' text files) and the margins need to be set wide enough for the maximum line length.

Some users will be interested in loading Perfection files. The two files that were checked loaded without hesitation. and the text format was basically correct. It was necessary to increase the Room (editing space) value to load a large file. The main market for T87, as for Perfection, is those users who are still clinging to Quill. You may well have to make layout, ruler and fount changes before, and possibly after, loading any 'alien' file, and there is no great problem in doing so, but it may take a fair amount of time, as it does with many other programs. There are Normal and Paragraph options for loading non-T87 files - the equivalent of Quill's By Line and By Paragraph options.

Memory-management is something no program seems to get fully right, from the user's point of view, but the Qdos operating system is not exactly helpful to the application programmer in this respect. Many users will be aware of the way Quill solves the problem by grabbing all the memory it can find. You know where you stand with Quill! T87 has a more difficult task; apart from the fact that your documents may vary greatly in size, you may wish to load several documents during the same session, and there is no way the program can anticipate the total memory requirement for all you wish to do. The Room command allows you to set the working space in memory, to some extent. As my first actions while doing this review came up against shortage of memory, it would have been nice to find an index in the instructions, with 'Memory' or 'Room' listed.

All in memory

The on-screen help tells you that the Room you allocate is expansion space for the next file to be loaded, and will be added to that taken by any files already loaded. The current program version has additional information on the screen concerning this function, and - as mentioned above - the commands which are connected to the Room function now work appreciably better. The instructions are to be modified also, to give more guidance to the user, and to incorporate an index. One thing to bear in mind is that the whole of a file is in memory, rather than part of it being on disk as can happen with long Quill documents, and this means faster operation.

It has been a plus-point of T87 for some time that certain printers can be used in their native modes, rather than being treated as simple, Epson-compatible types. The illustrations for my articles are printed on an Epson GQ-5000 laser printer. While using even only basic Courier 10-pitch on a laser printer produces a big improvement in perceived print quality over most dot-matrix printout, the difference becomes much more marked when you can use other founts and sizes which may be built into the laser. In the case of the GQ, the supplied printer driver (not part of the basic T87 package) uses the scalable Times and Helvetica founts, albeit only at certain sizes. The range of sizes is good, from 6 to 72 points, in steps of 2 to up to 14-point. If your printer supports printing in landscape mode, Plus-4 allows you to do this. The Layout must have suitably-wide margins; even with standard one-inch margins, you can print a spreadsheet with 116 12-pitch characters across landscape A4 paper. As with the extended Layout function, this brings you closer to having DTP capability.

Talking printers

Getting your particular printer to co-operate with a program has always been a major problem for users, and T87 attempts to ease this by giving a choice of 32 printer drivers in the basic package, plus other special ones available for 24-pin DMP printers, the HP DeskJet (covering LaserJet Il emulation also), and Epson lasers, at extra cost. It is likely that most users will be able to find a suitable driver from those offered, and there is no need to get involved in any configuration procedure. Indeed, no provision is now made for any custom-tailoring, but anyone with special requirements can contact Software 87 and ask if these can be met (don't assume changes will be done for free, though).

A feature that has gone missing is the visible fount/size code. You still have an indicator to show you what the current

selection is, but the codes are no longer seen in the text. Printing codes in general are something which can easily arouse strong arguments; my own preference is to have as many codes as possible either always visible within the text or, preferably, displayable only when the user wants them, but the average user is more likely to want them hidden all the time.

Criticisms? They were relatively minor with the earlier versions and have almost all been dealt with by the E3 version. It has never been of interest to me to know what line within a document the cursor is on, but this is what is shown on the status line, initially; to satisfy this complaint, an option has been added to set the default line numbering to within-page or withindocument. The lack of automatic saving and reloading of the supplementary word list for the spelling checker is an irritation, but not a great one. The handling of memory might confuse the user, but it may be partly caused by the unhelpful way Qdos manages memory, and the latest program version certainly makes it much less likely most users will need to change the Room value.

Layouts and frames

The setting-up of Layouts and Frames cannot be called intuitive operations; you really need to read the instructions several times and look at the samples provided. Maybe the process cannot be simplified much, but it took me longer than it should have to get the hang of it. It would be useful to have some more flexibility in certain commands; on the other hand, a few less keypresses would be appreciated. There is, as yet, no advance on the previous graphics-import function (which was anyway provided by an add-on program), so that full DTP functionality is still some way off; the addition of the necessary features is a large job, and would justify a considerable price increase, whilst being of interest to only a limited section of the QL community. The comments made above about the on-screen representation of typestyles and line spacing should be viewed in comparison with what other QL programs offer; as has been the case from the start, T87 has to be put into the DTP category in this one respect.

Plus-4 is a big step forward from previous versions. You still have to work at using some functions, but the menu structure has been improved and more help is given now, both on-screen and in the instructions. The flexibility of document layout is much-increased, and the print preview takes the program into a more professional area. It is fast, with no operational problems apparent. Made for serious scribes who care what the printed output looks like. Good value for money.

OFTWAREFILE Cricket

INFORMATION

Program: Cricket Secretary. A suite of programs to enable the Secretary of a cricket club to maintain the batting and bowling averages of his club.

Author: C B Storey. Supplier: Dilwyn Jones

Computing 41 Bros Emrys Tal y Bont Bangor Gwynnedd Price: £12.00

Mdv, 3.5 in or 5.25 in disks. Works on an unexpanded Q.L.

owzat! Here is a program especially designed for cricket lovers. To those devotees of the most English of games, watching is only half of the pleasure. The other half comes from writing down the scores, working out the batting Averages and then discussing them at length over a pint in the Local.

C B Storey has now developed the perfect program that does all the hard work for you. This, of course, leaves much more time for the discussion afterwards. Here we have a suite of programs, suitable for use by a cricket Secretary or enthusiast alike. All the statistics are available once the data has been entered:

Batting Averages Bowling Averages Best Bowling Dismissal Averages

The program is supplied with an eight-page Manual that leads you through every aspect of the inputting and data retrieval system. I didn't find that it flowed as well as some I have read, and I recommend that buyers read it through thoroughly a few times before entering lots of data. It is not totally error-trapped, and a couple of times I crashed the program before I could save it on to a disk. This was due to a little ambiguity in the instructions.

The instructions start by telling you how to create the two disks required for the program to work. In fact, three are needed, one being a blank formatted disk to put the compulsory backup on. If you

Secretary Wotzat? It's John Shaw - trying to keep his speed down to the pace of a game of cricket!

try and get away without one, the first crash occurs. Once you have followed the set-up instructions, you are left with a master disk containing all the files needed to run the main part of the program, and a Data disk that will hold your scores and averages.

On running the program, you are asked which drives your master and data disks are on. Unfortunately, you have to do this every time you run the program. I found this a little tedious, and would have preferred to have had this configured permanently.

Then the Suite Menu appears:

- 1. Run Cricket Secretary
- 2. Run Printa
- 3. Run Toolkit
- 4. Quit

You make your choice by pressing the appropriate number. You will then be asked for the suffix of the files you wish to process. On the first occasion this is _0. This uses a skeleton program that forms the basis of future files. When you come to save them, you add a suitable suffix such as _som92 (Somerset 1992). You will eventually build up data files on the disk for every team or series you are collating.

That done, you are confronted by a menu offering the following choices: Input Batting, Input Bowling, Examine Batting Averages; Examine Bowling Averages; Examine Best Bowling; Examine Dismissal Analysis; Load new file/backup/return to menu.

Input Batting

On selecting this, you are first asked for the name of the cricketer. It is important that this is done in the correct format, that is: Shaw JR. (Neither SHAW JR nor JR Shaw. You have been warned!)

You then enter the number of runs scored. This is followed by an alphabetical input representing how the player was dismissed. A table of entries is provided to assist with this.

This sequence then repeats itself until you have entered all the batter's details.

Input Bowling

The principles are the same as for the Batting input. The number of Overs bowled is the first data to be entered. This is followed by the number of Maidens bowled, the number of Runs and finally the number of Wickets taken. The sequence then repeats itself.

Batting Averages

The batting data is computed to two decimal places and displayed in order of Average, the highest

Bowling Averages

These are computed to the same standard as the batting averages.

Best Bowling

This is a sub-set of the Bowling Average table, and comprises the Name, Runs per over, Balls per wicket and best Bowling.

Dismissal Analysis

This will show a table displaying how many times each batter has been dismissed and the method of dismissal.

Load New File

This is the compulsory Backup point. If you try to ignore the warning, you will crash and your data will be lost. Make sure you have a spare blank disk ready.

Printa enables you to print out hard copies of the data you have just compiled. You are given the option of installing a new printer driver if you wish. The Toolkit allows you to modify the database should you accidentally put in wrong detail. The author warns that you should take great care when using this facility. I agree!

This is a good and extensive program that, however, needs to be handled a little carefully in order to avoid problems. I offer you these few tips:

Have three blank disks ready at the beginning.

Read the Manual a few times before you start using the program.

Practice with a small amount of input in order to become familiar with the program before you enter all your scores.

Remember the way it requires you to enter the names, ie Brown

Always keep a straight bat!

CRICKET SEC SUITE MENU Copyright 0 C B Storey, 1992 1. RUN CRICKET SECRETARY 2. RUN PRINTA 3. RUN TOOLKIT 4. QUIT *** Press the number you require ***

aCcLcU'B'

FRANCE

QL Contact France. Contact: Jean-Louis Dianoux, 38-40 Rue Stephenson, 75018 Paris, France.

BELGIUM

Club Sinclair BruQsL (Belgium) Contact: Jaques Tasset, Aarlenstraat 104, 1040 Brussels, Belgium

SWEDEN

International QL Conference bulletin board system (Swedish and English). Contact: Michael Cronsten, System Operator, Jamten-TCL, S Soere 1073, 83030 Lit, Sweden.

USA

New England Sinclair QL User Group (USA) Membership Secretary: Sherm Waterman, PO Box 8763, Boston, MA 02114 8763, USA. Magazine: NESQLUG News. Editor: Peter Hale, 195 Central Ave., Chelsea, MA 02150, USA.

NORWAY

Norwegian All Sinclair Association (NASA) Contact: PMonstad, NASA, N-5580 Oelen, Norway. Magazine: Sinclair Magazine.

ITALY

Qitaly Club Chairman: Roberto Orlandi, Via Brescia 26, 25039 Travagliato (BS), Italy. Tel. (local) +39 30 6863311. Magazine: Qitaly Magazine: Editor: Dr Eros Forenzi, Via Valeriana 44, 23010 Berbenno (SO), Italy. Tel. (local) +39 342 492323.

TURKEY

QL Qlub (Turkey). Contact: Bulent Artuz, Prof. Sitesi B/1 D/5, Etiler 80600, Istanbul, Turkey.

AUSTRIA

DER Computer Club. Contact: Peter Postl, Stiegerg 5, 1150 Wien, Austria

ENGLAND

Quanta (UK) Membership Secretary, Bill Newell, 213 Manor Road, Benfleet, Essex SS7 4JD. Magazine: Quanta. Editor: Bill Fuggle, 20 Widnes Avenue, Selly Oak, Birmingham B29 6QE.

Bristol sub-group: Roy Brereton, 94 Teignmouth Rd, Clevedon, Avon BS21 6DR.

Essex sub-group: Dave Walker, 22 Kempton's Mead, Potters Bar, Herts EM6 3HZ.

London sub-group: Jeremy Davis, 6 Elmcroft Crescent, Harrow, Middlesex HA2 6HN.

Northern Ireland: Billy Turkington, Fairyhill, Rostrevor, Newry, Co., Down BT34 3BB.

Mid-Southern sub-group: Geoff Fish, 44 Billing Avenue, Wokingham, Berks RG11 4JE.

QL User Group (West Midlands): Mike Bedford-White, 16 Westfield Road, Acocks Green, Birmingham B277TL.

QL MUG: 3 Barnard Road, Birkenhead, L43 1TT.

Solent Sub Group: Graham Evans, 32 Reeves Way, Lowford, Bursledon, Southampton. Tel 0703 403350

SCOTLAND

Scottish QL Users Group Contact: Alan Pemberton, 65 Lingerwood Rd., Newtongrange, Midlothian EH22 4QQ. Newsletter.

HOLLAND

Sin_QL_Air (Netherlands) Membership Secretary: Bob Visser, Snelrewaard 6,2904 SN Capelle, a/d Ijssel, Netherlands. Magazine: Quasar. Editor: C H M Biemans, Elzenstraat 5, 5461 CL Veghel, Netherlands.

GERMANY

Sinclair QL User Club eV (Germany) Foreign Contact: Franz Herrmann, Talstrasse 21, d-W5460 Ochenfels, West Germany. Magazine: *Quasar*.

SPAIN

Qliper Editor: Marcos Cruz, Acacias 44, (Monteclaro),E-28223,Pozuelo de Alarcon. Spain. Magazine: *Qliper*.

ARCHIVE YOUR QL COLLECTION

Now you can keep your Sinclair QL World magazines safe and clean. No more dog-eared covers or missing copies . . . You can protect your magazines in this high quality, specially-created binder. This Sinclair QL World binder will comfortably hold a complete year's issues of your favourite Sinclair magazine. It is a high

quality product, British-made and comes with full binding instructions. It is manufactured in a rich, deep blue with genuine gold blocked lettering. Enhance your Sinclair QL World Magazine collection now for only \$6.95 (inc.P&P!) Send for one today! The QL World binders also make an ideal gift for other Sinclair users too!

/		
TO: QL WORLD. THE BLUE F	BARN, WOOTTON, WOODSTOC	K OXON OX7 1HA
Places and ma O O Wester him day	2007	ii, oxon oxi iiiA
Please send me L QL world binders	s - I enclose £6.95 for each binder includ	ling VAI. postage & packing.
Readers outside the UK and Eire plea	ase add £1.95 for surface overseas mail.	
Please make cheques payable to AR	CWID LTD.	
ACCESS VISA account:		Expiry date:
		Z.Ap., y date
Name		
Address		
1		
	Postcode	Tel No



THE SECTION SECTION SELECTION SELECT

KEYWORD INDEX

This month in the Keyword Index, Mike Lloyd starts with INPUT\$(#chan, length) and finishes with the command without which none of this would be possible: SuperBasic LRUN.

INPUT\$(#chan, length)
[Turbo Toolkit]

INPUT FUNCTION

#chan(Optional) length A valid channel linked to an input device The number of characters to be returned

INPUT\$ is an unusual little function that waits for a precise number of input characters before allowing processing to continue. If the input channel is a screen console, no cursor is displayed to prompt for input. INPUT\$ is of most value extracting set lengths of characters from files and network channels. The default channel is #1, but keyboard input is obtained by specifying #0.

INSTR

TEXT OPERATOR
Example: IF "z" INSTR surname\$ THEN...

Most operators are represented by symbols, but a suitable symbol was presumably unavailable when INSTR was devised. Other languages have implemented INSTR as a function with the format: x = INSTR("w", "hello world") but SuperBasic obviously had to be different. The results, however, are the same. Both operands are string variables or constants. If the first is found within the second then the location is returned. If no match is found then a zero is returned. "W" INSTR "Hello World" returns 7 because "W" is the seventh character of the string being searched. The search is not case-sensitive.

INT(number)

MATHEMATICAL FUNCTION

number

A floating point value

The INT function truncates a floating point value at the decimal point, converting it to an integer.

INTEGER\$(number)
[Turbo Toolkit]

BYTE CONVERSION FUNCTION

number

An integer within the range -32768 and 32767

The INTEGER\$ function returns a string of exactly two Ascii characters that represent a 16-bit SuperBasic integer. This is usually superior to allowing SuperBasic to convert integers to floating point format. The Turbo Toolkit STRING% function converts the string back to an integer.

JOBS #chan [Super Toolkit II] JOBS(id or name) [Super Toolkit II]

TASK MANAGEMENT A valid channel

chan(Optional)

KEYROW(row)

row

The JOBS command simply lists all running jobs to the appropriate channel. The default is #1. When the QL is turned on the only task running is SuperBasic. The JOBS function is used with related functions to point to and operate on jobs in the Qdos job list; operations that lie outside the scope of this SuperBasic guide.

LOW-LEVEL KEYBOARD READER An integer between 0 and 7

There are 65 keys on the standard QL keyboard; each is identified to Qdos by a reference number. The two Shift keys share one reference number, which means that all of the keys can be represented on an eight-by-eight grid. The KEYROW function interrogates the grid to discover which, if any, keys are being pressed. There are three essential differences between KEYROW and the apparently similar INKEY\$. KEYROW returns its own code reference, not an Ascii character; it can detect many keys pressed at once; and it reads the keyboard directly, not through a channel. These differences are advantageous in games, compiled programs that do not have an input channel, and when writing intelligent input control routines. KEYROW works by accepting a row number (from 0 to 7) as its parameter. It instantly returns a byte value that indicates which, if any, keys on the row were being pressed. Eight calls would be necessary to poll the entire keyboard, but in many instances a single row contains all the likely keys. The four cursor keys, Space, Enter and Escape, for example, are all on KEYROW(1).

KEYROW'S KEYBOARD MATRIX

Each row in the matrix is read by a single KEYROW call using the parameter identified in the shaded column on the left. The value returned will be zero if no key in the row is being pressed, or the sum of the column headings of keys being pressed. For instance, if the Q and the T keys are pressed simultaneously, KEYROW(6) will return 72 (that is, 64+8). Note that at least some editions of the Sinclair User Guide contain a number of misprints in the KEYROW matrix.

1		2	4	8	16	32	64	128
SHI	FT	CTRL	ALT	X	V	?	N	<
* 8		(a) 2	6	Q	E)	Т	Ü
(W	I	TAB	R	-	Y	0
L		# 3	Н	!	A	Р	D	J
}		CAPS LOCK	K	S	F	+ =	G	:
} _1		Z	>	С	В	~ £	М	17
ENT	ER	LEFT	UP	ESC	RIGHT	1	SPACE	DOWN
F4		Fl	% 5	F2	F3	F5	\$ 4	& 7

The following routine will be of value when looking up a particular KEYROW value for a single printable keypress:

```
100 DEFine PROCedure KEYTEST
110
      REPeat loop
          char$ = INKEY$(-1)
120
              FOR row = 0 TO 7
130
140
               col = KEYROW(row)
150
160
                   PRINT char$;" = ROW "; row; ", COL "; col
170
                ENDIF
180
            END FOR row
190
     END REPeat
```

Each column value in the KEYROW matrix represents a single set bit, so the best way of interpreting the result of a KEYROW call is to use the bitwise operator &&. Something like the following routine will be found at the heart of a great many arcade games. It finds out which of the cursor keys is being pressed and moves a graphics block accordingly:

```
100 WINDOW 512, 256, 0, 0: PAPER 0: CLS
110 Ypos = 150: Xpos = 256
120 REPeat Loop
130 BLOCK 4,4, Xpos,Ypos, 4
140 shift = KEYROW(1)
150 IF shift && 2: xpos = xpos - 2
160 IF shift && 4: ypos = ypos - 2
170 IF shift && 16: xpos = xpos + 2
180 IF shift && 128: ypos = ypos + 2
190 IF shift && 8: STOP
200 END REPeat loop
```

Note: Trying to move the block beyond the edge of the screen will cause an error.

KEYROW can return some strange values if the keys forming three corners of an imaginary rectangle on the grid are pressed. The result will suggest that the key at the fourth corner is also being pressed. Shift, Ctrl and Alt are exceptions to this rule.

LBYTES filename, base address

MEMORY MANAGEMENT COMMAND

filename base address The name of a file containing binary data, normally a program The lowest location in RAM where the data will be stored

LBYTES is short for 'load bytes'. The bytes in question might be a screen image, some data or, more usually, a program. The command needs to know where to look for the bytes and where in ram to begin loading them. As Qdos rarely misses any opportunity to rearrange the contents of ram, care must be taken to ensure that LBYTES does not overwrite critical areas of memory. Given an amount of space to reserve, the RESPR function will return the start address of a reserved area of memory sufficient for the task. Thus, a program might be activated like this:

100 base = RESPR(6000) 110 LBYTES flp1_arcade, base 120 CALL base

About the only reliable absolute address on the QL (and even this is open to some change) is the start of the screen map at location 131072. Its size is always 32K, no matter what mode the screen is in. Files that contain binary data have to be saved using the SBYTES command with the appropriate parameters. Some database designers prefer to store data 'in the raw' rather than use SuperBasic arrays. Sorting data becomes a very fast and relatively simple matter of moving blocks of memory around. Text data can be compressed (to two characters per byte, for instance) and searched for at high speed with the appropriate procedures. Turbo Toolkit is an essential purchase for SuperBasic programmers attempting this sort of data manipulation.

LEN(string\$) LEN(number)

STRING FUNCTION

string\$ number A string variable

A floating point or integer value

This function answers the eternal question 'How long is a piece of string?'. A string in SuperBasic is zero, one or more Ascii characters. The LEN function takes the string as its argument and returns the number of characters it contains. Null, or empty, strings will return the value 0 (or False if used in logical expressions). Although elements of string arrays occupy a fixed number of bytes, LEN returns the exact number of characters contained in a given element. SuperBasic's powerful coercion facility means that LEN works equally well on numeric values, which is of particular value when formatting columns of numbers. When coercing numbers into strings, LEN reflects the length of the scientific format of very large and very small numbers, not the number of digits.

LET <expression>

VARIABLE ASSIGNMENT

<expression>

A variable assignment of the form X = Y + 7 or Y\$ = "Hello"

LET is a wholly redundant keyword that was presumably included in SuperBasic for compatibility with earlier dialects. Its job is to precede variable assignments to make absolutely clear what is happening within an assignment statement. However, the following lines are identical in effect:

LET x = 25 x = 25

LINE #chan, x1, y1 LINE #chan, x1, y1 TO x2, y2 TO ... LINE #chan, TO x3, y3 LINE_R #chan, x1, y1 LINE_R #chan, x1, y1 TO x2, y2 LINE_R #chan, TO x3, y3

GRAPHICS COMMAND

#chan x1 v1 etc (Optional) A screen channel

x1, y1, etc. Graphics co-ordinates

The LINE and LINE_R commands move the graphics cursor. The _R suffix indicates that the movement is to be relative to the current location of the graphics cursor rather than relative to the graphics origin. The parameters taken by LINE and LINE_R are pairs of comma-separated values representing horizontal and vertical co-ordinates in the QL's graphics co-ordinate system. The TO keyword between co-ordinate pairs inks the path between the current and new cursor positions. If the co-ordinate pairs are separated by commas the cursor simply moves, without leaving an ink trail, to the location of the final pair of co-ordinates. Odd numbers of co-ordinates cause a 'bad parameter' message.

LIST #chan LIST #chan, 100 TO 200 LIST #chan, 100 TO 200, 300 TO 350 LIST #chan, 10, 50, 30 LIST #chan, x TO y

#chan

PROGRAM COMMAND (Optional) An output channel

х ТО у Integer values representing line numbers

The LIST command without parameters lists the currently loaded SuperBasic program to Window #2. The listing can be directed to a printer, another window, the network or a file by including a channel reference. Listings can be limited to one or more groups of lines by including ranges in the form 100 TO 200. A number of single lines can be listed by including a comma-separated list. Note that the Super Toolkit II ED command both lists program lines and allows you to edit them within the chosen window.

LIST TASKS #chan [Turbo Toolkit]

MEMORY COMMAND

(Optional) An output channel #chan

This command lists all tasks currently loaded into the QL's memory. SuperBasic is represented as task 0,0. It is the equivalent of Super Toolkit II's JOBS command but has the added advantages of no header, the inclusion of each task's name and the use of a comma-separated format.

LN(pos value)

MATHEMATICAL FUNCTION

pos_value A value greater than zero

The LN function returns the natural logarithm of any positive value passed to it. The irrational number e has a LN value of one.

LOAD filename

PROGRAM COMMAND

filename The drive and name of a file containing a SuperBasic program

The LOAD command fetches a SuperBasic program from the given filename and installs it in the QL's memory, removing any existing program that might already be there. Although LOAD can be used within programs, LRUN is usually preferable because the new program will be executed automatically. The QL is particularly slow at loading SuperBasic programs because they are stored as plain text on file and need to be tokenised when moved into memory. There is at least one utility on the market that makes program loading very much faster.

LOCAL p1, p2, p3 ...

INTERPRETER DIRECTIVE

p1, p2, p3 A comma-separated list of one or more variable names

The addition of user-defined procedures and functions to SuperBasic led to the introduction of the LOCAL keyword. Its place is as the first executable statement after a DEFine command. The variable names included as parameters then have values that only exist within the definition. When the definition is left the local value is lost. If the variable name represented a value before the definition was called then that value is restored.

PRINT X: REMark result is 12

PRINT Demo_Function : R
PRINT X : REMark result is 12 120 : REMark result is 3

130

140

150 DEFine FuNction Demo Function

LOCal X 160

170 X = 3

pos value

filename

180 RETurn X

190 **END DEFine**

LOG10(pos value)

MATHEMATICAL FUNCTION

A value greater than zero

The LOG10 function returns the natural logarithm of any positive value passed to it. Ten has a LOG10 value of one and one has a LOG10 value of zero.

PROGRAM COMMAND

LRUN filename

The drive and name of a file containing a SuperBasic program

The LRUN command fetches a SuperBasic program from the given filename, installs it in the QL's memory and runs it. Any existing program that might already be there is removed. LRUN can be used within programs as a way of chaining a number of programs together. Be aware that the QL is particularly slow at loading SuperBasic programs because they are stored as plain text on file and need to be tokenised when moved into memory

1 a Ne Se Te A2 N2T

) | a Ne Se Te A2 N2 T

HARDWARE

Care Electronics

0923 672102

Peripherals and accessories.

Thor International

010 4533 930305

010 4533 937544

Digital Precision

081-527 5493

Discs, interfaces, drives, keyboards,

RAM expansions.

EEC Ltd

0753 888866

QLs, peripherals, accessories

Miracle Systems

0904 423986

Trump Card interface, modems,

hard disc drive. Strong Computer Systems

0267 231246.

S.P.E.M

Via Aosta 16, 10154 Torino, Italy. +39 11 857924 Fax +39 11280009 QL disk interfaces, ram, eprom holders.

TF Services

071 724 9053

Repairs, spares, peripherals.

TK Computerware

0303 812801

Peripherals.

1 a Ne Se Te A2 N2

SERVICES

Adman Services

0952 255895

Joe Atkinson

36 Ranelagh Road, London W5 5RJ Roms, mdvs and all spares.

Suredata

081-902 5218

Repairs.

QL World

(reader services)
Subscriptions and back issues
0869 83677

Quanta

User Group, support. Hon. secretary, Phil Borman. 0933 460690

1 = Ne Se Te A2 N2 T

SOFTWARE

Athene Consultants

0705 511439

ARK Distribution

0983 79496

Archivist, Master Spy and other business and utility software.

Call Us What You Like

55 Greenan, Shaws Road, Belfast BT11 8LX. No telephone. Superspy.

Care Electronics

0923 672102

Tony Tebby software. Miracle hardware, peripherals, utilities.

CGH Services

0559384 574

Adventures. QLAF, DIY Toolkit.

Compware

0270 582301

Task Swopper, Mega Toolbox, Expert, System Shell, Speedscreen and others.

COWO Electronic

010 41 45 211478 (Switzerland)

QTop, Atari QL emulator, Thor support

Digital Precision

081-527 5493

Turbo Basic compiler, Desktop
Publisher, Editor, Eye-Q Graphics. Sprite
generator, Super Forth, Better Basic,
Professional and Super Astrologer,
Media Manager, Supercharge,
Blocklands, Droidzone, Aracadia,
Reversi, Backgammon, Master Bridge
Tutor, C-M Emulator, C compiler,
Lightning speed enhancer, Perfection.

DJW Software

0256 881701

Homebanker

Dilwyn Jones Computing

0248 354023

Home Budget, Vision Mixer, QL Genealogist, Textidy, Spellbound and others.

ImaQLate Software

42 Albion Street, Broadstairs, Kent CT10 1NE.

Biograph.

Jochen Merz Software

010 49 203501274

QL/Atari Emulators, utility and games software.

Lear Data Systems

6 Southview Green, Bentley Ipswich, Suffolk IP9 2DR Otris

Liberation Software

081 546 7795

Basic compiler (QLib) and utilities.

Progs (Van Auwera)

010 32 16 48 8952 (Belgium)

The Painter, The Clipart, Data-Design, Qractal.

QFILE

Apartado 2110 p-1103 Lisboa Codex, MS-Link and Discopy. Portugal.

QL Supersoft

0256 475992

Spell, Numbers, Superdraw.

Qubbesoft PD

38 Brunwin Road, Rayne, Braintree, Essex CM7 5BU

Public domain software.

SD Microsystems

0462 422897

Business software including General Ledger. Small Traders' Pack/Invoicer and Stock Accounting.

Software 87

33 Savernake Road, London NW3 2JU Text 87 and updates.

Talent Software

0303 813883

Utilities, games.

TK Computerware

0303 812801

Add-ons, spares, software.

WD Software

0534 81392

BOOKREUEMS

Cornucopia of **Algorithms**

Title: Practical

> Astronomy With Your Calculator

Peter Duffet-Author:

Smith

Price: £11.95 Title:

Astronomy With

Your Personal Computer

Peter Duffet-Author:

Smith

Price: £15.95 Publisher:

Cambridge

University Press Available: Currently in

print QL Specific: No

ractical astronomy with your calculator is a cornucopia of algorithms for solving the often nightmarish calculations involved in astronomical mathematics. Do not be misled by the title: included is everything from relatively straightforward data and time calculations and conversions between co-ordinate systems to calculating the effects of atmospheric refraction, and the positions of the sun, moon and planets with a degree of accuracy which will satisfy all but the most exacting requirements. Times of the rising and setting of sun and moon, for

The mathematics used is not only eminently suitable for a personal computer but, for repeated calculations, makes one almost essential. Each section has not only a clear explanation of what is being done but at least one worked example.

example, can be found to

within about a minute.

The related volume Astronomy with your personal computer covers for the most part the same ground, though algorithms are given in a language

not unlike microsoft basic instead of step-by-step calculation. This translates easily to the QL's SuperBasic, the more so as the superbasic functions RAD, DEG, ASIN and ACOS can replace the more roundabout methods which Duffett-Smith uses in order to maximise the compatibility between dialects. In addition his modular approach lends well to the building of a library of superbasic procedures and functions which can be merged as appropriate for particular applications.

A number of the algorithms - particularly those which calculate the positions of the sun, moon and planets - differ substantially from the companion volume in being more accurate still, albeit at the inevitable expense of more typing-in and less speed in execution. (Finding the instantaneous position of the moon, for example reguires 99 SIN and 32 COS calculations, even before the results have been worked into a useful format.)

One intriguing extra section provides a method of deriving a comet's orbital elements from visual observations: these can then be used to predict its future path.

A problem with SuperBasic which both of these books highlight is that of the numerical accuracy of constants. It will often be necessary to use something like e='23.441893' (with quotes) as otherwise SuperBasic will store any eighth and ninth digits internally only to lose them again if the line is subsequently edited or the program saved and reloaded. Entering constants as strings (which the system coerces to floating-point numbers when they are allocated) ensures that all significant figures stay where they are put, which makes a worthwhile difference with calculations such as these.

Having said that, even this reviewer's humble JS machine produced results which generally were closer to published predictions than the examples provided by the author, which were evidently run on an IBM micro. There is, however, much scope here for putting to practical use the accelerated maths routines of the Minerva rom or the Lightning maths extensions.

Not only astronomers but anyone with an interest in simply playing with mathematics will find enough in these splendid books to keep them occupied for hours.

Hilary Snaden

A Valuable Reference Manual

Title: QL Advanced User Guide

Author: Adrian Dickens Publisher: Adder Publishing Price: £12.95

Fairs, second-Available: hand

QL Specific: Yes

he QL Advanced User Guide is described, on its back cover as 'the authoritative guide to the Sinclair QL System'. The description finishes with the statement 'No programmer of the QL can consider not owning a copy of this invaluable reference manual'. I could find little in the book to cause me to disagree with these statements - it contains a great deal of very useful information. However the back cover also claims that the book 'assumes no previous knowledge of operating systems or 68000 assembler' something I would hesitate to ac-

The Guide is made up largely of a comprehensive list of the functions that the QL's inbuilt software, Qdos, provides for writers of machine code programs. These functions cover nearly any action that the QL may be seen doing, from saving data to printing to screen. By accessing them directly in machine code, full control can

be gained over multitasking and similar internal functions of the machine. Each function is described, along with the methods used to invoke it, responses that may be given and parameters needed to be sent.

This list is preceded by a short introduction to QL machine code, an overview of Qdos and a listing of an experimentor which allows Qdos functions to be tried from Basic. For those new to machine code the introduction is, to my mind at least, too short to be easily understood. I feel therefore that the book cannot claim to assume no knowledge of assembler - but for those who know at least the basics it is excellent.

To demonstrate the uses of Qdos, the overview includes two assembler listings - one for a clock that displays the time permanently on screen and another for a set of rapidly reproducing, multitasking blobs that rush across the screen. Later listings show how to add procedures to Basic in machine code, how to control the QL's under-used two screen facility and provide a device driver for a parallel printer port.

Following the list of Qdos functions, the QL device drivers are described, as well as internal formats for most information used by the operating system. Finally, the machine code interface to Ba-

sic is examined.

This thorough description of the QL's internal workings is complemented by twenty appendices that cover additional details of the machine, from its memory map to hardware expansion information. These are very useful in their own right – even including a circuit diagram for a printer interface to match the device driver documented earlier. The book is completed by a bibliography, a glossary and full index. Certainly no QL programmer ought to be without this guide.

Andrew Toone

Integration of Machine Code and Electronics

Title:

Computer

Interfacing – Connection to the Real World

Author: Publisher:

Price:

Martin Cripps Edward Arnold, Hodder and

Stoughton Ltd £12.95

Available: Currently in print

QL Specific: No

artin Cripps, as the reader of this book will be quick to find out, is not satisfied. He is not satisfied with the current state of computer interfacing. As a Director of the Wolfson Microprocessor Unit and a Senior Lecturer at Imperial College, he has greater qualification to comment on these matters than most. In Computer Interfacing he sets out to explain his reasons for being unimpressed with the way in which we link our computers to their environment and, more importantly, ways in which those links can be improved.

Computer Interfacing was written to support courses presented to final year undergraduate students in computing, and as such contains some fairly complex explanations involving for instance, integration, machine code and electronics.

These are used as tools to describe through the book the way in which information is taken from external stimuli into the computer and the corresponding path for data from the computer to influence the real world.

This description is well defined as stages in the flow of information. Sensors are discussed, then the sampling of data so as to accurately record an input waveform. Signal conditioning is explained before methods of digital to analogue and analogue to digital conversion; following these, the book goes on to cover the digital links to and between computers before standard interfaces are discussed. The pathway from real world to computer and back again is completed by a section on output transducers.

After these sections, Cripps rounds his subject by covering environmental constraints such as noise and power supply; microprocessor input-output; integrated interfaces (interfaces on a single chip); microprocessor architecture and design techniques, finishing with three design examples. The design examples perhaps best indicate the area in which Computer Interfacing is most useful. A gasplasma display, automated greenhouse and a mobile robot are described in terms of the design decisions that would be taken to implement them. By stepping through the stages of interfacing the real world to microprocessors, the book covers all of the details involved in implementing any small microprocessor based system, from sophisticated engine management system to multiprocessing com-

The book is well thought out and written in an informal style that lightens this otherwise complex subject. For anyone interested in computer hardware therefore, at a little under thirteen pounds it is a good value read – however, being written for fairly advanced students, some knowledge of the subjects involved is vital.

Nigel Bates

Drive Further than than Corner

Title:

Developing Applications on the Sinclair QL – Practical Ideas for Home and Business

Us

Author: Publisher: Mike Grace Sunshine Books (Scot Press), 1984

Price: Available: £6.95 in 1985 At fairs or second-

hand QL Specific: Yes

you've never be lieved that using a computer was meant to be fun as well asproductive then Mike Grace's infectious enthusiasm for the QL and the bundled software might just change your mind.

Grace stresses that it's no good having powerful software unless you understand how that software works, and more importantly, how to apply it. Otherwise, it's rather like using a Ferrari to drive around to the corner-shop for a pint of milk

Having said that, I must take the author to task for his misleading title. The book is concerned only with the Psion software and makes no reference to SuperBasic. Also, to judge by the examples he provides for each of the Psion packages, there is a very wide spectrum of meaning to his use of the word 'application'.

Grace rightly points out that the strength of the Psion software is that you can use it straight away without the tedium of learning to program. He lists a whole range of possible uses for students, homeusers, club secretaries, part-time businesses and self-employed people – in short, anyone with a QL, although he does caution that some things are better done on paper than on computer. The emphatic message is: QL computing is for you!

The book is divided into five sections covering a general introduction to the QL and Psion software and each of the bundled software packages Quill, Abacus, Archive, and Easel. Grace relies on the reader to cross-reference with the User Guide – the main weakness of his book – and he

does not attempt a comprehensive description of all the commands. The longest section deals with Quill where the author encourages flair and creativity rather than viewing it merely as a kind of electronic typewriter. His account is comprehensive enough to enable the reader to use it effectively. However, the text needs to be read with the improvements of Version 2.35 in mind.

The section of Abacus is thorough and stimulating with interesting comments on the User Guide examples together with several of his own applications. There is a useful table of the most commonly-encountered Abacus commands and functions, and an illustration of the use of several of the more esoteric ones such as ave() and if(). However, Grace's diary/schedule-planner application is a good example of his own injunction that some things are better done on paper!

The section of Archive covers most of the commands and functions, illustrated by some simple database applications. His advice on the opening and closing of Archive files is misleading as database files are always at risk while they are open (as opposed to being looked at) even if they have been closed at some previous time. Grace does a particularly effective bit of soap-box shouting at the end of this section on how really good a computer the QL is. Unfortunately, the book starts to thin out a good deal from this point on.

Grace, like most other people, raves over Easel and what he calls its incredible flexibility, but you'll need to study the User Guide in much more detail than for the other Psion packages to get the full benefit of this.

At the end of the book, there is a glossary of both general and QL-specific jargon terms followed by a summary of chapter contents. Overall, there are few niggles with a book which is clearly laid out and written in a fresh and unpatronising style. For anyone who has not dared to think big with their Psion software or finds the User Guide too daunting, then I would recommend getting your hands on it.

Nigel Bates

SOFTWAREFILE MicroEmacs

INFORMATION

Program: MicroEmacs text editor,

recompiled.

Supplier: QubbeSoft and CGH public

domain libraries

Price and format: See individual

suppliers

icroEmacs must be one of the longestrunning sagas in the history of comput ing. Its origins lie in the pre-home com puting days of the 1970s in the corridors of the Massachusetts Institute of Technology (MIT), where it was designed as a rough-andready text editor which could without too much difficulty be ported between different machines.

To this end it was written in C, the idea being that any machine with the basic hardware requirements which was capable of compiling the source code should also be capable of

running the program.

The earliest versions were fairly basic, designed as a somewhat rudimentary aid to programming in C, but subsequent authors, most notably Daniel M Lawrence, together with a host of other programmers who have contributed bits of code along the way, have made MicroEmacs into one of the most sophisticated text editors available anywhere.

Most of the work in getting the program to work on the QL was done by Ken Norrie, who released a compilation with Lattice C of version 3.9p of the source code. More latterly, a number of minor bugs have been ironed out by Richard Kettlewell, and the code recompiled using the later and considerably improved C68 compiler. The result is a considerable increase in speed, though screen handling, the QL's perpetual Achilles' heel, is still somewhat slower than that of programs more painstakingly customised for the QL. So flexible is MicroEmacs, however, that it is possible to speed up the screen by altering the vertical and horizontal and vertical scrolling rates - in effect, by configuring a 'lazy screen'.

For example:

set \$hscroll FALSE

will ensure that only the cursor line is panned rather than the whole screen, while

set \$hjump 8

forces it to pan eight characters at a time. The difference these make is dramatic.

Hilary Snaden tries the long-running MicroEmacs text editor, as updated and recompiled with the C68 C compiler.

Slow screen

However, while the problematic colour modes now work after a fashion, changing from the default values seems to have the unfortunate effect of considerably slowing screen handling. However, the startup configuration of white text on a black background with a green mode line will probably be acceptable to most users, and it may well be that this minor bug will be fixed in future releases.

An advantage which MicroEmacs shares with the best QL software is that it multitasks from Basic with neither problems nor any need for fiddly extensions to SuperBasic. Indeed, since like Digital Precision's *Editor* it has no inbuilt directory facilities, multitasking via EXEC or EX is essential to make available SuperBasic's DIR command. The program code is fairly lengthy, but at some 98K it is only marginally longer than Editor, but with more to offer as a text editor; however, it should perhaps be stressed that MicroEmacs is not a wordprocessor. Most importantly, it has no facilities for driving printers.

It does have a number of functions rarely found in the most sophisticated of wordprocessors, and it is a relatively straightforward matter to insert control codes from chr\$(0) to chr\$(26) from the keyboard, so with some work the more common printer control strings can be embedded in the text.

Besides some standard wordprocessor-type functions such as fill-paragraph and set-fill-column (analagous to setting the right margin) there are some surprising extras. For example Ctrl-T swaps the character under the cursor with its nextdoor neighbour (*If only more wordprocessors had that facility*); presumably this was added by a programmer whose fingers, like those of many keyboard users, have mischievous minds of their own (or one who can never quite remember the rules about Is and Es).

It is also possible to convert spaces to tabsand-spaces and vice versa; this can lead to a surprising saving in disk space with files containing data tables, or with a good deal of indenting such as C programs, and MicroEmacs can encrypt files so that your program or text file is inaccessible without the 'password' used as an encryption key.

Word count

There are inbuilt functions for converting words or blocks of text to upper or lower case, and included in the count-words function is a display of average word length, useful as a check on writers inclined to verbosity or for those uncertain whether to send their latest work to the *Financial Times* or the *Sun*. This review, for example, averages 5.81 characters per word. Readers of *QL World* can make of that what they will.

An aspect of using the program which is a little confusing to begin with but which soon becomes a revelation is that Enter does not end a search or replace a prompt but adds <NL> to it. (The prompts are in fact terminated with ESCape.) This means that strings at the end or the beginning of a line can be specifically searched for, and double blank lines can easily be replaced by single. This is so useful it is surprising that authors of other editors have not tried to come up with something similar.

Any recognised combination of keys can be redefined to execute any of MicroEmacs' existing commands; hence, if you find yourself using some of the more obscure commands relatively often, you can bind them to a more convenient keystroke. The combinations available are Ctrl-(character), ESC+(character) and ESC+Ctrl-(character), leaving plenty of room for customisations. You can even redefine single keys, though this obviously needs to be done with some care!

In addition to the standard key bindings common to all versions of MicroEmacs (so, for example, should you have access to the same program on a Vax mainframe, Ctrl-N will gotonext-line just as you are used to), the more usual cursor movements have been bound to the QL's cursor keys in such a way that they behave much as they do in *Quill* and the like.

Any deletions larger than single characters can be undone, since the deleted text is kept in a 'kill buffer' until the next major deletion. This is also how blocks of text are moved around.

Particularly astonishing is the speed of the replace-string command; presumably this is

SOFTWARE FILE

largely because the screen is not updated each time a substitution occurs unless query-replacestring has been called.

By name

While all of the most commonly-used commands are already bound to short key sequences, all of those available can also be invoked by name - though one has first to know that ESC-X brings up the 'execute-named-command' command! Even this can be made to look something like Quill and most other QL text-handling software by binding the command to the F3 key with the line

bind-to-key execute-named-command FN0. This and any other program configurations can also be saved in a file called emacs_rc, which will then be read and set up when the program is first started. As a practical example of this, Qdos traps Ctrl-C before it ever reaches MicroEmacs, and so the count-words command will not initially be available from simple keystrokes. It can be made so by the line:

bind-to-key count-words M-H

which uses the otherwise unused combination ESC-H.

If you can't remember the name of the command you want, MicroEmacs can produce a complete or selective list, or typing a space at the prompt will fill in the name up to the next ambiguity.

Almost every aspect of the workings of MicroEmacs can be altered from within the program; there is, for example, an automatic Save facility which initially resaves the file being edited every 256 characters, but this count can be set by the user. A perhaps inconvenient but quite understandable exception is program dataspace, which must be set either at compile-time or with a command line such as:

EX flp1_emacs;"%122880"

which will set the dataspace to 120K. Note that you need QJump's *Toolkit* 2, or some other enhanced EXEC command to do this, otherwise the default of 64K will be used. The current version of MicroEmacs will, therefore, just fit in a 256K machine. MicroEmacs will work with less dataspace, but at a noticeably lower speed. As with other programs, though, if little headroom in terms of ram is left, disk access will be slowed as Qdos will have little space available in which to set up slave blocks.

Windows

One of the most interesting of MicroEmacs' features is that it is possible to work on several different files concurrently, and to divide the screen horizontally into a number of windows which may display different files or different parts of the same file. However, if the same portion of text is displayed in two windows, screen handling can no longer keep up with with even an average typing speed, though it seems to catch up eventually.

The buffers used for each file can have the main editing modes (for example, overwrite, automatic word-wrap and case-dependent searching) set independently of the others. Moving text from one buffer to another is quite straightforward.

Potentially the most powerful of MicroEmacs' facilities is the macro language. This works something like Editor's command files but in a far more sophisticated and flexible fashion: not only are the inbuilt text manipulation procedures available but there are a number of mathematical and logical functions and structures, so that a complete macro may end up looking like an Archive program. The 'programs' can be invoked from disk or a text buffer, or can be built into MicroEmacs as a numbered macro or named procedure. As a relatively unsophisticated example of what can be done, the listing shows a procedure which (after a fashion) renumbers a SuperBasic program file.

Would-be programmers should beware of the pitfall that MicroEmacs does not recognise the abort-command keying (Ctrl-G) when it is in the middle of a while construct, unless it has been specifically programmed in, as in the example. This should really have been mentioned in the documentation, as it is so easy, even with a macro debug facility, to end up with a perpetual loop, particularly while developing applications.

Source code

The public domain disks include the complete source code (about 475K of it) and a further 182K of documentation comprising a users' manual, a learn-as-you-go tutorial, and a file which, while originally intended to provide on-screen help, may be usefully printed out as a crib sheet.

If you are familiar with C and have a suitable compiler (the C68 compiler with which the current ready-to-run version of MicroEmacs was prepared is also available in the public domain) you can even hack around the original code to produce your own customised edition apart from the configuration that can be done from within the program itself. Since the source is likely to remain under development for the forseeable future, and it is in the public domain, there is little chance of users being left with abandoned software.

Given the amount of man- and woman-hours which have gone into programming MicroEmacs, and the range of facilities it has to offer, it must represent one of the best value programs ever.

MicroEmacs is available from CGH Services and QubbeSoft public domain libraries. At the time of writing the new C68-compiled version had not percolated through to the Quanta members' library. For those who wish to experiment further the C68 compiler may be obtained from the same sources.

Example MicroEmacs procedure

store-procedure rn; line-number a region
narrow-to-region
end-of-file
set %lines \$curline
beginning-of-file
set %newnum @"Start number: "
set %inc @"Increment: "
write-message "Renumbering..."
!while &les \$curline %lines
!if \$pending
set %a &asc >k
!if &equ %a 7

write-message "[Aborted]"
widen-from-region
!return

!endif

!endif
beginning-of-line
search-forward ""
delete-previous-word
insert-string %newnum
insert-space
set %newnum &add %newnum %inc
next-line

!endwhile widen-from-region write-message "Renumbered!" !endm

DIY

TOOLKIT

Part two

Simon Goodwin wraps up his QL windowing project, begun in last month's QL World.

the last issue, *DIY Toolkit* in troduced seven new keywords which allow QL programs to save, compress and restore overlapping windows. This article presents the remainder of the assembler source for these keywords, explains their inner workings, and discusses further applications of the code.

If you missed the last issue, or do not wish to re-type my listings, you can obtain complete source and object code for Volume W, DIY Windows, on disk or microdrive cartridge, with documentation and extra example programs. Write to DIY Toolkit at Cwm Gwen Hall, Pencader, Dyfed, Cymru SA39 9HA, or call 0559 384574.

Send a stamped self-addressed envelope for details of the volumes currently available. DIY Toolkit Volumes cost £3 each, plus £4 per order to cover disks and processing costs. If you have no disk drive please enclose one cartridge for each volume required.

Icons for Qdos

The window routines can be used to display and highlight small pictures, or 'icons', on the QL screen. These may be stored on disk and displayed with a short SuperBasic loader. You can design these with programs like *GraphicQL*, *The Painter* or *Eye-Q*, and extract them from a screen image file with W_STORE or W_CRUNCH.

It is convenient to use positions and widths that are an exact multiple of eight pixels, such as 16, 24 or 32 pixels. Monochrome 32 by 32 pixel icons occupy 1/128th of the screen, and use 136 bytes each; four colour 16 by 16 pixel icons weigh in at 72 bytes.

You may prefer to use monochrome icons 16 pixels square, taking 40 bytes each, and SET_RED 1 to highlight one, changing a green on black image to white on red. These file sizes exclude the ALCHP heap overhead of 20-27 bytes per allocation.

With DIY icons and window control, you are well on the way to a complete 'WIMP' system of Windows, Icons, Menus and Pointers. The missing bits can simply be hacked together in SuperBasic, but you may prefer to use ready-made components, such as *Qmenu* from Jochen Merz. Tony Tebby's pointer interface provides a standard way to read mice, joysticks or the keyboard; it appears on Quanta library disk Specials 0.

	ch% , flag%	[1=Set Ø=Clean	r -1=Copy to red bytes]
* setred	bsr.s	get_channel	Read channel number
secred	subq.w	#2,d3	Check parameter count
	bne.s	bad_param2	Two are expected
	move.w		Fetch the flag
	bsr.s	2(a1,a6.1),d6 find_window	retch the flag
		d6	
	tst.w bmi.s		Constant butter to and
		red_lines	Copy green bytes to red
	addq.1	#1,a4	Point at odd (red) bytes
check_pat	beq.s	fill_lines	If D6=0, leave it alone
	moved	#-1,d6	Otherwise, set all bits
fill_lines	lea.l	fill_bytes,a3	Put D6 in alternate bytes
	bra.s	scan_lines	
red_lines	lea.l	red_bytes,a3	Point at next line
	bra.s	scan_lines	
*			
bad_param	moved	#-15,dØ	BAD PARAMETER error
	bra.s	quick_exit	
chan_error	moveq	#-6,dØ	CHANNEL NOT OPEN error
quick_exit	addq.1	#4,a7	Tidy the return stack
	rts		Return subroutine errors
*			
* SET_GREEN *		g% [1=Set Ø=Cl	ear -1=Copy to green bytes]
setgreen	bsr.s	get_channel	Read channel number
	subq.w	#2,d3	Check parameter count
	bne.s	bad_param2	Only one is expected
	move.w	2(a1,a6.1),d6	
	bsr.s	find_window	
	tst.w	d6	
	bpl.s	check_pat	Set or clear even bytes
	addq.1	#1,a4	Start with the red byte
	lea.l		Point at byte copier
	bra.s	scan_lines	
* FIND_WIND *	OW - locate	s window detail:	s from channel definition
find_window		window_ext,a2	Point A2 at EXTOP code
	moveq	#-1,d3	Wait indefinitely long
	moveq	#9,dØ	SD.EXTOP trap key
	trap	#3	Call via Qdos
	tst.1	d∅	Z signals ERR.OK
	bne.s	quick_exit	Return error directly
		d1,dØ	DØ is window line count
	move.w		
	move.u	d1,d4	Preserve width & height
		d1,d4	Preserve width & height Preserve base address
	move.1		Preserve base address
	move.1 movea.1	d1,d4 a1,a4 d1	Preserve base address Recover line width
	move.l movea.l swap mulu	d1,d4 a1,a4 d1 d0,d1	Preserve base address Recover line width Compute storage needs
	move.l movea.l swap mulu tst.w	d1, d4 a1, a4 d1 dØ, d1 d6	Preserve base address Recover line width
	move.1 movea.1 swap mulu tst.w beq.s	d1,d4 a1,a4 d1 d0,d1 d6 no_crunch	Preserve base address Recover line width Compute storage needs Are we crunching?
no crunch	move.1 movea.1 swap mulu tst.w beq.s lsr.1	d1,d4 a1,a4 d1 d0,d1 d6 no_crunch #1,d1	Preserve base address Recover line width Compute storage needs Are we crunching? Halve space needed
no_crunch	move.1 movea.1 swap mulu tst.w beq.s lsr.1 addq.1	d1,d4 a1,a4 d1 dØ,d1 d6 no_crunch #1,d1 #6,d1	Preserve base address Recover line width Compute storage needs Are we crunching? Halve space needed Allow for size & depth
no_crunch	move.1 movea.1 swap mulu tst.w beq.s lsr.1 addq.1 addq.1	d1,d4 a1,a4 d1 dØ,d1 d6 no_crunch #1,d1 #6,d1	Preserve base address Recover line width Compute storage needs Are we crunching? Halve space needed Allow for size & depth Allow for link & flag
no_crunch	move.1 movea.1 swap mulu tst.w beq.s 1sr.1 addq.1 addq.1 move.1	d1,d4 a1,a4 d1 dØ,d1 d6 no_crunch #1,d1 #6,d1 d1,d5	Preserve base address Recover line width Compute storage needs Are we crunching? Halve space needed Allow for size & depth
no_crunch	move.1 movea.1 swap mulu tst.w beq.s lsr.1 addq.1 addq.1 move.1 swap	d1,d4 a1,a4 d1 dØ,d1 d6 no_crunch #1,d1 #6,d1 #6,d1 d1,d5 d4	Preserve base address Recover line width Compute storage needs Are we crunching? Halve space needed Allow for size & depth Allow for link & flag Preserve size needed
no_crunch	move.1 movea.1 swap mulu tst.w beq.s lsr.1 addq.1 addq.1 move.1 swap move.w	di,d4 al,a4 di dØ,d1 d6 no_crunch #1,d1 #6,d1 d6,d1 d6,d1 d6,d1 d6,d4 d4,dØ	Preserve base address Recover line width Compute storage needs Are we crunching? Halve space needed Allow for size & depth Allow for link & flag Preserve size needed Retrieve line width
no_crunch	move.l movea.l swap mulu tst.w beq.s lsr.l addq.l move.l swap move.w lsr.w	di,d4 al,a4 dl dl dl dl db no_crunch #1,d1 #6,d1 di,d5 d4 d4,d0 #1,d0	Preserve base address Recover line width Compute storage needs Are we crunching? Halve space needed Allow for size & depth Allow for link & flag Preserve size needed Retrieve line width Count words not bytes
no_crunch	move.l movea.l swap mulu tst.w beq.s lsr.l addq.l addq.l move.l swap move.w lsr.w	d1,d4 a1,a4 d1 d0,d1 d6 no_crunch #1,d1 #6,d1 d6,d1 d1,d5 d4 d4,d0 #1,d0 #1,d0	Preserve base address Recover line width Compute storage needs Are we crunching? Halve space needed Allow for size & depth Allow for link & flag Preserve size needed Retrieve line width
no_crunch	move.1 movea.1 swap mulu tst.w beq.s lsr.1 addq.1 addq.1 move.1 swap move.w lsr.w subq.w swap	di,d4 al,a4 dl d0,d1 d6 no_crunch #1,d1 #6,d1 d1,d5 d4 d4,d6 #1,d0 #1,d0	Preserve base address Recover line width Compute storage needs Are we crunching? Halve space needed Allow for size & depth Allow for link & flag Preserve size needed Retrieve line width Count words not bytes Adjust for DBRA later
no_crunch	move.l movea.l swap mulu tst.w beq.s lsr.l addq.l addq.l move.l swap move.w lsr.w	d1,d4 a1,a4 d1 d0,d1 d6 no_crunch #1,d1 #6,d1 d6,d1 d1,d5 d4 d4,d0 #1,d0 #1,d0	Preserve base address Recover line width Compute storage needs Are we crunching? Halve space needed Allow for size & depth Allow for link & flag Preserve size needed Retrieve line width Count words not bytes
no_crunch	move.1 movea.1 swap mulu tst.w beq.s lsr.1 addq.1 addq.1 swap move.u lsr.w subq.w subq.w subq.w	di,d4 al,a4 dl d0,d1 d6 no_crunch #1,d1 #6,d1 d1,d5 d4 d4,d6 #1,d0 #1,d0	Preserve base address Recover line width Compute storage needs Are we crunching? Halve space needed Allow for size & depth Allow for link & flag Preserve size needed Retrieve line width Count words not bytes Adjust for DBRA later
no_crunch * bad_range	move-1 movea.1 movea.1 swap mulu tst.w beq.s lsr.l addq.1 addq.1 move-1 swap move.w lsr.w subq.w subq.w rts	di,d4 al,a4 dl d0,d1 d6 no_crunch #1,d1 #6,d1 d1,d5 d4 d4,d6 #1,d0 #1,d0	Preserve base address Recover line width Compute storage needs Are we crunching? Halve space needed Allow for size & depth Allow for link & flag Preserve size needed Retrieve line width Count words not bytes Adjust for DBRA later
* bad_range bad_param2	move.1 movea.1 swap mulu tst.w beq.s lsr.1 addq.1 addq.1 swap move.1 swap subq.w subq.w	di,d4 al,a4 dl de,d1 d6 no_crunch #1,d1 #6,d1 #6,d1 d1,d5 d4 d4,d0 #1,d0 #1,d0 d4	Preserve base address Recover line width Compute storage needs Are we crunching? Halve space needed Allow for size & depth Allow for link & flag Preserve size needed Retrieve line width Count words not bytes Adjust for DBRA later Adjust for DBRA
* bad_range bad_param2 exit2	move.1 movea.1 swap mulu tst.w beq.s lsr.1 addq.1 move.1 swap move.w lsr.w subq.w subq.w rts	di,d4 al,a4 dl de,d1 de,no_crunch #i,d1 #6,d1 dl,d5 d4 d4,d0 #i,d0 #i,d0 d4 #1,d0 d4 #1,d0 d4 #1,d0 d4 #1,d0	Preserve base address Recover line width Compute storage needs Are we crunching? Halve space needed Allow for size & depth Allow for link & flag Preserve size needed Retrieve line width Count words not bytes Adjust for DBRA later Adjust for DBRA OUT OF RANGE error code BAD PARAMETER error code
* bad_range	move.1 movea.1 swap mulu tst.w beq.s lsr.1 addq.1 move.1 swap move.w lsr.w subq.w subq.w rts	di,d4 al,a4 dl de,d1 de,no_crunch #i,d1 #6,d1 dl,d5 d4 d4,d0 #i,d0 #i,d0 d4 #1,d0 d4 #1,d0 d4 #1,d0 d4 #1,d0	Preserve base address Recover line width Compute storage needs Are we crunching? Halve space needed Allow for size & depth Allow for link & flag Preserve size needed Retrieve line width Count words not bytes Adjust for DBRA later Adjust for DBRA
* bad_range bad_param2 exit2 * * W_SHOW #c	move.1 movea.1 swap mulu tst.w beq.s lsr.1 addq.1 addq.1 move.1 swap move.w lsr.w swap subq.w rts moveq rts moveq rts h%, base_a	di,d4 al,a4 dl de,d1 d6 no_crunch #1,d1 #6,d1 #6,d1 d6,d6 d4,d0 #1,d0 #1,d0 #1,d0 #1,d0 d4 #1,d0 d4 #1,d0 d4	Preserve base address Recover line width Compute storage needs Are we crunching? Halve space needed Allow for size & depth Allow for link & flag Preserve size needed Retrieve line width Count words not bytes Adjust for DBRA later Adjust for DBRA OUT OF RANGE error code BAD PARAMETER error code Re-displays stored windows
* bad_range bad_param2 exit2	move.1 movea.1 movea.1 swap mulu tst.w beq.s lsr.1 addq.1 move.1 swap move.w lsr.w subq.w swap subq.w rts moveq rts h%, base_a	di,d4 al,a4 dl de,d1 de,no_crunch #1,d1 #6,d1 dl,d5 d4 d4,d6 #1,d0 #1,d0 #1,d0 #1,d0 #1,d0 #1,d0 d4 #1,d0 #1,d0 d4 #1,d0 #1,d0 d4 #1,d0 #1,d0 d4	Preserve base address Recover line width Compute storage needs Are we crunching? Halve space needed Allow for size & depth Allow for link & flag Preserve size needed Retrieve line width Count words not bytes Adjust for DBRA later Adjust for DBRA OUT OF RANGE error code BAD PARAMETER error code Re-displays stored windows Point A4 past parameter 2
* bad_range bad_param2 exit2 * * W_SHOW #c	move.1 movea.1 swap mulu tst.w beq.s lsr.1 addq.1 move.1 swap move.w lsr.w subq.w subq.w swap subq.w rts moveq rts moveq rts h%, base_a lea.1 cmpa.1	di,d4 al,a4 dl de,d1 de no_crunch #1,d1 #6,d1 di,d5 d4 d4,d6 #1,d0 #1,d0 #1,d0 #1,d0 #1,d0 d4 #1,d0 #1,d0 d4 #1,d0	Preserve base address Recover line width Compute storage needs Are we crunching? Halve space needed Allow for size & depth Allow for link & flag Preserve size needed Retrieve line width Count words not bytes Adjust for DBRA later Adjust for DBRA OUT OF RANGE error code BAD PARAMETER error code Re-displays stored windows
* bad_range bad_param2 exit2 * * W_SHOW #c	move.1 movea.1 movea.1 swap mulu tst.w beq.s lsr.1 addq.1 move.1 swap move.w lsr.w subq.w swap subq.w rts moveq rts h%, base_a lea.1 cmpa.1 bne.s	di,d4 al,a4 dl dØ,d1 d6 no_crunch #1,d1 #6,d1 dl,d5 d4 d4,dØ #1,dØ d4,dØ #1,dØ d4 #1,dØ	Preserve base address Recover line width Compute storage needs Are we crunching? Halve space needed Allow for size & depth Allow for link & flag Preserve size needed Retrieve line width Count words not bytes Adjust for DBRA later Adjust for DBRA OUT OF RANGE error code BAD PARAMETER error code Re-displays stored windows Point A4 past parameter 2 Are there 2 parameters?
* bad_range bad_param2 exit2 * * W_SHOW #c	move-1 movea.1 movea.1 swap mulu tst.w beq.s lsr.l addq.l addq.l move.w lsr.w subq.w subq.w subq.w swap subq.w rts moveq rts h%, base_a lea.l cmpa.l bne.s subq.l	di,d4 al,a4 dl d0,d1 d6 no_crunch #1,d1 #6,d1 di,d5 d4 d4,d6 #1,d0 #1,d0 #1,d0 #1,d0 #1,d0 d4 #1,d4	Preserve base address Recover line width Compute storage needs Are we crunching? Halve space needed Allow for size & depth Allow for link & flag Preserve size needed Retrieve line width Count words not bytes Adjust for DBRA later Adjust for DBRA OUT OF RANGE error code BAD PARAMETER error code Re-displays stored windows Point A4 past parameter 2
* bad_range bad_param2 exit2 * * W_SHOW #c	move.1 movea.1 movea.1 swap mulu tst.w beq.s lsr.1 addq.1 addq.1 move.1 swap move.w lsr.w subq.w swap subq.w rts moveq rts hZ, base_a lea.1 cmpa.1 bne.s subq.l br.	di,d4 al,a4 dl de,d1 de no_crunch #1,d1 #6,d1 #6,d1 dl,d5 d4 d4,d0 #1,d0 #1,d0 #1,d0 d4 #1,d0 d2 #1,d0 d2 #1,d0 d4 #1,d0 d4 #1,d0 d4 #1,d0 d4 #1,d0 d2 #1,d0	Preserve base address Recover line width Compute storage needs Are we crunching? Halve space needed Allow for size & depth Allow for link & flag Preserve size needed Retrieve line width Count words not bytes Adjust for DBRA OUT OF RANGE error code BAD PARAMETER error code Re-displays stored windows Point A4 past parameter 2 Are there 2 parameters? Forget the first for now
* bad_range bad_param2 exit2 * * W_SHOW #c	move-1 movea.1 movea.1 swap mulu tst.w beq.s lsr.l addq.l addq.l move.w lsr.w subq.w subq.w subq.w swap subq.w rts moveq rts h%, base_a lea.l cmpa.l bne.s subq.l	di,d4 al,a4 dl d0,d1 d6 no_crunch #1,d1 #6,d1 di,d5 d4 d4,d6 #1,d0 #1,d0 #1,d0 #1,d0 #1,d0 d4 #1,d4	Preserve base address Recover line width Compute storage needs Are we crunching? Halve space needed Allow for size & depth Allow for link & flag Preserve size needed Retrieve line width Count words not bytes Adjust for DBRA later Adjust for DBRA OUT OF RANGE error code BAD PARAMETER error code Re-displays stored windows Point A4 past parameter 2 Are there 2 parameters?

Code commentary

The first part of the source code for DIY Windows appeared in the previous DIY Toolkit column. The remainder is listed this month, with notes on the overall design. I shall start by discussing the first part, so you may like to refer to Listing one from last month's QL World.

The window routines have many common features: they all take a window as a parameter and scan through the corresponding area of QL display memory. It follows that much code is shared between the keywords, and you need to understand the whole in order to make sense of the parts. After the usual snippet to introduce the new commands and functions to SuperBasic, the code begins by fetching parameters for W_CRUNCH, the function which stores a window in compressed form.

Much of the code for W_CRUNCH is shared by the next command, W_STORE. The distinguishing feature is the value in register D6, which records the way the image is to be compressed. W_STORE sets D6 to zero, indicating that both red and green bytes are to be stored. W_CRUNCH copies its second parameter to D6; this is a QL colour-code: two for red or four to store only green bytes.

Both functions use the subroutine GET_CHANNEL to fetch parameters. This evaluates all the parameters as integers, using the CA.GTINT vector, which leaves the number of values found in register D3. W_STORE checks for a single parameter, the channel number. W_CRUNCH also expects the compression indicator, so it reports a 'bad parameter' error if D3 is not set to two after the call to GET_CHANNEL.

Both these extensions return a value, so it is important not to leave unwanted values on the maths stack, where they might get in the way of the result. GET_CHANNEL tidies the stack with ADDQ.L #2,\$58(A6) after reading the Basic channel number, and returns with the corresponding Qdos channel ID in A0. W_CRUNCH uses the same instruction to unstack the compression indicator.

GET_CHANNEL checks for several potential errors and returns directly to the SuperBasic interpreter with an error code in D0 if a problem is found. The code at QUICK_EXIT discards the subroutine return address so there is no need to check D0 after each call to GET_CHANNEL. They only return if all went well.

Overflow report

GET_CHANNEL reports 'overflow' or 'error in expression' if the parameter is not a valid integer, and 'bad parameter' if it is negative. It signals 'channel not open' if the channel has been closed or never opened.

W_STORE and W_CRUNCH share code from SAVE_WINDOW onwards. First

	bne.s	exit2	Return DØ error code
	move.l bmi.s	Ø(a1,a6.1),d7 bad_param2	Pick up the base address It should be positive
	btst	#Ø, d7	and even
	bne.s	bad_param2	
* Now 1\7 is	the buffer	hase address a	nd AØ is the channel ID
* NOW D7 15	the parter	base address a	nd Ap is the channel in
	movea.1	d7, a2	A2 -> RAM buffer
	move.w	10(a2),d6	Check compression flag
	bsr.s movea.l	find_window d7,a0	AØ -> RAM buffer
	addq.1	#4, aØ	Skip the ALCHP link
	cmp.1	(aØ)+,d5	Check total space used
	bne.s	bad_range (aØ)+,d4	Charle 1:
	cmp.w bne.s	bad_range	Check line count
	addq.1	#2,aØ	Skip the CRUNCH flag now
	subq.w	#2,d6	Check the CRUNCH flag
	bmi.s	word_lines byte lines	If <2, restore both bytes
	bne.s addq.l	#1,a4	>2, set green bytes only Point at first red byte
byte_lines	lea.1	load_bytes, a3	Torne at Trist Fed byte
	bra	scan_lines	
word_lines	lea.l	load_words,a3	
*	bra	scan_lines	
* Find SCR	BASE (A1.L)	LINE WIDTH% (D	1.H) LINE_COUNT% (D1.W)
*			
window_ext	moved	#4Ø, dØ	Preset MEM length
	cmp.l	(aØ),dØ bad param2	Check this channel
	move.w	24(aØ),dØ	Reject MEM definitions Fetch margin in pixels
	1sr.w	#2,dØ	Divide by 4
	bclr	#Ø, dØ	Make even word offset
*	movea.1	50(a0),a1	Locate the screen start
	adda.w	dØ, a1	Adjust for left margin
	move.w	26(aØ),d1	Fetch top margin
	mulu	#128,d1	Scale for 128 bytes/line
	adda.1	d1,a1	A1 -> first window word
*	moveq	#6,d1	Round to word boundaries
	add.w	24(aØ),d1	Allow for left margin
	add.w	28(aØ),d1	Allow for width
	lsr.w bclr	#2,d1 #Ø,d1	Divide width by 4 Make word offset even
	sub.w	dØ, d1	D1 is line width in bytes
*			
	swap	d1	Put byte width in D1.H
	move.w	3Ø(aØ),d1	Put line count in D1.L
	move.w moveq		
*	move.w	3Ø(aØ),d1	Put line count in D1.L
* * Line scanr	move.w moveq rts	30(a0),d1 #0,d0	Put line count in D1.L
*	move.w moved rts ning routine	30(a0),d1 #0,d0 ≃s, used by JSR	Put line count in D1.L Indicate no error (A3) in SCAN_LINES
* * Line scanr * save_bytes	move.w moveq rts ning routine move.b	30(a0),d1 #0,d0 es, used by JSR (a4)+,(a0)+	Put line count in D1.L Indicate no error (A3) in SCAN_LINES Copy from screen to RAM
*	move.w moved rts ning routine	30(a0),d1 #0,d0 es, used by JSR (a4)+,(a0)+ #1,a4	Put line count in D1.L Indicate no error (A3) in SCAN_LINES
*	move.w moveq rts ning routine move.b addq.1	30(a0),d1 #0,d0 es, used by JSR (a4)+,(a0)+	Put line count in D1.L Indicate no error (A3) in SCAN_LINES Copy from screen to RAM Skip the other byte
* save_bytes *	move.w moved rts ning routine move.b addq.1 dbra rts	30(a0),d1 #0,d0 es, used by JSR (a4)+,(a0)+ #1,a4 d2,save_bytes	Put line count in D1.L Indicate no error (A3) in SCAN_LINES Copy from screen to RAM Skip the other byte Repeat for entire line
* save_bytes *	move.w moveq rts ning routine move.b addq.l dbra	30(a0),d1 #0,d0 es, used by JSR (a4)+,(a0)+ #1,a4 d2,save_bytes d6,(a4)	Put line count in D1.L Indicate no error (A3) in SCAN_LINES Copy from screen to RAM Skip the other byte Repeat for entire line Copy pattern to byte
* save_bytes *	move.w moveq rts ning routine move.b addq.l dbra rts move.b addq.l dbra	30(a0),d1 #0,d0 es, used by JSR (a4)+,(a0)+ #1,a4 d2,save_bytes	Put line count in D1.L Indicate no error (A3) in SCAN_LINES Copy from screen to RAM Skip the other byte Repeat for entire line
*	move.w moveq rts ning routine move.b addq.l dbra rts move.b addq.l	30(a0),d1 #0,d0 es, used by JSR (a4)+,(a0)+ #1,a4 d2,save_bytes d6,(a4) #2,a4	Put line count in D1.L Indicate no error (A3) in SCAN_LINES Copy from screen to RAM Skip the other byte Repeat for entire line Copy pattern to byte
* save_bytes * fill_bytes *	move.w moveq rts ning routine move.b addq.1 dbra rts move.b addq.1 dbra rts	30(a0),d1 #0,d0 es, used by JSR (a4)+,(a0)+ #1,a4 d2,save_bytes d6,(a4) #2,a4 d2,fill_bytes	Put line count in D1.L Indicate no error (A3) in SCAN_LINES Copy from screen to RAM Skip the other byte Repeat for entire line Copy pattern to byte Advance to next word
* save_bytes *	move.w moveq rts ning routine move.b addq.l dbra rts move.b addq.l dbra rts	30(a0),d1 #0,d0 es, used by JSR (a4)+,(a0)+ #1,a4 d2,save_bytes d6,(a4) #2,a4 d2,fill_bytes (a4),-(a4)	Put line count in D1.L Indicate no error (A3) in SCAN_LINES Copy from screen to RAM Skip the other byte Repeat for entire line Copy pattern to byte Advance to next word Copy red byte to green
* save_bytes * fill_bytes *	move.w moveq rts ning routine move.b addq.1 dbra rts move.b addq.1 dbra rts	30(a0),d1 #0,d0 es, used by JSR (a4)+,(a0)+ #1,a4 d2,save_bytes d6,(a4) #2,a4 d2,fill_bytes (a4),-(a4) #3,a4	Put line count in D1.L Indicate no error (A3) in SCAN_LINES Copy from screen to RAM Skip the other byte Repeat for entire line Copy pattern to byte Advance to next word
* save_bytes * fill_bytes *	move.b addq.l dbra rts move.b addq.l dbra rts move.b addq.l dbra rts	30(a0),d1 #0,d0 es, used by JSR (a4)+,(a0)+ #1,a4 d2,save_bytes d6,(a4) #2,a4 d2,fill_bytes (a4),-(a4)	Put line count in D1.L Indicate no error (A3) in SCAN_LINES Copy from screen to RAM Skip the other byte Repeat for entire line Copy pattern to byte Advance to next word Copy red byte to green
* save_bytes * fill_bytes * green_bytes	move.b addq.l dbra rts move.b addq.l dbra rts move.b addq.l dbra rts	30(a0),d1 #0,d0 es, used by JSR (a4)+,(a0)+ #1,a4 d2,save_bytes d6,(a4) #2,a4 d2,fill_bytes (a4),-(a4) #3,a4 d2,green_bytes	Put line count in D1.L Indicate no error (A3) in SCAN_LINES Copy from screen to RAM Skip the other byte Repeat for entire line Copy pattern to byte Advance to next word Copy red byte to green Point at next red byte
* save_bytes * fill_bytes *	move.w moveq rts ning routine move.b addq.l dbra rts move.b addq.l dbra rts move.b addq.l dbra rts	30(a0),d1 #0,d0 es, used by JSR (a4)+,(a0)+ #1,a4 d2,save_bytes d6,(a4) #2,a4 d2,fill_bytes (a4),-(a4) #3,a4 d2,green_bytes (a4)+,(a4)+	Put line count in D1.L Indicate no error (A3) in SCAN_LINES Copy from screen to RAM Skip the other byte Repeat for entire line Copy pattern to byte Advance to next word Copy red byte to green
* save_bytes * fill_bytes * green_bytes	move.b addq.l dbra rts move.b addq.l dbra rts move.b addq.l dbra rts	30(a0),d1 #0,d0 es, used by JSR (a4)+,(a0)+ #1,a4 d2,save_bytes d6,(a4) #2,a4 d2,fill_bytes (a4),-(a4) #3,a4 d2,green_bytes	Put line count in D1.L Indicate no error (A3) in SCAN_LINES Copy from screen to RAM Skip the other byte Repeat for entire line Copy pattern to byte Advance to next word Copy red byte to green Point at next red byte
* save_bytes * fill_bytes * green_bytes * red_bytes	move.w moveq rts ning routine move.b addq.l dbra rts move.b addq.l dbra rts move.b addq.l dbra rts	30(a0),d1 #0,d0 es, used by JSR (a4)+,(a0)+ #1,a4 d2,save_bytes d6,(a4) #2,a4 d2,fill_bytes (a4),-(a4) #3,a4 d2,green_bytes (a4)+,(a4)+ d2,red_bytes	Put line count in D1.L Indicate no error (A3) in SCAN_LINES Copy from screen to RAM Skip the other byte Repeat for entire line Copy pattern to byte Advance to next word Copy red byte to green Point at next red byte Copy a green byte to red
* save_bytes * fill_bytes * green_bytes	move.b addq.1 dbra rts move.b	30(a0),d1 #0,d0 es, used by JSR (a4)+,(a0)+ #1,a4 d2,save_bytes d6,(a4) #2,a4 d2,fill_bytes (a4),-(a4) #3,a4 d2,green_bytes (a4)+,(a4)+ d2,red_bytes (a0)+,(a4)+	Put line count in D1.L Indicate no error (A3) in SCAN_LINES Copy from screen to RAM Skip the other byte Repeat for entire line Copy pattern to byte Advance to next word Copy red byte to green Point at next red byte Copy a green byte to red Copy from heap to screen
* save_bytes * fill_bytes * green_bytes * red_bytes	move.b addq.l dbra rts move.b addq.l dbra rts move.b addq.l dbra rts move.b addq.l dbra rts	30(a0),d1 #0,d0 es, used by JSR (a4)+,(a0)+ #1,a4 d2,save_bytes d6,(a4) #2,a4 d2,fill_bytes (a4),-(a4) #3,a4 d2,green_bytes (a4)+,(a4)+ d2,red_bytes (a0)+,(a4)+ #1,a4	Put line count in D1.L Indicate no error (A3) in SCAN_LINES Copy from screen to RAM Skip the other byte Repeat for entire line Copy pattern to byte Advance to next word Copy red byte to green Point at next red byte Copy a green byte to red
* save_bytes * fill_bytes * green_bytes * red_bytes	move.b addq.1 dbra rts move.b	30(a0),d1 #0,d0 es, used by JSR (a4)+,(a0)+ #1,a4 d2,save_bytes d6,(a4) #2,a4 d2,fill_bytes (a4),-(a4) #3,a4 d2,green_bytes (a4)+,(a4)+ d2,red_bytes (a0)+,(a4)+	Put line count in D1.L Indicate no error (A3) in SCAN_LINES Copy from screen to RAM Skip the other byte Repeat for entire line Copy pattern to byte Advance to next word Copy red byte to green Point at next red byte Copy a green byte to red Copy from heap to screen
* save_bytes * fill_bytes * green_bytes * red_bytes * load_bytes	move.w moveq rts ning routine move.b addq.l dbra rts move.b addq.l dbra rts move.b addq.l dbra rts move.b addq.l dbra rts	30(a0),d1 #0,d0 es, used by JSR (a4)+,(a0)+ #1,a4 d2,save_bytes d6,(a4) #2,a4 d2,fill_bytes (a4),-(a4) #3,a4 d2,green_bytes (a4)+,(a4)+ d2,red_bytes (a0)+,(a4)+ #1,a4 d2,load_bytes	Put line count in D1.L Indicate no error (A3) in SCAN_LINES Copy from screen to RAM Skip the other byte Repeat for entire line Copy pattern to byte Advance to next word Copy red byte to green Point at next red byte Copy a green byte to red Copy from heap to screen Skip the other byte
* save_bytes * fill_bytes * green_bytes * red_bytes	move.w moved rts ming routine move.b addq.l dbra rts move.b ddra rts move.b ddra rts move.b addq.l dbra rts move.b addq.l dbra rts move.b	30(a0),d1 #0,d0 es, used by JSR (a4)+,(a0)+ #1,a4 d2,save_bytes d6,(a4) #2,a4 d2,fill_bytes (a4),-(a4) #3,a4 d2,green_bytes (a4)+,(a4)+ d2,red_bytes (a0)+,(a4)+ #1,a4 d2,load_bytes (a0)+,(a4)+	Put line count in D1.L Indicate no error (A3) in SCAN_LINES Copy from screen to RAM Skip the other byte Repeat for entire line Copy pattern to byte Advance to next word Copy red byte to green Point at next red byte Copy a green byte to red Copy from heap to screen
* save_bytes * fill_bytes * green_bytes * red_bytes * load_bytes	move.w moveq rts ming routine move.b addq.l dbra rts move.b addq.l dbra rts move.b addq.l dbra rts move.b addq.l dbra rts	30(a0),d1 #0,d0 es, used by JSR (a4)+,(a0)+ #1,a4 d2,save_bytes d6,(a4) #2,a4 d2,fill_bytes (a4),-(a4) #3,a4 d2,green_bytes (a4)+,(a4)+ d2,red_bytes (a0)+,(a4)+ #1,a4 d2,load_bytes	Put line count in D1.L Indicate no error (A3) in SCAN_LINES Copy from screen to RAM Skip the other byte Repeat for entire line Copy pattern to byte Advance to next word Copy red byte to green Point at next red byte Copy a green byte to red Copy from heap to screen Skip the other byte
* save_bytes * fill_bytes * green_bytes * red_bytes * load_bytes	move.w moved rts ming routine move.b addq.l dbra rts move.b ddra rts move.b ddra rts move.b addq.l dbra rts move.b addq.l dbra rts move.b	30(a0),d1 #0,d0 es, used by JSR (a4)+,(a0)+ #1,a4 d2,save_bytes d6,(a4) #2,a4 d2,fill_bytes (a4),-(a4) #3,a4 d2,green_bytes (a4)+,(a4)+ d2,red_bytes (a0)+,(a4)+ #1,a4 d2,load_bytes (a0)+,(a4)+ d2,load_words	Put line count in D1.L Indicate no error (A3) in SCAN_LINES Copy from screen to RAM Skip the other byte Repeat for entire line Copy pattern to byte Advance to next word Copy red byte to green Point at next red byte Copy a green byte to red Copy from heap to screen Skip the other byte
* save_bytes * fill_bytes * green_bytes * red_bytes * load_bytes *	move.w moved rts ming routine move.b addq.l dbra rts move.b addq.l dbra rts move.b addq.l dbra rts move.b ddg.l dbra rts move.b ddbra rts move.b addq.l dbra rts move.b addq.l dbra rts move.b addq.l dbra rts move.b addq.l dbra rts move.b move.b addq.l dbra rts move.b	30(a0),d1 #0,d0 es, used by JSR (a4)+,(a0)+ #1,a4 d2,save_bytes d6,(a4) #2,a4 d2,fill_bytes (a4),-(a4) #3,a4 d2,green_bytes (a4)+,(a4)+ d2,red_bytes (a0)+,(a4)+ #1,a4 d2,load_bytes (a0)+,(a4)+ d2,load_words (a4)+,d1	Put line count in D1.L Indicate no error (A3) in SCAN_LINES Copy from screen to RAM Skip the other byte Repeat for entire line Copy pattern to byte Advance to next word Copy red byte to green Point at next red byte Copy a green byte to red Copy from heap to screen Skip the other byte Copy from RAM to screen
* save_bytes * fill_bytes * green_bytes * red_bytes * load_bytes *	move.w moved rts ming routine move.b addq.l dbra rts move.b addq.l dbra rts move.b addq.l dbra rts move.b addq.l dbra rts move.b dbra rts move.b addq.l dbra rts move.b addq.l dbra rts move.b move.b	30(a0),d1 #0,d0 es, used by JSR (a4)+,(a0)+ #1,a4 d2,save_bytes d6,(a4) #2,a4 d2,fill_bytes (a4),-(a4) #3,a4 d2,green_bytes (a4)+,(a4)+ d2,red_bytes (a0)+,(a4)+ #1,a4 d2,load_bytes (a0)+,(a4)+ d2,load_words (a4)+,d1 (a4)+,d1 (a4),-1(a4)	Put line count in D1.L Indicate no error (A3) in SCAN_LINES Copy from screen to RAM Skip the other byte Repeat for entire line Copy pattern to byte Advance to next word Copy red byte to green Point at next red byte Copy a green byte to red Copy from heap to screen Skip the other byte Copy from RAM to screen Fetch green byte Copy red to green
* save_bytes * fill_bytes * green_bytes * red_bytes * load_bytes *	move.w moved rts ming routine move.b addq.l dbra rts move.b addq.l dbra rts move.b addq.l dbra rts move.b ddg.l dbra rts move.b ddbra rts move.b addq.l dbra rts move.b addq.l dbra rts move.b addq.l dbra rts move.b addq.l dbra rts move.b move.b addq.l dbra rts move.b	30(a0),d1 #0,d0 es, used by JSR (a4)+,(a0)+ #1,a4 d2,save_bytes d6,(a4) #2,a4 d2,fill_bytes (a4),-(a4) #3,a4 d2,green_bytes (a4)+,(a4)+ d2,red_bytes (a0)+,(a4)+ #1,a4 d2,load_bytes (a0)+,(a4)+ d2,load_words (a4)+,d1 (a4),-1(a4) d1,(a4)+,d1 (a4),-1(a4) d1,(a4)+	Put line count in D1.L Indicate no error (A3) in SCAN_LINES Copy from screen to RAM Skip the other byte Repeat for entire line Copy pattern to byte Advance to next word Copy red byte to green Point at next red byte Copy a green byte to red Copy from heap to screen Skip the other byte Copy from RAM to screen
* save_bytes * fill_bytes * green_bytes * red_bytes * load_bytes *	move.w moved rts ming routine move.b addq.l dbra rts move.b addq.l dbra rts move.b addq.l dbra rts move.b ddra rts move.b dbra rts move.b dbra rts move.b move.b move.b move.b move.b	30(a0),d1 #0,d0 es, used by JSR (a4)+,(a0)+ #1,a4 d2,save_bytes d6,(a4) #2,a4 d2,fill_bytes (a4),-(a4) #3,a4 d2,green_bytes (a4)+,(a4)+ d2,red_bytes (a0)+,(a4)+ #1,a4 d2,load_bytes (a0)+,(a4)+ d2,load_words (a4)+,d1 (a4)+,d1 (a4),-1(a4)	Put line count in D1.L Indicate no error (A3) in SCAN_LINES Copy from screen to RAM Skip the other byte Repeat for entire line Copy pattern to byte Advance to next word Copy red byte to green Point at next red byte Copy a green byte to red Copy from heap to screen Skip the other byte Copy from RAM to screen Fetch green byte Copy red to green
* save_bytes * fill_bytes * green_bytes * red_bytes * load_bytes * swap_words *	move.b addq.l dbra rts move.b addra rts move.b addra rts move.b addq.l dbra rts	30(a0),d1 #0,d0 es, used by JSR (a4)+,(a0)+ #1,a4 d2,save_bytes d6,(a4) #2,a4 d2,fill_bytes (a4),-(a4) #3,a4 d2,green_bytes (a4)+,(a4)+ d2,red_bytes (a0)+,(a4)+ #1,a4 d2,load_bytes (a0)+,(a4)+ d2,load_words (a4)+,d1 (a4),-1(a4)+ d1,(a4)+ d2,swap_words	Put line count in D1.L Indicate no error (A3) in SCAN_LINES Copy from screen to RAM Skip the other byte Repeat for entire line Copy pattern to byte Advance to next word Copy red byte to green Point at next red byte Copy a green byte to red Copy from heap to screen Skip the other byte Copy from RAM to screen Fetch green byte Copy red to green Store green over red
* save_bytes * fill_bytes * green_bytes * red_bytes * load_bytes * swap_words *	move.w move.b addq.l dbra rts move.b move.b addq.l dbra rts move.b move.w dbra rts move.b move.b move.b	30(a0),d1 #0,d0 es, used by JSR (a4)+,(a0)+ #1,a4 d2,save_bytes d6,(a4) #2,a4 d2,fill_bytes (a4),-(a4) #3,a4 d2,green_bytes (a4)+,(a4)+ d2,red_bytes (a0)+,(a4)+ d2,load_bytes (a0)+,(a4)+ d2,load_words (a4)+,d1 (a4),-1(a4) d1,(a4)+ d2,swap_words (a4)+,(a0)÷	Put line count in D1.L Indicate no error (A3) in SCAN_LINES Copy from screen to RAM Skip the other byte Repeat for entire line Copy pattern to byte Advance to next word Copy red byte to green Point at next red byte Copy a green byte to red Copy from heap to screen Skip the other byte Copy from RAM to screen Fetch green byte Copy red to green
* save_bytes * fill_bytes * green_bytes * red_bytes * load_bytes * swap_words *	move.b addq.l dbra rts move.b addra rts move.b addra rts move.b addq.l dbra rts	30(a0),d1 #0,d0 es, used by JSR (a4)+,(a0)+ #1,a4 d2,save_bytes d6,(a4) #2,a4 d2,fill_bytes (a4),-(a4) #3,a4 d2,green_bytes (a4)+,(a4)+ d2,red_bytes (a0)+,(a4)+ #1,a4 d2,load_bytes (a0)+,(a4)+ d2,load_words (a4)+,d1 (a4),-1(a4)+ d1,(a4)+ d2,swap_words	Put line count in D1.L Indicate no error (A3) in SCAN_LINES Copy from screen to RAM Skip the other byte Repeat for entire line Copy pattern to byte Advance to next word Copy red byte to green Point at next red byte Copy a green byte to red Copy from heap to screen Skip the other byte Copy from RAM to screen Fetch green byte Copy red to green Store green over red

DIY TOOLKIT

they call FIND_WINDOW to read details into registers from the channel definition of the window. This in turn calls an SD.EXTOP extended operation routine, which temporarily replaces the channel ID in A0 with the address of the channel details. SD.EXTOP sifts out non-display channels, reporting 'bad parameter'.

The FIND_WINDOW subroutine works out the location and storage requirements for the window. By the time it has finished, A1 points to the first word of the window in display memory, the amount of space needed is in registers D1 and D5, with the width of each window line in D0 and the number of lines in D4.

The width is measured in sixteen bit words, with one subtracted from D0 and D4 to suit the DBRA loop instruction, which counts down from the initial value to -1. This fiddling around is justified because it simplifies the keyword routines, which all use FIND WINDOW.

The next step is to allocate memory for a stored image. MT.ALCHP attempts to reserve D1 bytes on the Common Heap. If this works, the space is prefixed with 'Bufa', so that the DIY Toolkit DISCARD command knows that it can safely be released. The space is also added to the list maintained by Toolkit 2, so it can be released with RECHP or CLCHP, and automatically freed after LOAD, LRUN or NEW.

Linked list

Toolkit 2 uses the first four bytes of each heap allocation made with ALCHP to link the allocations into a list. The undocumented system variable at 224(A6) in the SuperBasic area normally holds zero, but Toolkit 2 updates this to point to the link in the most recent ALCHP space.

In turn, this link may contain the address of another link, at the start of another ALCHP space, or zero to signify the end of the list. CLCHP and the commands that remove the current program go through the list and deallocate each space. The list is ignored if you do not have Toolkit 2 on your machine. The next eight bytes indicate the size of the stored image. First comes a long word, the total size requested in bytes, followed by two words: the number of pixel lines in the window (less one to suit DBRA), and the compression indicator held in D6. All the remaining space is used to store window pixel information, read from the screen display.

Shared code

The subroutine labelled SCAN_LINES is central to all DIY Windows keywords. My original keyword routines each used a double loop to scan the window and process each word of display memory. The outer loop stepped from line to line, while the inner loop processed the individual words of each line. This was rather a waste of memory, as the same instructions were used to step between

define	dc.w	5	5 new PROCedures
	dc.w	show-*	
	dc.b	6, 'W_SHOW'	
	dc.w	swap-*	
	dc.b	6, 'W_SWOP'	
	dc.w	swap-*	
	dc.b	6, 'W_SWAP'	
	dc.w	setred-*	
	dc.b	7, 'SET_RED'	
	dc.w	setgreen-*	
	dc.b	9, 'SET_GREEN'	
	dc.w	Ø	End of PROCs
*			
	dc.w	2	2 new FuNctions
	dc.w	store-*	
	dc.b	7,'W_STORE'	
	dc.w	crunch-*	
	dc.b	8, 'W_CRUNCH'	
	dc.w end	Ø	End of FNs

lines in every case.

The improved version is almost as fast, yet 48 bytes shorter, because the shared subroutine SCAN_LINES is used to step between lines. The action performed on each line is determined by the value in register A3 which points to a distinct subroutine for each possibility. In every case D2 indicates the line width, and A4 points to the first word of each line.

The line manipulation subroutines are collected at the end of the listing. For instance, SAVE_BYTES copies alternate bytes from display memory, at A4, to the buffer at A0. SAVE_BYTES is used by W_CRUNCH. SAVE_WORDS is the corresponding loop used by W_STORE; it copies a word at a time. SWAP_WORDS is used by W_SWAP and W_SWOP; it exchanges odd and even bytes in display memory.

All eight routines are called from SCAN_LINES, which sets D2 and A4 to process each line in turn. The code could be 28 bytes shorter if the DBRA D2 loops were moved to SCAN_LINES, but this would slow things down disproportionately because of the need to call a subroutine to process each word, rather than each line.

Wide windows

Minerva users with wide windows might speed up W_STORE and W_SHOW by calling the MM.MOVE vector, \$158. The advantage is slight as they must call the vector for each line, unless the window is a full 512 pixels wide. The remainder of the code for W_STORE and W_CRUNCH should be familiar. This 'normalisation' code is used by many QL extensions. It was discussed in my May 1988 QL World column and CHANCODE_DOC in DIY Toolkit Volume C. It converts the address of the heap allocation in D1 into six-byte QL floating-point form, so it can be returned to Basic.

You should now be sufficiently cognizant of the DIY Windows design to understand the entire SWAP routine. Only ten lines of unique code are needed to implement W_SWAP and W_SWOP. The first five lines call GET_CHANNEL and FIND_WINDOW to read and analyse the channel parameter. Then they point A3 at the SWAP_WORDS subroutine, before falling into the SCAN_LINES loop, which calls SWAP_WORDS for each line in turn.

SET_RED and SET_GREEN work much the same way, but take an extra parameter which determines the routine called by SCAN_LINES. If this parameter is 0 or 1 the corresponding colour bytes must be set or cleared. In both cases the FILL_BYTES loop is used to copy the value of D6 into alternate bytes of the window. D6 is zero if the bytes are to be cleared, or -1 to set all bits.

If the second parameter is -1 the RED_BYTES or GREEN_BYTES loop is selected, to copy information from one set of colour bytes to the other. Green bytes are stored before red ones, so SET_RED -1 goes faster than SET_GREEN 1, which must step backwards to copy each red byte to a green location, then step forward to the next word.

The only unexplained keyword is now W_SHOW, which is encoded after the FIND_WINDOW subroutine. Unlike the others, this takes a long integer parameter after the channel number. This is the address of the window contents to be restored. SHOW starts by checking that there are two parameters, and hides the second one before calling GET_CHANNEL. There is no need to check the value of D3 after this call as A3 and A5 differ by 8, delimiting a single parameter.

CA.GTLIN is used to fetch the long word address, which should be positive and even. The compression indicator is read into D6 before the call to FIND_WINDOW, so it gets the size right. W_SHOW reports 'out of range' if the size or depth of the window has changed since it was stored. Otherwise it uses LOAD_WORDS or LOAD_BYTES to restore the image, depending on the value of D6.

Various modes

DIY Windows commands are designed to suit Mode 4 displays, but they can also be used to save and restore Mode 8 windows. There is a potential problem with SET_GREEN and W_SWAP in Mode 8, as these commands may set flash bits as well as green bits, leading to a chaotic flashing display.

The problem occurs because Mode 8 uses four bits to record the details of each pixel. Alternate bits in the even bytes turn flashing on and off. Corresponding bits in the odd bytes control the blue component of the colour, so the odd-numbered ink colour blue, magenta, cyan and white make the window flash after SET_GREEN or W SWAP.

To correct this, alter the commands to check the display mode with a call to MT.DMODE (TRAP#1, D0=16); remember to preserve A4 as it is corrupted by the call. If Mode 8 is in use you must mask each byte stored at an even address with AND #170 to ensure that the flash bits are not set. This enhancement requires two new line-scanning loops, based on GREEN_BYTES and SWAP_WORDS.

The existing code works perfectly in the Thor XVI's extra Mode 12, which replaces the flash bits with intensity controls, giving 16 colours on an RGBI TTL monitor. It also copes with Minerva's second screen, as it works out the window address from SD.SCRB in the channel definition.

Extra screens

In fact it is possible to have even more 'logical screens' in QL memory. Sinclair's display hardware can only read screens starting at 131072 or 163840, but Minerva lets you move the system variables even higher in memory, leaving space for extra 32K screens. To display these you need to move their contents into one of the hardware display areas, with MM.MOVE or W_STORE and W_SHOW.

If you already read the screen from a remote machine using the MEM device and network file server, all you need to do is change the start address used by MEM. The Minerva rom can put text anywhere in memory, depending on the values in the channel definition. If you have a Gold Card, scrolling and output to screen addresses above 196607 should be extra-fast as there is no need to update slow eight bit memory.

There are two ways to re-direct text and graphics to extra screens. You can update SD.SCRB to point to the start of the required screen, at any even address, or leave the default of 131072 and store a top line number greater than 255 in SD.YMIN.

This value is multiplied by 128, using word arithmetic, and added to SD.SCRB to find the base address of the window. Thus it is possible to position a window that overlaps between two screens! I thank reader PH Tanner of Glasgow for this idea.

Such POKEs require the use of CHBASE, from DIY Toolkit Volume Q, to find the channel definition from Basic. Machine coders can get the same effect with an SD.EXTOP call.

Next issue

DIY Toolkit will be back next month with a useful command that will help you generate neat formatted reports on the vocabulary of your SuperBasic interpreter, on all QL systems from AH to Minerva, occupying only 276 bytes of memory. . I am always on the lookout for new, useful and concise extensions to the Qdos system, and welcome suggestions from readers. Please write to DIY Toolkit, care of QL

SUBSCRIBE TO SINCLAIR QL WORLD!

	SUBSCRIPTION FOR	M	
Cheques shoul	£23.40 £32.90	Send the completed form to: Arcwind Ltd The Blue Barn, Tew Lane Woodston Woodstock	
Card No		Oxon OX7 1HA Tel: 0993 881181 Fax: 0993 811481	
	e a 12 Month subscription to Sinclair QL World		
Telephone No.			
Signed			
Date			

QUANTA

Independent QL/Thor Users Group

Worldwide Membership is by subscription only, and offers the following benefits:
Monthly Newsletter – up to 40 pages
Massive Software Library – mostly FREE!
Free Helpline and Workshops
Regional Sub-Groups. One near you?
Advice on Software & Hardware problems
Discounts from most major suppliers
Subscription just £14 for UK members
Overseas subscription £17

Barclaycard: Visa: Access: Mastercard

* Now in our NINTH successful year *

Further details from the Membership Secretary



Potos (12 months)

Bill Newell 213 Manor Road Benfleet Essex. SS7 4JD Tel (0268) 754 407



IF AN ADVERT IS WRONG, WHO PUTS IT RIGHT?

We do.

The Advertising Standards Authority ensures advertisements meet with the strict Code of Advertising Practice. So if you question an advertiser, they have to answer to us.

To find out more about the ASA, please write to Advertising Standards Authority, Dept. X, Brook House, Torrington Place, London WC1E 7HN.



ASA

This space is donated in the interests of high standards in advertisements.

SUBSCRIBE TO SINCLAIR QL WORLD!

SUBSCRIPTION FORM

nates (12 IIIOIIIIIs	
U.K.	£23.40
Europe:	£32.90
Rest of World	£40.90
Select back issue	es available on request. Please call for details.
	be made payable to Arcwind Ltd. credit card/Access/Visa
Card No	
Expiry Date	
Please send me	a 12 Month subscription to Sinclair QL World
Name	

Send the completed form to:

Arcwind Ltd
The Blue Barn,
Tew Lane
Wootton
Woodstock
Oxon OX7 1HA
Tel: 0993 881181
Fax: 0993 811481

Address

Signed _ Date_

Telephone No._

OFTWAREFILE

INFORMATION

Program: Open World 2.0 Supplier: Ergon Development, c/o Davide Santachiara, Via Emilio de Marchi n.2, 42100 Reggio Emilia, Italy.

Memory: 256K

Price: £25(disk) plus £5 carriage. All payable to D. Santachiara. Add £4 for sterling cheques; nothing for Eurocheques in Lire.

he QL has various pro grams which can be used to design pictures both for use on the computer screen and for use in printed material. However, for the less artistic, it can be difficult to come up with ideas. Other computers have a wealth of public domain picture files which can be used, some of which are truly excellent pieces of

computer generated art. These can be

used in a display or even to improve the look of your documents.

Although there are some public domain pictures for the QL, these tend to be what is known as 'clip art' (a series of small pictures stored on a larger screen, which may then be cut out from that screen and used to embellishdesktoppublishing). There have however been two new releases on the QL scene to give the user, greater access to pictures designed on other computers. One of these is CGH Service's SToQL, which allows you to access various types of pictures created on an ST computer (a program which I will not dwell upon because I am partly responsible for it). Open World is the other.

Open World comes supplied on a disk or microdrive together with a twelve page A4 manual. The manual is well written and easy to follow. On loading the program with the supplied boot program, you are presented with a start-up screen giving a little information about the program. Pressing any key will give you the main menu from where you can decide the type of screen to be converted into QL format.

Provided that you have already used a utility (such as Xover) to convert a disk containing the screens into QL format, Open World can then be used to read the

Open World

Rich Mellor looks through a collection of pictures which can be easily converted for use by and on a QL.

disk and convert the following screen formats:

IFF - Generated on an Amiga computer (for example using the program Deluxe Paint),

GIF - A standardised screen format widely used on PC's,

TIF - Generated by different scanners and desktop publishing programs on PCs and MacIntosh computers,

CUT - A less widely used format but available on various com-

Open World uses a system of various easy to operate menus to choose the various functions and set various parameters. The menus are based upon Ergon's own standard menu system, which allows you to choose options either by moving a cursor bar onto the appropriate item, or by pressing a key associated with each option. Their operation is explained in the manual and, as with all of Ergon's programs, this makes the program easytogetusedto.

Once you have chosen the type of image to convert, a menu is displayed containing a list of the files on the given Working Device which contain the appropriate suffix (eg _GIF for GIF files). You can then easily choose which file you wish to convert, using the cursor bar. If you are lucky enough to have the Files-2 system, you will be pleased to note that Open World supports full sub-directo-

If you have chosen to convert a GIF or IFF file, a small window is

on screen which displays useful pieces of information about the file, which can be used to improve theimageifyouwish.

Having loaded the file to convert, you are given a further submenu which allows you to set the conversion parameters. Some converted screens may be larger than the QL screen, so to help with these, you are able to specify both x and y offsets for the top left hand corner of the screen being loaded. On top of this, you can also alter the size of the display by altering the parameter 'Output scr_500x240a6x8' to the desired window size. Other parameters allow you to specify whether the screen should be converted in mode4 or mode8. and how much memory should be allocated for the conversion of GIF files.

Another option (called Dithering) allows you to convert screens in monochrome mode. Open World uses quite a complex algorithm to ensure that the resultant black and white image retains the original resolution and the grey scales introduced make a fair attempt at retaining the colour diversity. This does however tend to degenerate mode8 pictures, although this will of course depend very much upon the original image.

Having set the conversion values, you can then choose to process the file. Open World will load the appropriate conversion routine from the Main Device prior to loading the file. The conversion process is generally quite quick, although the GIF conversion takes longer for various reasons explained in the manual. Apparently, GIF files can be 'interlaced' and contain up to 256 colours. As a result, the image must be loaded into memory and then some calculations must be carried out upon the image before it can actually be displayed on screen.

Although the QL cannot (currently) display as many as 256 colours (even the THOR XVI can only display a maximum of 16 colours), the conversion programs each make a valiant attempt at ensuring that the picture retains most of its original resolution. However, with current levels of QL technology, you will need to view the image on a black and white monitor to obtain the best results!

Having converted the program you can then save the image in QL format onto any device, thus allowing you to use these pictures in your own programs or displays. If however, you have several pictures to convert, it may be useful to use the 'Transfer to ram' option (provided that you have a ramdisk available). If you choose this option, Open World will transfer all of its overlays onto a ramdisk (ram1) and from then on it will access the ramdisk for its own files, allowing you to use the program easily on a QL with only one disk drive.

Overall the program is very slick, and enables you to convert the various form of images very quickly and easily. I only found one or two minor errors in the program, all of which have been notified to Ergon and which I understand they will soon remedy. If you are in need of a few images to get you started, I understand that Ergon can also supply two disks (for £2 each) full of GIF and IFF screens. I have seen a few of these screens and can say that they would appear to be of very good quality. Many users will undoubtedly find a use for such a program, particularly those with access to bulletin boards, which seem to contain an endless stream of such images.

OFTWAREFILE umenu INFORMATION

Program: QMenu

Supplier: Jochen Merz Software

Im Stillen Winkel 12 4100 Duisberg West Germany

Price: £12.00 plus VAT, plus £4.50 carriage

Updates cost £5 plus £4.50 carriage.

menu is the documentation for an extension Thing (special toolkit), menu _rext', which provides easy-to-use menus and a special scratch-pad area. Menu_rext defines two extension things, 'Menus' and 'Scrap'.

The advantage of writing a toolkit as an extension Thing is that it is not specific to SuperBasic, and may be used from other languages such as C or Forth. Most normal QL toolkits can only be used from SuperBasic. All the work required to handle Things in your QL is handled by the Thing System in the Qjump file 'hot_rext', which is bundled with Qpac I and II, Qd3, DataDesign, etc. The Thing system is a (linked) list of named resources that may be used by QL programs in an ordered manner.

Qmenu provides enough information to use the 'Menus' and 'Scrap' extensions without having to worry about how to use extension Things. Things are given a technical explanation in chapter 17 of the Qdos Reference Manual available from Jochen Merz software for £30 excluding postage.

Expanded QLs are beginning to see more and more extensions building upon other extensions. First seen in Qram, PTR_GEN handles the pointer and added handling for extra graphic objects, while WMAN built upon PTR_GEN to provide an easy-to-use menu system. Programmers find WMAN hard to use from their programs, as they have to wrestle with Qptr, the documentation for PTR_GEN and WMAN. Hot_rext, introduced in Qpac 1, contains the Thing system and the Hotkey System II.

Co-operation

'Menus' follows this theme of co-operation, using WMAN and Hot rext. The 'Menus' extension uses the Thing system (hot_rext) to let the rest of the system know that it is 'in the house'. All a program has to do is to ask the Thing system if it can use the Thing called 'Menus'. To provide the easyto-use, pointer-driven menus, the 'Menus' Thing uses the Window MANager, WMAN.

Qmenu helps programmers use parts of the QJump Thing system without mastering the entire system. Ian Bruntlett assesses it.

```
A SuperBasic program demonstrating the uses of Qmenu
```

100 REMark QmenuQLW2_bas (C) Ian.R.Bruntlett April 1991, 1992

110 REMark demo of new gmenu, SELECT_LIST

120 REMark 5/5/92 modified for more useful file picking

130 _Compiled%=1

140 REMark \$\$asmb=flp1_Outln_rext,0,54

150 REMark \$\$off

160 Compiled%=0

170 REMark \$\$on

180 IF _Compiled% THEN OPEN #0; 'con_512x256a0x0':OUTLN #0;512,256,0,0

200 REPeat Loop

210 Option=SELECT_LIST('SLST demo','1. Stuff filename\2. Stuff file from dev\3. Stuff device\4. Execute

job\5. VIEW a file\6. Set PROGD\$\7. Edit PROGD\$\8. Set DATAD\$\9. Edit DATAD\$\A. Edit stuffer',,,10)

220 SELect ON Option

230 =0:PRINT #0:'ESCapel':EXIT Loop 240

file\$=FILE_SELECT\$('Stuff filename') IF file\$<>" THEN HOT_STUFF file\$:EXIT Loop

280 _Hk\$=FILE_SELECT\$('filename to stuff',,DIR_SELECT\$('directory for stuff',,,,2),,,,,2):IF _Hk\$<>" THEN

HOT_STUFF_Hk\$:EXIT Loop

290 =3:

300

_Hk\$=DIR_SELECT\$('directory to stuff',,,,2):IF_Hk\$<>" THEN HOT_STUFF_Hk\$:EXIT Loop

310

320 file\$=FILE_SELECT\$('Execute job',,PROGD\$,'_exe')

330 IF file\$<>" THEN EXEC file\$

340

350 file\$=FILE_SELECT\$('Pick a file to view')

360 IF file\$<>" THEN VIEW FILE file\$ 370

380

subd\$=DIR_SELECT\$('Set programme default')

IF subd\$<>" THEN PROG_USE subd\$

410 newPROGD\$=READ_STRING\$('Edit programme default',PROGD\$)

420 IF newPROGD\$<>" THEN PROG_USE newPROGD\$

430 =8:

440

subd\$=DIR_SELECT\$('Set data default') 450 IF subd\$<>" THEN DATA_USE subd\$

460

newDATAD\$=READ_STRING\$('Edit data default',DATAD\$)

IF newDATAD\$<>" THEN DATA_USE newDATAD\$

=10:newSTUFF\$=READ_STRING\$('Edit stuffer buffer',HOT_NAME\$(' ')) IF newSTUFF\$<>" THEN HOT_STUFF newSTUFF\$

510 END SELect

520 END REPeat Loop

530 STOP

To keep things simple I will call a menu from Qmenu a Qmenu, and any other menu a menu. When I give a Qmenu's SuperBasic name I'll put its four character 'extension thing' name in square brackets after it.

First of all, are the Qmenus practical? Yes. When a user is confronted with a Qmenu, it is no different to being given a menu from Qram or Qpac II. This is not too surprising, as 'Menus' uses WMAN (which is also used by Qram and Qpac II). It does show that Jochen Merz has observed the few guidelines in Optr which are along the lines 'CTRL F2 causes the information displayed to be refreshed, ESCape removes a window without performing any (further) action, etc.'. So there are no nasty surprises for

SOFTWARE FILE

the user.

'Menus' is a set of nine specialised menus biased towards file handling. The colours of the menus can be defined by setting 'colourways', which are a number from 0-4, the default being 'white/green'. As the menus rely on the window manager, the programmer must ensure that the job the Qmenu is being used in has a 'managed window' (set by iop.outl, trap #3, d0=\$7a). SuperBasic programrs are provided with OUTLN, an extra toolkit command which does this.

The most impressive of the Qmenus is FILE_SELECT\$ [FSEL]. This brings up a large menu which has two large areas, one to show subdirectories (but only on the Miracle hard disk and other level-2 device drivers), and the other to show a list of filenames. It is very easy for the user to change device - a list of the directory devices present in the QL is part of the menu, choosing one of them causes FSEL to display a list of filenames from the new device. There is a slight problem with the list of devices - if there are two devices that begin with the same letter then only the first of those devices can be chosen with a single key press. This is only a minor problem, as keyboard users can still move the pointer to the desired device name and 'hit' it.

Hitting

'Hitting' the sub-directories entry pulls down a further qmenu - DIR_SELECT\$ [DSEL]. This qmenu allows you to choose a device from 'mdv1/2, flp1/2, ram1/2, win1/2', or any of the eight user defined sub-directories that may be set with Qjump's Config. This shows a weakness of Config - there is no 'update' function: if you configure a piece of software and later on receive an updated version, all you can do is to

overwrite the old version and configure the new version. It would be much more convenient if I could just tell Config: 'Here is the old configured version, use my configuration choices from the old version as the default choices for the new version'.

'Hitting' the file extension entry pulls down another qmenu-EXT_SELECT\$ [XSEL]. This is a list of ten common file extensions. They are common to programmers - 'bas\pas\asm\txt\c\err\lis\t87\map\exp'. The default extensions may be configured by the user to suit.

The FILE_SELECT menu has one more trick up its sleeve - it can read the stuffer buffer (ALT-Space) so the filename return could also be the current or the previous contents of the stuffer buffer.

There is one refinement I'd like to see in FILE_SELECT. I would like it to be able to show a file (for example, with the Qmenu VIEW_FILE) so that the user can make sure a certain file is the correct file before clicking 'Ok'.

FILE_ERROR will either return -1 if the error to be dealt with is not a file error, or it will produce a relevant menu with options for retry/abandon/overwrite, etc, returning a unique value for each user choice. This is a new addition to Omenu.

VIEW_FILE [VIEW] is a relatively simple file viewer. It shows a file in a big window and allows you to set WRAP ON (lines are wrapped around at the end of the window, like COPY file TO SCR) or to set WRAP OFF (lines too long to fit in the window are truncated, like VIEW file). It is similar to the Qpac2 file viewer - pressing Space reads a further line, Enter reads a whole page and CTRL-F2 (Wake) causes the beginning of the file to be displayed again. The only missing facility is a scroll bar to move quickly from one part of the file to another.

Config

New versions of Qjump's Config now use the FILE_SELECT menu if it is present. Now you have the strange situation of being able to run Config, which in turn will use menu_rext to get a filename from the FILE_SELECT menu, which in turn gets configured by Config! This kind of co-operation should be more frequent. The other qmenus are less file-oriented:

READ_STRING\$ [RSTR] brings up a small window with a title and prompt and allows the user to edit some text (possibly a file name).


REPORT_ERROR [RPER] brings up a small window with a standard Qdos error report in it and waits for the users to acknowledge its existence - then it removes itself.

ITEM_SELECT [ITSL] brings up a small window with a title, prompt and up to three options to be chosen. Despite having three options, this menu can still be used to display a Toolkit 2 look-alike 'yes/no/all/quit' prompt as it returns 1 to 3 for a selected option and 0 for ESCape. The options may be chosen by pressing the first letter of the option name or by clicking an option with a mouse.

Choice%=item_select('QLW Test menu','You have no option but to choose one','No','All','Yes')

During the passage from Qmenu version two to version three, Qmenu has diversified into list handling. There are three list handling routines - SELECT_LIST, SELECT_LIST\$ and LIST_SELECT. Only LIST_SELECT is meant to be used these days - the SELECT_LIST routines are only included for compatibility.

The LIST_SELECT routine will bring down



SOFTWARE FILE

a menu of items, but has two modes of operation. It can be used as an option list where the user can switch options on/off, returning when the user has finished setting the options. Or it can act as a conventional menu, returning when the user has selected a single option.

The other extension Thing, "Scrap Extensions', handles the 'Scrap'. The 'Scrap' is an area of memory which can be used for memory-based importing/exporting between programs. The programs have to specifically access the scrap, so it won't be used by the Psion programs.

There are SuperBasic commands and machine code routines to clear the scrap, put information in it, find out what kind of information is in the scrap and to read the scrap.

Documentation

So now you have been introduced to 'Menus', what about the documentation and facilities for programmers? In no way do the above descriptions render the 'Qmenus' documentation redundant. The manual seems to have been written in the 'Qptr' style of manual writing, that is, concise and to the point. Occasionally it is too concise - the assembly language programmer would feel a bit let down if all there was to go on was the manual. Fortunately, there is a full demo in assembler on the disk, and the source files are provided.

To access the 'Menus' from assembler, Jochen Merz provides some assembly language source code files. Previous versions of Qmenu provided S-ROFF (Sinclair Relocatable Object File Format) files that needed a compatible assembler. Now that the source code for the access routines is provided, you can use Qmenu with any QL assembler.

If you are unfamiliar with the 'Thing' system, you should read the Qjump document 'thing_ext' on

the Quanta SPECIALS_0 disk before using Qmenu. You may find my 'Qdos_Listthg_bas' on the CGH Services MISC PD disk a handy way of finding information on Things.

Despite those reservations, Qmenu is definitely usable by assembly language programmers. Each menu is defined reasonably well, although the manual occasionally returns to being too concise. For instance, the FILE_SELECT menu can modify the directory string or extension string passed to it. This is explained away with "If the update bit in the directory or extension parameter is set, then, if the user changes the extension or the directory, the string is updated (if it is not a key)". Which update bit? Could it be in the definition of the Thing parameters in 'Menus' or does it refer to the parameter block that we pass to the qmenu code

itself?

The SuperBasic programmer fares better than the assembly language programmer as far as documentation goes. Each SuperBasic extension is listed and defined. At the moment the 'SuperBasic-Thing' interface cannot handle multiple return parameters, so one or two facilities are unavailable from SuperBasic. It even mentions some facilities that are due to be implemented.


Serious

If you are a programmer who is going to make serious use of qmenus within your own programs, buy Qmenu. You are going to need it. A dabbler could get by on guesswork without Qmenu, but would end up not using the full facilities of the 'Menus' extensions.

The 'Menus' extensions are very useful and easy to use in a program. If you have a small program which would be very useful but the user interface work via Qptr would be too much effort, use the Qmenus. You won't have the degree of control that Qptr gives you, but the result will be a saving in time. All that is missing now from Qmenu is a 'main window' menu which has individual 'Omenus' built into it, placed by the programmer, waiting to be invoked.

I have two simple SuperBasic programs which have been made easier to write and better to use by Qmenu. One, 'vdat', is a filter that uses SELECT_LIST when deciding which Psion printer driver to list. The other, a test bed for this article, is on a hotkey to set Toolkit 2 defaults from the DIR_SELECT\$, stuff filename from FILE_SELECT\$, etc. Both were simple programs made more useful by Qmenu.

People who are going to use the 'Menus' extensions only in packages that use it (such as Easy Pointer or Qd2/3) will not gain anything by buying Qmenu.



Systematic Machine Code Programming

In part 9 of this series for new programmers, Alan Bridewell puts his routines to the use of saving and re-loading screen files.

ny program which is con cerned with screen graphics will usually require the ability to save screens to files, and also reload such screen filesback to the screen. In this section, we shall look at routines for doing just that. Most of the coding here has been dealt with before as smaller chunks. so if you have been following the series, you should not have much difficulty with it. However, as they occur so often in applications, it seems reasonable to include them in the series in their own right, rather than leave you to construct them from smaller chunks.

Listing one gives the Screensave routine. Although it is not complicated, it does present a particular problem which needs to be overcome one way or another. The problem is this: in order to save the screen to a file, we need to open a new file on disk or microdrive. To do this, we need to first prompt for a file name, which must then be typed in. This, of course, means using the screen, which is also to be used for the display to be saved on the file. One solution would be to use a window in part of the screen not required for the display, which is fine so long as the display does not require the entire screen.

I prefer a slightly different solution. I open a suitable file before

```
Listing 1
  *************************
                               SCREENSAVE
  THIS ROUTINE WILL PROMPT FOR THE NAME OF A NEW FILE. AND SAVE THE QL'S
  SCREEN RAM IN THE FILE
  PUT PROMPT ONTO SCREEN
                                  (A7),A0 ; OR 4(A7),A0 OR 8(A7),A0, ETC.
; CHANNEL ID IN A0
MESSAGE,A1 ; BASE ADDRESS IN A1
                       MOUF.I
. MESS
                       LEA.L
                       MOVE.W
                                  $D0,A2
                                              ; UT_MTEXT VECTOR IN A2
                                  (A2)
                       JSR
                       BRA.S
                                              ; SKIP MESSAGE
                                  INSTRING
                                               : LENGTH OF MESSAGE
. MESSAGE
                                   Name of new screen file'
                       DC. B
                                               ; CR,LF
                       DC. B
                                   '(including device): '
  GET STRING FROM KEYBOARD
                                  #BUF_LEN,D2 ; LENGTH OF BUFFER IN D2
#$FFFF,D3 ; INFINITE TIMEOUT
BUFFER,A1 ; BASE ADDRESS OF BUFFER IN A1
 INSTR
                       MOVEQ
                       MOVE.W
                       LEA.L
                                                #ID_FLINE IN DO
                                  #2,DO
                       TRAP
                                  #3
                                  BUF_POS,AO
                                                  BUF_POS IN AO
                       LEA.L
                                             ; SUBTRACT 1 FROM THE D1 REMOVES
; THE LF FROM THE STRING COUNT.
                                  #1,D1
                       SUBQ. L
                                            ; PUT NEW STRING LENGTH IN BUF_POS
  TRY TO OPEN A CHANNEL TO THE FILE
                                  BUF_POS,AO ; BUF_POS IN AO
#2,D3 ; OPEN NEW EXCLUSIVE FILE
                       LEA.L
                       MOVEQ
                                              ; JOB ID FOR THIS JOB
                       MOVED
                                  #-1,D1
                                  #1,DO
                                              # #IO OPEN IN DO
                       MOVEQ
                       TRAP
                                              : ERROR?
                       TST.I
                                  DO
                                              ; IF NOT, THEN CONTINUE. ELSE:-
                                  CONT
                       BEQ. S
  IF ERROR, THEN THIS IS USED
                       BRA
                                  MESS
                                              ; GO BACK TO PROMPT
  ALTERNATIVELY, YOU COULD BRANCH TO CODE TO KILL THE JOB
  IF NO ERROR, THEN THIS CODE IS USED.
   OR YOU COULD JSR TO A ROUTINE TO GENERATE GRAPHICS,
  AND RTS TO .TRA )
                                   AO,-(A7)
                       MOVE.L
                                                 SAVE FILE CHANNEL ID
                                   4(A7),A0
                                               CHANNEL ID IN AO
 . MESS2
                       MOVE. L
                                   MESSAGE2, A1 ; BASE ADDRESS IN A1
                       LEA.L
                                               ; UT_MTEXT VECTOR IN A2
                       MOVE. W
                                   $D0,A2
                                   (A2)
                       JSR
                                               ; SKIP MESSAGE
                        BRA.S
                                   PRIORITY
                                                 LENGTH OF MESSAGE
                       DC.W
 MESSAGE?
                                   29
                                   'NOW CREATE SCREEN TO BE SAVED'
                                               ; CR,LF
                       DC.B
                                   10
  REDUCE THE PRIORITY TO 1
                                                          ; #MT_PRIOR IN DO
; OF THIS JOB
                                   #$B,D0
 PRIORITY
                       MOVEQ
                                   #-1,D1
                                                         ; TO 1
                        MOVEQ
                                   #1,D2
                       TRAP
                                   #1
  MONITOR THE KEYBOARD FOR <CTRL><SHIFT>X
                                             ; KEYROW PARAM TABLE IN A3
                                  KEYR.A3
 . KEYROW
                       LEA. L
                       MOVEQ
                                   ##11,DO
                                            #IPCOM IN DO
                        TRAP
                                   #1
                       CMPI.B
                                   #11,D1
                                              ; IS <CTRL><SHIFT>X PRESSED?
                                              ; IF PRESSED, MOVE ON ; IF NOT, TEST AGAIN
                       BED. S
                                   PRIOR2
                       BRA.S
                                  KEYROW
```

setting up the screen to be saved. Then when the screen is ready, pressing the appropriate key combination will save the screen to the file.

Two ways round

This method lends itself to two alternatives. If the same program is going both to generate and to save the display, it must branch off to the routines which generate the display after the file has been opened, and then return to the routine when the display is ready to be saved. On the other hand, the screen-saving routine can be in a separate, multitasking program. In this case, once the file is open, the routine can reduce its priority to 1 so that it does not slow down the screen generating program, and simply wait in the background monitoring the keyboard for the right combination of keys.

At this point, the user can Ctrl-C from the saving program into the generating program. When the appropriate key combination is pressed, the saving routine will increase its priority to 32 again, and save the screen.

Since a lot of the routine is given over to this approach, it is the default setting. The alternative is there as a one line BRA statement.

The routine starts by putting a prompt into a suitable screen channel which was previously opened. It then takes a string from the keyboard as a channel name, and tries to use it to open a new, exclusive channel. If it is unsuccessful, it loops back to repeat the prompt. If the channel is successfully opened, its channel ID is saved on the stack, and a prompt is put on the screen to carry on and generate the screen which is to be saved.

After this, the routine reduces the priority to one, and then goes into a loop waiting for a particular combination of keys to be pressed. The default setting is to test for Ctrl-shift-X, because the three keys are in the same keyrow, and it is an unusual key combination. Clearly, you can alter this to suit your own requirements. Once that key combination has been pressed, the priority is raised again to 32, and the transfer of bytes from screen ram to file goes ahead. Finally, the file has to be closed.

Taking it apart

If you are interested in taking this apart, you will see that it is almost entirely constructed of smaller chunks from earlier parts in this series. They are, in order Message, Instring, Open, Message, Priority, Keyrow, Priority, Close. The only new bit comes just before the final Close. This is where

```
KEYROW PARAMETER TABLE
                     DC.B
                                            READ KEYROW
                     DC. B
                                            ONE PARAMETER
                                            LOWEST FOUR BITS ONLY
                     DC.L
 ALTER NEXT PARAMETER TO REQUIRED KEYROW
                                            TEST ROW 7
                     DC.B
                     DC.B
                                            REPLY OF 8 BITS IN D1
 INCREASE PRIORITY BACK TO 32
                                                       #MT_PRIOR IN DO
                     MOVEQ
                                #$B,D0
 PRIOR2
                                                       OF THIS JOB
                     MOVEQ
                                #-1,D1
                                #32,D2
                                                       TO 1
                     TRAP
 TRANSFER BYTES FROM SCREEN TO FILE
                               (A7),A0 ; FILE CHANNEL ID IN AO #$20000,A1 ; START ADDRESS OF SCI
- TRA
                     MOVE I
                                #$20000,A1 ; START ADDRESS OF SCREEN
#$FFFF,D3 ; INFINITE TIMEOUT
                     MOVE.L
                     MOVE. W
                                #$8000,D2 ;
                     MOVE.L
                                            SCREEN SIZE IN D2
                                #$49,DO
                                            FS. SAVE IN DO
                     TRAP
                                #3
                     MOVEQ
                               #2,D0
                                          : #IO CLOSE IN DO
                     TRAP
                     **********************
                      TO BE POSITIONED AFTER THE CODE
 WE NEED 'BUFFER'
                   FOR THE STRING AND
                                        'BUF_POS' FOR THE STRING COUNT
BUF_LEN
                     EQU
                                          : LENGTH OF INPUT BUFFER
.BUF_POS
                     DC.W
BUFFER
                     EQU
          **** NOTE **** BUFFER SHOULD COME LAST OF ALL.
Listing 2
  'SCREENLOAD'
  ************************
  THIS ROUTINE WILL PROMPT FOR THE NAME OF A SAVED SCREEN, AND LOAD THE
  NAMED FILE INTO THE QL'S SCREEN RAM
 PUT PROMPT ONTO SCREEN
                                           ; DR 4(A7), AO DR 8(A7), AO ETC.
; CHANNEL ID IN AO
. MESS
                     MOVE.L
                                (A7) . A0
                     LFA.I
                               MESSAGE, A1 ; BASE ADDRESS IN A1
                     MOVE.W
                                $D0,A2
                                           ; UT_MTEXT VECTOR IN A2
                     JSR
                                (A2)
                     BRA.S
                                           : SKIP MESSAGE
                                INSTRING
. MESSAGE
                                           : LENGTH OF MESSAGE
                                'Name of saved screen file'
10 ; CR,LF
                     DC.B
                     DC.B
                                (including device): '
                     DC.B
 GET STRING FROM KEYBOARD
                               #BUF_LEN,D2 ; LENGTH OF BUFFER IN D2
#$FFFF,D3 ; INFINITE TIMEOUT
. INSTR
                     MOVER
                     MOVE.W
                     LEA.L
                                BUFFER, A1 ;
                                            BASE ADDRESS OF BUFFER IN A1
                     MOVEQ
                                #2,D0
                                            #ID_FLINE IN DO
                     TRAP
                               BUF_POS,AO ; BUF_POS IN AO
#1,D1 ; SUBTRACT 1 FROM THE D1 REMOVES
                     I FA.I
                     SUBQ.L
                                            THE LF FROM THE STRING COUNT.
                     MOVE. W
                               D1.(A0)
                                          ; PUT NEW STRING LENGTH IN BUF_POS
 TRY TO OPEN A CHANNEL TO THE FILE
                               BUF_POS,AO
                                          ; BUF_POS IN AO
; OPEN OLD SHARED FILE
                     LEA.L
                                #1,D3
                     MOVEQ
                                          ; JOB ID FOR THIS JOB
                     MOVED
                                #-1.D1
                     MOVEQ
                                #1,DO
                                          #ID_OPEN IN DO
                     TRAP
                                #2
                                          ; ERROR?
                     TST.L
                               DO
                     BEQ.S
                                GOT_FILE ; IF NOT, THEN CONTINUE. ELSE:-
 IF ERROR, THEN THIS IS USED
                               ( OR BRANCH TO CODE TO KILL JOB)
                                         ; GO BACK TO PROMPT
                     BRA
                               MESS
                               #$FFFF,D3; INFINITE TIMEOUT
#$48,D0
  IF NO ERROR, THEN TRANSFER BYTES FROM FILE TO SCREEN
.GOT_FILE
                     MOVE.L
                     MOVE. W
                     MOVEO
                                #$48,DO
                     TRAP
                                #3
                     MOVEQ
                                #2,D0
                                         ; #ID_CLOSE IN DO
                     TRAP
                               #2
                   TO BE POSITIONED AFTER THE CODE
FOR THE STRING AND 'BUF_POS' FOR THE STRING COUNT
  WE NEED 'BUFFER'
 BUF LEN
                     EQU
                                          ; LENGTH OF INPUT BUFFER
BUF_POS
                     DC.W
BUFFER
```

the bytes are transferred from screen ram to file, using the trap 3 call FS.SAVE, which has #\$49 in register D0. This also requires the start address to be saved

in register A1, the number of bytes to be saved in D2, with an infinite timeout in D3. This code can be used to save any chunk of ram to a file, and works like the SBYTES command in Basic.

Listing two gives the corresponding Screenload routine. Most of it is very similar to Screensave, except that as it does not have to wait for a screen to be generated, there is no need to have the second Message, or the Priority and Keyrow chunks included. Obviously, it will need a slightly different prompt on the screen, and it will open an old, shared file, not a new exclusive one. And, of course, it will transfer bytes from file to screen ram, and not the other way round. To do this it uses the trap 3 call FS.LOAD, which is identical to FS.SAVE, except that it has #\$48 in register D0

This works like the LBYTES command from Basic. We can illustrate the use of these routines with a program which will sleep in the background, waiting to be called to either save a screen to file, or to load a file to screen. It will then wake up and send suitable prompts to the screen, after which it will carry out the appropriate save or load. When this is completed, it will go back to sleep, waiting for the next call.

The program starts in the usual way with Jobstart, and at once it opens a suitable console window for the prompts and file names using Console. It then uses Priority to drop its priority to 1 while it waits to be called. At this stage, the program is looking for three possible key presses, Ctrl-S for save, Ctrl-L for load, or Ctrl-Q for quit.

Different Keyrows

Since Ctrl-S, L, and Q are all in different keyrows, it needs to use Keyrow four times. The first Keyrow is to detect the Ctrl key and ignore all others. When a Ctrl is detected, the other three Keyrows are used to see if S, L or Q is pressed at the same time. If none of these is pressed, it loops back to test for Ctrl again. If Ctrl-Q is detected, the console channel is closed and the job killed.

On detecting Ctrl-S, the program jumps to Priority to bring the priority back to 32 so it can work, and goes on to Screensave. On completing the Screensave routine, the program has to loop back to the first Priority, so it can go back to sleep and wait for another call. So the single line BRA Priority is added to the end of

```
**** NOTE **** BUFFER SHOULD COME LAST OF ALL.
Listing 3
 **************************
                                'JOBSTART
                    BRA. S
                               START
                                         ; BRANCH TO START OF CODE
                    DC.L
                                           (THIS IS STANDARD FORMAT FOR
START OF A JOB)
                               0
                               $4AFB
                    DC.W
       ALTER CHARACTER COUNT AND JOB NAME
                               ; CHARACTER COUNT OF JOB NAME 'SAVELDAD' ; NAME OF JOB
                   DC. W
                              8
                    DC. B
                                 CONSOLE
 OPEN THE CONSOLE CHANNEL
      ALTER LABEL
                   TO .START
                    LEA.L
                               PBLOCK,A1
START
                                                      PBLOCK ADDRESS IN A1
                    MOVE. W
                               $C6.A2
                                                     UT_CON VECTOR IN A2
 SAVE THE CHANNEL ID WHICH UT_CON ROUTINE LEAVES IN AO.
                    MOVE.L
                               AO.-(A7)
                                               : SAVE CONSOLE ID ON STACK
 CLEAR THE WINDOW
                    MOVE. W
                               ##FFFF,D3
                                                      INFINITE TIMEOUT
                                                     #SD_CLEAR IN DO
                    MOVEQ
                               #$20,D0
                     TRAP
                    BRA. S
                               PRIDRITY
                                                      SKIP BLOCK
 DEFINITION BLOCK.
     - ALTER WIDTH TO 512 -
                                                      GREEN BORDER
                    DC.B
                    DC.B
                               2
                                                      2 PIXELS WIDE
                               0
                                                      BLACK PAPER/STRIP
                    DC. B
                                                      WHITE INK
                    DC.W
                               512
                                                      WIDTH
                    DC.W
                                                      HEIGHT
                               100
                                                      X POSITION
                                                      Y POSITION
                    DC. W
                                 PRIDRITY
                                                    ; #MT_PRIOR IN DO
; OF THIS JOB
.PRIORITY
                    MOVEQ
                               #$B.DO
                    MOVEQ
                               #-1,D1
                     MOVEQ
                               #1,D2
                                                      TO 1
                     TRAP
                                    'KEYROW
  - ALTER LABEL TO KEYROWI AND LOAD ADDRESS TO KEYRI
. KEYROW1
                               KEYR1, A3 ; KEYROW PARAM TABLE IN A3
                    LEA.L
                     MOVED
                               #$11,DO
                                           #IPCOM IN DO
                     TRAP
                               #1
                                            IS <CTRL> PRESSED?
                                         ; IF PRESSED, MOVE ON
 ---- ALTER BRANCH ADDRESS IN NEXT TWO LINES
                               KEYROW2
                     BEQ.S
                               KEYROW1
                     BRA. S
 KEYROW PARAMETER TABLE
       ALTER LABEL TO . KEYR1
                                         ; READ KEYROW
. KEYR1
                    DC.B
                               9
                     DC. B
                                           ONE PARAMETER
                                           LOWEST FOUR BITS ONLY
    -- ALTER NEXT PARAMETER TO 7
                                          ; TEST ROW 7
                     DC.B
                               2
                                          , REPLY OF 8 BITS IN D1
                                    'KEYROW
     - ALTER LABEL TO .KEYROW2 AND LOAD ADDRESS TO KEYR2
                               KEYR2,A3 ; KEYROW PARAM TABLE IN A3 #$11,D0 ; #IPCOM IN DO
KEYROW2
                     LEA.L
                     MOVEQ
                     TRAP
                     CMPI.B
                               #8.D1
                                         : IS S PRESSED?
     - ALTER BRANCH ADDRESS IN NEXT TWO LINES
                                          ; IF PRESSED, SSAVE
                     BED
                               SSAVE
                     BRA.S
                               KEYROW3
                                          ; IF NOT, TEST AGAIN
; KEYROW PARAMETER
                     ABLE
                    TO .KEYR2
DC.B
      - ALTER LABEL
                               9
                                          ; READ KEYROW
                     DC.B
                                           DNE PARAMETER
                                          : LOWEST FOUR BITS ONLY
                     DC.L
                               0
     -- ALTER NEXT PARAMETER
                             TO 3
                     DC. B
                                           TEST ROW 3
                                          REPLY OF 8 BITS IN D1
                     DC. B
  *******************************
```

Screensave. In a similar way, if the program detects Ctrl-L, it jumps to Priority to bring the priority back to 32 and then goes on to the Screenload routine. As with Screensave, the Screenload routine needs a BRA Priority line added to the end so that it can loop back to wait for another call.

The program ends in the normal way with Close to close the console channel, and Endjob to kill the job. So, putting all that together as list rather than a flowchart, we get:

Jobstart, Console, Priority, Keyrow, Keyrow, Keyrow, Keyrow, Priority, Screensave, Priority, Screenload, Close, Endjob.

Listing three shows all the chunks merged together to make the program. As before, many of the comments have been removed, and extra ones added to show exactly what alterations are necessary to make the chunks fit together. You could, of course, simply type in listing three and assemble the program, but this would defeat the point of the exercise. It will be much more informative to merge the individual chunks into one file, and then make all the necessary alterations.

Tailoring

Having got the program to work, the next job is to improve it and tailor it to your particular needs. Doing this will really show you that you understand the programming.

One obvious improvement might be to add some sound, by getting the program to make a pleasant little sound when it has completed a save or load successfully, and a less pleasant one when it fails to open a file for saving or

loading. If you have been following this series, you should have the SOUND routine all ready to merge into the program.

When the program starts, it produces a blank console window, even though you are not ready to use it. This is not a major problem, but may be a bit annoying. Not only that, but the console window stays open the whole time, whether it is in use or not. It would be tidier for the window to be opened when it is needed for a load or save, and then closed again afterwards. This would make the program a bit longer, but would not be difficult to produce. However, if you did this, you would need to be given some sign that the program had loaded properly, so make it give another little sound just before it goes to sleep, just to tell you all is well.

You can, of course, play around with the console window itself

```
'KEYROW
      ALTER LABEL TO .KEYROW3 AND LOAD ADDRESS TO KEYR3 ----
W3 LEA.L KEYR3,A3 ; KEYROW PARAM TABLE IN A3
MOVEQ #$11,D0 ; #IPCOM IN DO
                     TRAP
                                #1
                     CMPI.B
                                #1,D1
                                          : IS L PRESSED?
: --- ALTER BRANCH ADDRESS IN NEXT TWO LINES
                                          ; IF PRESSED, SLOAD
                                SLOAD
                     BEQ
                                KEYROW4
                                          ; IF NOT, TEST AGAIN
; KEYROW PARAMETER TABLE
      ALTER LABEL
                    TO .KEYR3
KEYR3
                     DC. B
                                9
                     DC. B
                                1
                                          ; ONE PARAMETER
                                          : LOWEST FOUR BITS ONLY
 ---- ALTER NEXT PARAMETER TO 4 -
                                          ; TEST ROW 4
                     DC.B
                               2
                                          ; REPLY OF 8 BITS IN D1
                     DC.B
  'KEYROW:
      ALTER LABEL TO .KEYROW4 AND BRANCH ADDRESS TO KEYR4
. KEYROW4
                                          ; KEYROW PARAM TABLE IN A3
                     LEA.L
                               KEYR4.A3
                     MOVEQ
                                #$11,DO
                                          # #IPCOM IN DO
                     TRAP
                     CMPI.B
                               #8.D1
                                            IS @ PRESSED?
   --- ALTER BRANCH ADDRESS IN NEXT TWO LINES
                     RED
                               CLOSE
                                          ; IF PRESSED, QUIT
                                           IF NOT, TEST AGAIN
                     BRA.S
                               KEYROW1
 KEYROW PARAMETER
                    TABLE
    -- ALTER LABEL TO . KEYR4
.KEYR4
                                         ; READ KEYROW
                                            ONE PARAMETER
                     DC.B
                                          ; LOWEST FOUR BITS ONLY
                     DC.L
                               0
 ---- ALTER NEXT PARAMETER TO 6
                    DC.B
                               6
                                          ; TEST ROW 6
                                          ; REPLY OF 8 BITS IN D1
                     DC. B
                               2
  *******
                                 'PRIORITY
      ALTER LABEL TO . SSAVE -
                     MOVEQ
                               #$B,DO
                                                     ; #MT_PRIOR IN DO
                     MOVED
                                #-1,D1
                                                       DE
                                                          THIS JOB
                                                      TO 1
                     MOVEQ
                                #1.D2
  *******
                                       **********
                             'SCREENSAVE'
  PUT PROMPT ONTO SCREEN
     - ALTER LABEL TO .MESS1 -
                     MOVE.L
                                (A7),A0
                                         ; CHANNEL ID IN AO
     - ALTER LOAD ADDRESS TO MESSAGE1 ---
                               MESSAGE1,A1; BASE ADDRESS IN A1

$DO,A2; UT_MTEXT VECTOR IN A2
                     LEA. L
                     MOVE. W
                     JSR
                                (A2)
; ---- ALTER BRANCH ADDRESS TO INSTR1 -
                                INSTR1
                                            SKIP MESSAGE
                     BRA.S
                               AND STRING BYTES -
   --- ALTER LENGTH OF STRING
                                           ; LENGTH OF MESSAGE
. MESSAGE1
                                Name of new screen file
10 ; CR,LF
                     DC.B
                     DC. B
                                (including device):
                     DC. B
 GET STRING FROM KEYBOARD
      - ALTER LABEL TO INSTRI
                               #BUF_LEN,D2; LENGTH OF BUFFER IN D2
#*FFFF,D3; INFINITE TIMEOUT
INSTRI
                     MOVEQ
                     MOVE. W
                     LEA.L
                               BUFFER, A1 ;
                                            BASE ADDRESS OF BUFFER IN A1
                     MOVED
                               #2,D0
                                         ; #IO_FLINE IN DO
                     TRAP
                               #3
                                              BUF_POS IN AO
                               BUF POS, AO
                                         SUBTRACT 1 FROM THE D1 REMOVES THE LF FROM THE STRING COUNT.
                     SURQ.I
                               #1,D1
                     MOVE.W
                                            PUT NEW STRING LENGTH IN BUF_POS
                               D1, (AO)
 TRY TO OPEN A CHANNEL TO THE FILE
                                           ; BUF_POS IN AO
OPEN NEW EXCLUSIVE FILE
                     LEA.L
                               BUF POS, AO
                     MOVEQ
                               #2,D3
                                          3
                                            JOB ID FOR THIS JOB
                     MOVED
                               #-1.D1
                     MOVEQ
                               #1,DO
                                            #IO_OPEN IN DO
                     TRAP
                     TST.L
                               DO
                                          ; ERROR?
      ALTER BRANCH ADDRESS TO CONT1
                     BEQ. S
                               CONT1
                                          ; IF NOT, THEN CONTINUE. ELSE:-
 IF ERROR, THEN THIS IS USED ---- ALTER BRANCH ADDRESS TO MESS1 -
                                          ; GO BACK TO PROMPT
```

to your heart's content, by altering its size, shape, position and colours, until it is exactly what you want.

Incorporating

When you are really starting to feel confident, you could start trying to incorporate the routines into other programs. A good candidate for this is the program Ellipses from part 8 of this series. The simplest way of doing this

would be to treat the program Ellipses as a subroutine of Screensave, so that having opened a file to save the screen, the program then jumps to the routines to plot a pattern of ellipses. When a satisfactory pattern is obtained, the program returns to Screensave to save the screen to the file. To make sense of the what follows, you will need to be familiar with the assembler listing for Ellipses.

Clearly, you would not need the whole of the Ellipses program. The Jobstart would be redundant, and you could use the same console window for the prompts and for the ellipses, although this is probably not advisable. Similarly, the Endjob would be redundant. The Close routine in Ellipses to close the console window for drawing ellipses would need to end in an RTS to return to Screensave. The Screensave routine itself would, of course, not need the middle section concerned with changing priority and monitoring the keyboard. Indeed, since sleeping in the background will not feature in the program, then Priority will not be needed. Putting all that together, the list of chunks for merging should look something like this:

Jobstart, Console (for text), Screensave (first part), Console (for ellipses), Cursor, Writemode, Copy, Main (for ellipses routine), Fbyte, Ellipse, Updownfp, Updownint, Updownint, Updownint, Updownint, Close (ellipses console), Screensave (last part), Close (text console), Endjob.

If you try this, you have to be careful in one or two places watching the stack pointer to make sure you put the correct channel ID into register A0. You will also become aware that the programming is becoming just a bit messy because the 'systematic' bit in the title of this series is breaking down. The reason for this is quite simple. As long as our chunks of code remain short and simple they are easy to put together without much change. As soon as our chunks become longer and more complicated, they also become far more specific in application, and when we want to use them in a different way,

```
; IF NO ERROR, THEN THIS CODE IS USED
      - ALTER LABEL TO .CONT1
 CONT1
                       MOVE.L
                                               ; SAVE FILE CHANNEL ID
                                  AO. - (A7)
. MESS2
                                  4(A7),A0 ; CHANNEL ID IN AO
MESSAGE2,A1 ; BASE ADDRESS IN A1
                                   4 (A7) , A0
                       MOVE. L
                       LEA. L
                       MOVE. W
                                  $D0,A2
                                               ; UT_MTEXT VECTOR IN A2
                       JSR
                                   (A2)
; ---- ALTER BRANCH ADDRESS TO PRIOR1
                                            ; SKIP MESSAGE
                       BRA.S
                                  PRIOR1
                       DC.W
                                                LENGTH OF MESSAGE
                                  30
                       DC. B
                                   NOW CREATE SCREEN TO BE SAVED
                       DC. B
                                  10
                                               ; CR, LF
, REDUCE THE PRIORITY TO 1
       ALTER LABEL TO .PRIOR1
PRIORI
                       MOVED
                                                         ; #MT_PRIOR IN DO
                                  #$B,D0
                       MOVEQ
                                  #-1,D1
                                                           OF THIS JOB
                                  #1,D2
                                                           TO 1
                       TRAP
MONITOR THE KEYBOARD FOR CTRL>CSHIFT>X
     -- ALTER LABEL TO .KEYROWS AND LOAD ADDRESS TO .KEYRS --
KEYROW5
                       LEA.L
                                  KEYR5, A3 ; KEYROW PARAM TABLE IN A3
                       MOVED
                                  #$11,DO
                                            ; #IPCOM IN DO
                       TRAP
                                  #1
; ---- ALTER TO CMPI.B #11,D1
                       CMPI.B
                                  #11-D1
                                               IS <CTRL><SHIFT>X PRESSED?
  ---- ALTER BRANCH ADDRESS IN NEXT TWO LINES
BEQ.S PRIOR2 : IF
                                             ; IF PRESSED, MOVE ON
                                             ; IF NOT, TEST AGAIN
                                  KEYROW5
                       BRA.S
KEYROW PARAMETER TABLE
       ALTER LABEL TO .KEYR5
KEYR5
                       DC. B
                                  9
                                             ; READ KEYROW
                       DC. B
                                               ONE PARAMETER
                                             ; LOWEST FOUR BITS ONLY
   --- ALTER NEXT PARAMETER 7
                                               TEST ROW 7
                                               REPLY OF 8 BITS IN D1
                      DC. B
                                  2
  INCREASE PRIDRITY BACK TO 32
                                                           #MT_PRIOR IN DO
OF THIS JOB
.PRIOR2
                      MOVED
                                  #$B,D0
                      MOVEQ
                                  #-1,D1
                       MOVED
                                  #32,D2
                                                           TO 1
                       TRAP
                                  #1
 TRANSFER BYTES FROM FILE TO SCREEN
                                 (A7)+,A0 ; FILE CHANNEL ID IN AO
#$2000,A1 ; START ADDRESS OF SCREEN
#$FFFF,D3 ; INFINITE TIMEOUT
#$8000,D2 ; SCREEN SIZE IN D2
#$49,D0 ; FS.SAVE IN DO
                      MOVE.L
                       MOVE.L
                      MOVE. W
                      MOVE.L
                      MOVEQ
                      TRAP
                                  #3
                      MOVEQ
                                  #2,D0
                                             # #ID CLOSE IN DO
                      TRAP
                                  #2
      - ADD NEXT LINE TO LOOP BACK ---
                      BRA
                                 PRIDRITY
       MOVE BUFFER, ETC TO THE END OF THE PROGRAM ----
                                   'PRIORITY'
      - ALTER LABEL TO .SLOAD -
                                                        ; #MT_PRIOR IN DO
; OF THIS JOB
SLOAD
                      MOVEQ
                                  #$B,D0
                      MOVEQ
                                  #-1,D1
                      MOVED
                                  #1,D2
                                                          TO 1
                      TRAP
 SCREENLOAD
 PUT PROMPT ONTO SCREEN
       ALTER LABEL TO .MESS3
. MESS3
                      MOVE.L
                                  (A7),A0
                                              ; CHANNEL ID IN AO
 ---- ALTER LOAD ADDRESS TO
                                MESSAGES --
                                 MESSAGE3, A1 ; BASE ADDRESS IN A1
                      LEA-L
                      MOVE. W
                                  $D0,A2
                                             ; UT_MTEXT VECTOR IN A2
                      JSR
                                  (A2)
  ---- ALTER BRANCH ADDRESS TO INSTR2 -
                                              ; SKIP MESSAGE
                      BRA.S
                                 INSTR2
      - ALTER LABEL TO .MESSAGE3 ----
. MESSAGE3
                      DC.W
                                              ; LENGTH OF MESSAGE
                                 46
                                  'Name of saved screen file'
                      DC. B
                      DC.B
                                  (including device):
GET STRING FROM KEYBOARD
      - ALTER LABEL TO . INSTR2
INSTR2
                                 #BUF_LEN,D2 ; LENGTH OF BUFFER IN D2
#$FFFF,D3 ; INFINITE TIMEOUT
BUFFER,A1 ; BASE ADDRESS OF BUFFER IN A1
                      MOVED
                      MOVE.W
                      LEA. L
                      TRAP
                                 7.#
                                 BUF_POS, AO
                      LEA. L
                                               : BUF POS IN AO
                                            ; SUBTRACT 1 FROM THE D1 REMOVES
                      SUBQ. L
                                 #1.D1
                                             ; THE LF FROM THE STRING COUNT.
; PUT NEW STRING LENGTH IN BUF_POS
                                 D1. (A0)
```

it usually means that a slightly different chunk would have suited us better.

Messy Solution

Clearly our problem with Screensave is in linking the input of a file name and opening a file, with actually transferring bytes to the file, all in one chunk. It works quite nicely if we separate the save routine and the screen creation routine into different programs, but becomes messy when we try to put them together in the same program.

The only really systematic way out of this is to go back to the smaller chunks of code and merge them together in the way that best suits your purpose. As I have already mentioned, all these smaller chunks except one have been covered in earlier parts of this series.

The exception is the routine to save the screen bytes to a file. This is the routine SAVE shown in **listing four**. Although we have been using it to save the screen ram to a file, it can be used to save any section of ram to a file.

including data, or programs. It requires the channel ID of a new, exclusive channel in A0, the start address to be saved in A1 and the number of bytes to save in D2. It also requires an infinite timeout (-1) in D3.

Screenload does not present us with the same problems. However, it does contain a small routine which has not yet been shown separately, which you may wish to use. This is the Load routine shown in **listing five**. Like Save, it does not have to be used to load a file to screen ram, but can be use to load any file, data, or program, to any part of the ram.

Ram warning

But a word of warning is needed. Qdos needs to know what all parts of ram are used for, because if it doesn't, it is quite likely to suddenly grab some for its own use. Also, if you suddenly load a file into an area of ram that Qdos has allocated for a different purpose, you will almost certainly crash the QL. So if you are not loading the screen ram, you must make sure the ram that is being loaded is properly allocated buffer in a program, and is big enough to take the whole file. Load requires almost exactly the same as Save, except that the channel ID in A0 must be for an old, shared file.

One final point. Listings one, two and three are not supposed to represent any optimal or correct way of doing things. They are designed to show what is possible, and to help understand how certain programming problems may be overcome. As you become more familiar with the various routines in this series, then other, shorter, more elegant, solutions will spring to mind. But the basic building blocks will almost certainly remain the same, and listings four and five are two more of those basic building blocks. Happy coding.

```
TRY TO OPEN A CHANNEL TO THE FILE
                         LEA.L
                                     BUF_POS,AO ; BUF_POS IN AO
#1,D3 ; OPEN OLD SHARED FILE
                         MOVEQ
                         MOVEQ
                                     #-1,D1
                                                    JOB ID FOR THIS JOB
                                                  #ID_OPEN IN DO
                         MOVED
                                     #1,DO
                         TRAP
                                     DO
                                                    ERROR?
                         TST. I
                                                  ; IF NOT, THEN CONTINUE. ELSE:-
                                     GOT_FILE
                         BEQ.S
  IF ERROR.
              THEN THIS IS USED
      - ALTER BRANCH ADDRESS TO MESS3
                                                  ; GO BACK TO PROMPT
  IF NO ERROR, THEN THIS CODE IS USED
  TRANSFER BYTES FROM FILE TO SCREEN
                                                       START ADDRESS OF SCREEN
                         MOVE.L
                                      #$20000,A1
                                                    ; START ADDRESS
INFINITE TIMEOUT
                         MOVE.W
                                     #$FFFF,D3;
#$8000,D2;
                                                     SCREEN SIZE IN D2
                         MOVE.L
                         MOVEQ
                                      #$48,DO
                                                 ; FS.LOAD IN DO
                         TRAP
                                      #3
                         MOVEQ
                                                  #ID CLOSE IN DO
                         TRAP
                                      #2
        ADD NEXT LINE TO LOOP BACK
                         BRA
                                     PRIORITY
       DELETE UNWANTED BUFFER
                                          'CLOSE'
                                                    CHANNEL ID IN AO
. CLOSE
                         MOVE.L
                                      (A7)+,A0
                                                  ; #ID_CLOSE IN DO
                                     #2,D0
#2
                         MOVED
                         BRA. S
                                      END JOB
                        *****
                                        'ENDJOB'
                                      $CA,A2 ; UT_ERRO in A2 (A2) ;
                         MOVE.W
.JOB END
                         JSR
                                      #5.DO
                                                     #MT FRJOB IN DO
.END_JOB
                         MOVEQ
                                                    ID OF THIS JOB IN D1
                         MOVEQ
                                      #-1,D1
                         TRAP
                                      #1
                          TO BE POSITIONED AFTER THE CODE
OR THE STRING AND 'BUF POS' FOR THE STRING COUNT
                       FOR THE STRING AND
            BUFFER
  WE NEED
                                                  ; LENGTH OF INPUT BUFFER
                         EQU
 BUF LEN
                                      50
 BUF_POS
                         DC. W
                                      0
BUFFER
                         EQU
             **** NOTE **** BUFFER SHOULD COME LAST OF ALL.
                                          'SAVE
  THIS ROUTINE WILL SAVE A FILE FROM MEMORY
  A1 CONTAINS THE BASE ADDRESS OF THE FILE (MUST BE EVEN) D2 CONTAINS THE LENGTH OF THE FILE
                                                  ; OR 4(A7), A0 DR 8(A7), A0 ETC.
; CHANNEL ID IN A0
SAVE
                         MOVE.L
                                      (A7),A0
                                      #$2000,A1; BASE ADDRESS OF FILE
#$8000,D2; LENGTH OF FILE
#$FFFF,D3; INFINITE TIMEOUT
                         MOVE.L
                         MOVE.L
                         MOVE. W
                                      #$49,DO
                                                     FS. SAVE IN DO
                         MOVEQ
                                          'LOAD
  THIS ROUTINE WILL LOAD A FILE TO MEMORY.
A1 CONTAINS THE BASE ADDRESS OF THE FILE (MUST BE EVEN)
  D2 CONTAINS THE LENGTH OF THE FILE
                                                   ; DR 4(A7), A0 DR 8(A7), A0 ETC.
; CHANNEL ID IN A0
                         MOVE.L
                                      (A7),A0
                                      #$20000,A1; BASE ADDRESS OF FILE
#$8000,D2; LENGTH OF FILE
#$FFFF,D3; INFINITE TIMEOUT
                         MOVE.L
                         MOVE.L
MOVE.W
                         MOVEQ
                                      #$48,DO
                                                  FS.LOAD IN DO
                         TRAP
```

Redundant due to GoldCard. Expanderam 512K plus Cumana D/D interface £40.00 the two. Call Keith on 081-302

Miracle Systems QL hard disk 40m byte only £349 GWO save £100 pff original price just over 12 months use. Contact Paul Merdinian Forge House, Charine Heath, Ashford, Kent. 0233 712857

QL System (JM) 512K Serial Printer (80cps) Tandata modem. Some spares, including languages, Assemblers, Games, Books and Documentation. Offers for all or part?

Tel 0252 724184

QL System for sale, Three QL's, Trump Cardz, Minerva, Two Disk drives, Books, Mags, ROM Toolkit 2, Software etc. £275 ono. Phone Terry 0332 511273 (Derby)

QL ROMS AND SPARES

ROMS, MGE (Spanish, MGF (French), MGG (German), JS (English), £20 each. JM (English),

MDVS. Complete QL MDV Subunit £20, head and chassis £10, Microswitch £2, Motor £6. Rubber & Plastic Roller £2. MDV2 Stand-off spacer + srew £2. ULA £5. Tr 4,5,6,7 set £2. MDV pcb inc, ULA £11. Prices include UK postage. Send SAE for price list of all QL spares. Joe Atkinson, 36 Ranelagh Road, Ealing, London W5 5RJ (Mail Order Only)

QL UNEXPANDED original programs plus extras. Back up MDV's plus extra drives. No MDV failures since new. AH version, have changed to 'Amiga' for video titling. Give it a good home.

Tel 051-339 2853. FOR SALE OLJS in KBL-128PC box 768K T.card dual disk Dual MDV PC keyboard battery clock, colour monitor 8058 printer, Psion suite taskmaster SL Spellbound euroword, QL home finance QL manual tandata modem £310.00 cashg buyer collects. Tel: 0243 771680

QL JM SYSTEM, comprising CUB 895 colour monitor, super Toolkit cartridge, centronics printer interface, clock battery back up kitplus fitting instructions. Not fitted. Psion package £135. Tel 0233 626713.

QL REAL TIME DIGITIZER

Digitize moving pictures in real time. Transforms QL into a video printer or 3-D image digitizer via a video camera/recorder **Digitizes in .02 secs.*
**256:256 resolution in 8 levels **Full, **V₁ or 4x **V₁ screen modes **Screen update - 5 or 2.7 frame/sec **Screen

£99

1-11 grey level 9-pin printer drump.

*Interfaces to QL ROM PORT

*Runs on unexpanded QL and multitasks.

*PSP 3.00 UK, 9.00 vorseas, state MDV or FLP

CL SYSTEMS, 403 CHAPTER ROAD, DOLLIS HILL

LONDON NW2 5NG TEL: 081 459 1351

MICRO A

HARD DISK BACKUP AND FILE MANAGER with subdirectories. listings, etc. Needs toolkit. £20 on 31/2" disk, £15 Quanta members. Turner, 43 Hamesmoor Rd., Mytchett, Camberley, Surrey. 0252 541968.

QTop by



MICRO ADS...

MICRO ADS ... MICRO ADS ...

QTop The definitive User-Front-End V1.11 SFR 70,-The QL's equivalent to WINDOWS on MS-DOS PC's. The system-manager offers the mainmenus DESK,
DEVICES, FILES, JOBS, KEYBOARD, PROGRAMS, MY PROGS, TOOLS and OPTIONS with over 110 sub-menus. *QTop* is ideal for Gold-Card or Harddisc users as it supports real Sub-Directories. The powerful QJUMP extended Pointer Environment is included and all its facilities are supported. Comprehen-

powering QUOMP excluded Pointer Environment is included and all its facilities are supported. Comprehensive 41 page manual.

ArcED The professional Text-Editor V2.6 SFR 39.—

The Text-Editor especially for programmers. Written in fast, reentrant machine code (only 20KB). Comprehensive 29 page manual.

Excetor The Super-QL in a limited edition/ask for quotation.

We use the QL PCB, GOLDCARD, QIMI & Mouse, IFC K90 & MF-2 Keyboard, up to 3 discdrives and a harddisc (option) to build the Super-QL in a Tower case. QTop and ArcED are included on the system disc. Ask for free product information. Software is available on 3.5" or 5.25" disc. All our products are compatible with all OL compatible computer. Free quadres and users support. Please specific Fedicile or Garneau version. with all QL compatible computer. Free updates and user-support. Please specify English or German version. Prices including P&P. Send orders with cheques to drawn in SFR to:

COWO Electronic

Urs König, Münsterstrasse 4, CH-6210 Sursee, Tel 045-211478 or contact TK Computerware (UK) and QLympic Computer Systems (Germany)

ADVERTISE YOUR SECONDHAND QL EQUIPMENT FREE OF CHARGE.

COMPLETE THE FORM BELOW (NO FAX'S OR PHOTOCOPIES ACCEPTED. PRIVATE SALES ONLY)

ADDRESS DAYTIME TELEPHONE NO		Please send coupon to: Advertising Department Sinclair/QL World, The Blue Barn, Tew Lane, Wootton, Woodstock, Oxon.OX7 1HA. Pleae place this Classified Advertisement in the next issue of Sinclair/QL World.		
		the JS FIOMs	rore 1675 extra with	redit Card Price [73]
				vedmul/LeaVisaov
- N				sido Yilo
				smr
8				
		1		set puto la la setto del la la setto del la la setto del

ADS

MICRO ADS

£4000 QL Giveaway

What better way to support the re-launch of QL World than to make a SPECIAL OFFER to our readers of the QL itself, while stocks of Brand New boxed machines are still available.

QL World has secured 100 of these items to be sold on a first come first served basis to our readers at £69.95 which is £40 OFF the current selling price.



The QL's are supplied complete with software which includes a Word Processor, Spreadsheet, Database and Business Graphics program. They have JM Roms but JS Roms are available for an additional £15.00

To take advantage of this offer, complete the coupon below and send if off with payment to:

QL World, The Blue Barn, Tew Lane, Wootton, Woodstock, Oxon. OX7 1HA

Please allow 12 days for delivery. Remember the offer is limited to 100 units, so place your order soon while stocks last.



Dilwyn Jones Computing

41 Bro Emrys, Tal-y-Bont, Bangor, Gwynedd LL57 3YT U.K. Tel: Bangor (0248) 354023

NEW THIS MONTH

PRINTMASTER, SOLITAIRE, EASYPTR, DISA, REMIND-ME PLUS, DBEASY, DBPROGS - SEE SOFTWARE LISTS ON THESE TWO PAGES.

CATALOGUE

PLEASE ASK FOR A COPY OF OUR QL SOFTWARE CATALOGUE. WE NOW SELL SO MANY ITEMS THAT WE CANNOT PROVIDE MUCH DETAIL IN THE ADVERT, THE CATALOGUE CONTAINS MORE DETAILS OF THE PROGRAMS AND A SAMPLE SCREEN PRINTOUT FROM MOST OF THEM

WE WILL BE EXHIBITING AT QUANTA WORKSHOPS IN LONDON (30TH MAY) AND NEWCASTLE-UPON-TYNE (28TH JUNE) AND WOULD LOVE TO SEE YOU THERE!

SOFTWARE DISCOUNTS

BUY 2 PROGRAMS TOGETHER CLAIM 5% OFF

BUY 3 OR MORE PROGRAMS CLAIM 10% OFF

L'ABELS

MICRODRIVE LABELS roll of 100£2	.00
DISK LABELS roll of 100£2	.00
100 DISK LABELS on printer roll£2	
100 ADDRESS LABELS on printer roll £2	.00
Please add £0.50 postage per roll of labels (max
postage £2.50) if only ordering labels.	

FLOPPY DISKS

3.5"DSDD UNBRANDED DISKS£0.45
20 OR MORE UNBRANDED DISKS £0.40
3.5" DSDD SONY BRANDED PACK OF 10 £9.00
3.5" DSHD HIGH DENSITY DISKS£0.70
5.25" DSDD UNBRANDED DISKS£0.45
MICRODRIVE CARTRIDGES - please phone to ask
about price and availability before ordering.
POSTAGE RATES - SEE BELOW. NO NEED TO ADD
POSTAGE ON MICRODRIVE CARTRIDGES

DICK STODAGE BOVES

DISK STURAGE BUXES
POSSO BOXES, drawer style, holds 150 or more
3.5" disks. Stackable disk storage system, in black,
like a QL£17.00
Plastic case, holds 80 3.5" disks£7.00
Plastic case, holds 40 3.5" disks£5.00
(both above boxes have clear, lockable lids and a
small set of disk dividers)
Small case for 10 3.5" disks£1.20
POSTAGE RATES - SEE RELOW

STANDS

MONITOR STAND, TILT/SWIVEL ACTIONS, HOLDS	MONITORS
WITH UP TO 14" SCREENS	£15.50
PRINTER STAND, 80 COLUMN PRINTERS	£7.50
POSTAGE BATES - SEE BELOW	

QL SOFTWARE

NB MEANING OF CODES IN SQUARE BRACKETS BELOW RAMDISK REQUIRED AVAILABLE ON FLOPPY DISK [1M/2M] AVAILABLE ON MICRODRIVE & NUMBER OF CARTRIDGES REQUIRED MINIMUM MEMORY REQUIRED PRICES OF SOFTWARE AVAILABLE ON MICRODRVIE HAVE NOW BEEN SIMPLIFIED. PLEASE ADD £2.00 TO THE PRICE SHOWN BELOW TO COVER THE EXTRA COST OF THE MICRODRIVE CARTRIDGE(S) AND DUPLICATION, OR ENCLOSE YOUR OWN CARTRIDGE(S) WITH THE ORDER AND PAY THE PRICE SHOWN.

FILE TRANSFER

DISCOVER	£20.00
[F 256K] Copy files from QDOS to PC	disks and
vice versa. No cables required!	
MULTI-DISCOVER	630 00
MOETI DIOCOVETI	

[F 256K] Enhanced version, also featuring transfer between QDOS and BBC micro DFS/ADFS, CPM and UNIX CP10 disk formats.

[F 256K] Strip out control codes from Quill text files etc and assist Discover with text file conversion to other computers.

LEISURE

[F 2M 128K] NEW! A very addictive Patience card game, sometimes also known as Klondike, for one

person. Las Vegas rules option! Great fur addictive - not a lot of work was done whe arrived!	
CRICKET SECRETARY	£12.00
[F 2M 128K] Record, display and print	CRICKET
AVERAGES, etc - all the traditional features	of batting
and bowling averages, "how out" analy	sis, best
bowling, runs per over and bowls per wick	et. Useful
for cricket club secretaries and fun for all cri	

QUESTION MASTER	£10.00
[F2M 128K] Question and multiple choice a	answers a
program - use for revision or just for enter	tainment
QUESTION SET 1: GENERAL KNOWLEDGI	£5.00
QUESTION SET 2: CLASSICAL MUSIC	£5.00
QUESTION SET 3: QL-ESTIONS	£5.00
(ALL 3 SETS WORK IN 128K OR MORE	MEMORY
WITH QUESTION MASTER PROGRAM)	

fared!

FLEET TACTICAL COMMAND II£49	.95
[F512K] Naval strategy game, playable on one or	two
networked computers. Ask about the information	tior
booklet for this superb game.	

FTC DATA PRINT UTILITY	£9.95
[F 512K] Add-on for FTC II	described above.

THE FUGITIVE		£9.95
[F 512K] Text advent	ure game.	

CUCKTAILS WAITER	£10.00
[F 256K] Database of hundreds of recipe	es for alco-
holic drinks. Useful for hotels and bars, entertainment at home.	or just for
cintertainment at nome.	

View, search, select, print, etc. recipes. MIX 2 RECIPES FOR C.W.

MIX 3 RECIPES FOR C.W	£5.	.00
(BOTH WORK IN 256K OR MORE MEMORY	W	TH
THE COCKTAILS WAITER PROGRAM, 100)'S	OF
RECIPES)		

£5.00

PROGRAMMING

EASYPTR II£49.00
[F256K] NEW! Albin Hessler's development system
for pointer environment programming. Assists
greatly with writing menu's, etc.
EASYPTR BUDGET VERSION£35.00

DISA DISASSEMBLER£29.00

[F 256K] NEW! Interactive machine code disassembler program, runs in pointer environment, reviewed in QL World April 1992.

BASIC REPORTER£10.00 [F1M 128K] List variable names, keywords, proce-

dures, etc. Useful for BASIC programmers.

BUDGET QLIBERATOR COMPILER£25.00 [F1M 128K] Version of the QLiberator SuperBASIC

compiler for unexpanded QL's. QLIBERATOR BASIC COMPILER£50.00 [F 256K] A full QL SuperBASIC compiler with even

more features than budget version!

QLOAD & QREF UTILITIES [F 1M 128K] QLOAD is a fast load utility for BASIC programs. QREF is a cross referencer for listing names used in BASIC programs.

FILE HANDLING		
FILES 2£12.00 [F1M128K] Simple to use popup file handling utility for viewing, copying, deleting, renaming etc files.		
FILEMASTER£12.00 [F 1M R 512K] For bulk copying, deleting, etc of files quickly via ramdisk, also does simple disk labelling & files list printout.		
THE GOPHER		

[F256K] Hard disk backup program for Miracle hard disk and compatibles. Version 2 now available (able to split large files onto several disks, etc.) - return version 1 master disk with £3.00 for upgrade.

referring to Mr Jones

DISPLAY SOFTWARE

DISPLAT SOLIV	MIL
VISION MIXER 1	£10.00
[F 2M 384K[Screen display softwa eye-catching display of QL mode 4 or r	
e.g. for advertising. New version 1.5 with built in speed control. Return ma	now available
with £3.00 for upgrade.	
VISION MIXED DI IIS	£22 50

[F 384K] Enhanced version, but even easier to use Now menu driven, with new effects and greate

PICTUREMASTER [F 256K] Screen maker for use with Vision Mixers, o can also be used as a simple to operate graphics

PICTUREMASTER PLUS£20.00 [F 384K] Enhanced version, with additional features

UPGRADE TO PICTUREMASTER PLUS £5.00



Dilwyn Jones Computing

41 Bro Emrys, Tal-y-Bont, Bangor, Gwynedd LL57 3YT U.K. Tel: Bangor (0248) 354023

GRAPHICS

QRACTAL £20.00
[F 512K] Machine code fractals program. Displays
Julia or Mandelbrot sets.

IMAGE PROCESSOR V2£15.00 [F 256K] Image enhancement, edge detection, zoom and edit, touch up picture generated by digitisers, scanners or other graphics programs. Works with mode 4 or 8 screens.

UPGRADE OLD IMAGE PROCESSOR£10.00 (Send proof of purchase of old version)

PD2 CLIPART£10.00
[F 128K] Clipart made for PD2 Plus, but available in screen format for use with other DTP/graphics programs if required.

SCREEN SNATCHER £10.00
[F IM 128K] 'Grab' screen displays from within other programs that are not able to save their own displays.

TRANS24£10.00 [F IM 128K] Translates 9 pin graphics printouts into data for a 24 pin printer.

TEXT

QUICK POSTERS£10.00
(F 2M 128K) Text poster maker, for use with Star NL, XB and LC printers.

ROB ROY BARGAIN PACK£10.00 (F 3M 128K) Reviewed in QL WoRld August 1991

DATA BASES

ADDRESS BOOK & LABEL PRINTER £15.00 [F 2M R 384K] Store names and addresses and print them out on a variety of label sizes, or print a telephone list, etc.

DATA DESIGN£50.00

[F 512K] Superb, fast 100% machine code database by PROGS of Belgium. Programmable via BASIC and machine code interfaces - write your own database applications in BASIC using the DATA Design commands to help you! Runs in pointer environment (supplied)

FLASHBACK £25.00
[F 1M 256K] Fast machine code database which is also very easy to use.

QL GENEALOGIST, STANDARD VERSION... £19.50 [F 2M 384K] Family trees and family history database, one of our best selling programs.

(return Genealogist master disk)
BUDGET 128K QL GENEALOGIST£12.00

[F IM 128K] Cut down version for unexpanded machines.

SUPER DISK INDEXER£12.0

[F IM 384K] Catalogue your disk collection as a database of files. Store it, print it, search & find files, make your life easier.

DBPROGS £15.00
[F 512K] NEW! A collection of Archive utilities and text files to help you learn to program Archive.
Software from EMSoft. U.S.A.

DTP

UPGRADE PD2 TO PD2 PLUS£20.00 (Send proof of purchase of old PD2)

QL HARDWARE

SOFTWARE TOOLKIT FOR MPC ABOVE £9.95[F 128K] Control the MPC from BASIC programs more easily with these extensions.

NETWORK PROVER£ 3.50

Plugs between network lead and computer to give a visual indication of transmission.

POSTAGE RATES - SEE BELOW

OTHER QL SOFTWARE

PRINTERMASTER £20.00.
[F IM 128K] NEW! Tame your printer! Popup utility with menu selection of control codes to send to a printer, Want to change fonts, set paper length, margins, set up for listings or wordprocessing etc. without having to refer to the manual and struggle

HOME BUDGET £20.00
[F IM 128K] Domestic bills and accounts program, plus a UK Income Tax Calculator.

with control codes. Let Printermaster take the

strain out of living with your printer.

REMIND-ME £12.0

[F IM 128K] Dates and events reminder programemember about birthdays, licence renewals, etc.

Quick and very easy to use.

UPGRADE REMIND-ME TO REMIND-ME PLUS ...£10.00
Return master disk with order for upgrade

SLOWGOLD £ 5.0

[F 128K] Slowdown routine and control panel for software which runs too fast on Gold Card or indeed any QL system.

TASKMASTER £25.0 [F IM 384K] Task switching utility. Enables you to conveniently switch between several programs in

listing the filenames on the disk in columns in small print.

[F IM 128K] List files on a disk or cartridge to the screen, or print on paper, in columns (optionally sorted in this latest version). Useful and convenient utility.

 \star see also the other half of this advert on the preceding page \star



SOFTWARE POSTAGE: Software sent post-free to UK addresses. Abroad add £1.00 per program for postage and packing.

SUPPLIES POSTAGE: For disks, boxes and stands, add £2.50 for postage to UK addresses, or 10% of order value (minimum postage £3.50)

for airmail postage where possible.

PAYMENT:We can accept payment by cash, cheque (in UK Pounds Sterling only, drawn on UK branch of bank or building society), Postal Order, International Postal/Money order, or Eurocheque. We can also accept payment by these credit cards: VISA, ACCESS, MASTERCARD, EUROCARD and also Barclays CONNECT card. Please state your card type, number, expiry date and your address (goods paid for by credit card can only be sent to cardholder's address). Remember to sign your order. Goods remain property of DJC until paid for in full. Our telephone number above has an answering machine for when we are unable to answer in person — don't be shy!



